

LONDON  
SCHOOL of  
HYGIENE  
& TROPICAL  
MEDICINE



Roberts, N; Peek, GJ; Jones, N; Firmin, RK; Elbourne, D (2002)  
Deaths from chickenpox - Extracorporeal membrane oxygenation has  
important role. *BMJ (Clinical research ed)*, 324 (7337). p. 610.  
ISSN 0959-8138

Downloaded from: <http://researchonline.lshtm.ac.uk/17246/>

DOI:

#### Usage Guidelines

Please refer to usage guidelines at <http://researchonline.lshtm.ac.uk/policies.html> or alternatively contact [researchonline@lshtm.ac.uk](mailto:researchonline@lshtm.ac.uk).

Available under license: Creative Commons Attribution Non-commercial  
<http://creativecommons.org/licenses/by-nc/3.0/>

# Extracorporeal membrane oxygenation has important role

**Neil Roberts** ([Neilrob52@hotmail.com](mailto:Neilrob52@hotmail.com)), clinical extra corporeal membrane oxygenation fellow, **Giles J Peek** ([ycq57@dial.pipex.com](mailto:ycq57@dial.pipex.com)), lecturer in cardiac surgery, **Nikki Jones** ([nikki.jones@uhl-tr.nhs.uk](mailto:nikki.jones@uhl-tr.nhs.uk)), research fellow in cardiac surgery, **Richard K Firmin**, consultant cardiac surgeon, **Diana Elbourne**, head of medical statistics unit

*Immunisation Division, Public Health Laboratory Service Communicable Disease Surveillance Centre, London NW9 5EQ*

*Scottish Centre for Infection and Environmental Health, Glasgow G3 7LN*

*Department of Medical Microbiology, St George's Hospital, London SW17 0QT*

*Weston Education Centre, Guy's, King's and St Thomas's School of Medicine, London SE5 9RS*

*North Trent Department of Infection and Tropical Medicine, Royal Hallamshire Hospital Sheffield S10 2JF*

*Heartlink Extra Corporeal Membrane Oxygenation (ECMO) Centre, Glenfield Hospital, Leicester LE3 9QQ*

*Division of Cardiac Surgery*

*Division of Cardiac Surgery*

*Division of Cardiac Surgery*

*London School of Hygiene and Tropical Medicine, London School of Hygiene, London WC1E 7HT*

EDITOR—Rawson et al highlighted the potentially devastating effects of varicella infection, particularly the fact that adults in the United Kingdom are dying from it and these deaths are increasing in number.<sup>1</sup> We know the pneumonitis caused by varicella infection can lead to respiratory failure that is often the cause of death in these patients. Antiviral treatment may help in such patients, but only if their severely compromised physiology can be adequately supported until they recover.

Extracorporeal membrane oxygenation has been reported to be used successfully in cases of adult respiratory failure resulting from varicella pneumonia and we would like to bring the results of such intervention to the attention of Rawson et al.<sup>2-5</sup> We have treated 15 adults with this procedure for confirmed varicella pneumonitis in Leicester between August 1992 and December 1999. These 15 patients had a mean age of 36 years (range 24-61), and were significantly hypoxic on referral with a ratio of arterial oxygen tension to fraction of inspired oxygen ( $\text{PaO}_2/\text{FiO}_2$ ) of 8.09 kPa. The overall survival rate in these patients was 60%. Of the 11 patients, however, we treated with venovenous extracorporeal membrane oxygenation the survival rate was 75% (compared with zero for the four patients treated with venoarterial extracorporeal membrane oxygenation).

It seems likely, therefore, that this is a treatment that should be considered for fulminant varicella pneumonitis, but the numbers treated so far are too small to be sure of the effectiveness of this invasive treatment. To resolve this uncertainty, currently all such cases in the United Kingdom can be referred for entry into the CESAR (conventional ventilation or extracorporeal membrane oxygenation for severe adult respiratory failure) trial. Suitable patients will be randomised to receive either extracorporeal membrane oxygenation or continued conventional ventilation.

Further details about the trial are available from <http://www.cesar-trial.org>.

## References

1. Rawson H, Crampin A, Noah N. Deaths from chickenpox in England and Wales 1995–7: analysis of routine mortality data. *BMJ* 2001; **323**: 1091–1093. (10 November.)
2. Marriage S, Lyall EG, Nadel S, Britto J. Prolonged extracorporeal life support for varicella pneumonia. *Crit Care Med* 1998; **26**: 1138–1139.
3. Lee AW, Kolla S, Schreiner Jr RJ, Hirschl RB, Bartlett RH. Prolonged extracorporeal life support (ECLS) for varicella pneumonia. *Crit Care Med* 1997 Jun; **25**: 977–982.
4. Claydon AH, Nicholson KG, Wiselka MJ, Firmin RK. Varicella pneumonitis: a role for extra-corporeal membrane oxygenation? *J Infect* 1994; **28**: 65–67.
5. Peek GJ, Moore HM, Moore N, Sosnowski AW, Firmin RK. Extracorporeal membrane oxygenation for adult respiratory failure. *Chest* 1997; **112**: 759–764.