

Rajak, SN; Habtamu, E; Weiss, HA; Bedri, A; Gebre, T; Genet, A; Khaw, PT; Bailey, RL; Mabey, DC; Gilbert, CE; Emerson, PM; Burton, MJ (2011) Epilation for Trachomatous Trichiasis and the Risk of Corneal Opacification. Ophthalmology. ISSN 0161-6420 DOI: https://doi.org/10.1016/j.ophtha.2011.06.045

Downloaded from: http://researchonline.lshtm.ac.uk/18684/

DOI: 10.1016/j.ophtha.2011.06.045

## Usage Guidelines

 $Please \ \ refer \ \ to \ \ usage \ \ guidelines \ \ at \ \ \ http://research on line.lshtm.ac.uk/policies.html \ \ or \ \ alternatively \ contact \ research on line@lshtm.ac.uk.$ 

Available under license: http://creativecommons.org/licenses/by-nc-nd/2.5/

Sign			Definition	World Health Organisation (WHO) equivalent grade
Entropion (assessed with eye in primary position)				
EO	(none)	None		
E1	(mild)	<50 % of lid margin rolled inwards without cornea - lash base contact		No WHO grading system for entropion
E2	(moderate)	>50% of lid margin rolled inwards without cornea —lash base contact		
E3	E3 (severe)		Lid margin rolled inwards with <50% lash base – cornea contact	
E4	E4 (severe)		n rolled inwards with >50% lash base – cornea contact	
Corneal scarring (assessed with eye in primary position)				
CC	0-0		None	CC0
CC	O-1 Opacity	Location:	Opacity, outside central 4mm of cornea	CC1
	Opacity	Density:	Any	
CO-	-2a	Location:	Within central 4mm, but not entering central 1mm.	
		Density:	Pupil margin visible through opacity.	
CO-	-2b	Location:	Within central 4mm, but not entering central 1mm.	
		Density:	Pupil margin not visible through opacity.	CC2
CO	-2c	Location:	Overlying central 1mm, i.e. visual axis	
		Density:	Pupil margin visible through opacity.	
CO-	-2d	Location:	Overlying central 1mm, i.e. visual axis	J
		Density:	Pupil margin not visible through opacity.	
C	0-3	Location:	All of central 4mm	
		Density:	Pupil margin not visible through opacity	CC3
CC	D-4		Phthisis	No WHO grade

Fig 1: Expanded grading system and WHO grading system equivalents