Table 1 Study population and recruitment (CONSORT)				
		Number of patients		
Time period		Pre-intervention wards	Post-intervention wards	
	Total on wards	446	-	
1	Not eligible	203	-	
	Refused consent	70	-	
	<b>Total consented</b>	172	-	
_	Total on wards	380	84	
2	Not eligible	177	41	
	Refused consent	48	9	
	<b>Total consented</b>	155	34	
	Total on wards	274	132	
3	Not eligible	134	65	
	Refused consent	39	13	
	<b>Total consented</b>	101	54	
_	Total on wards	233	204	
4	Not eligible	128	85	
	Refused consent	42	35	
	<b>Total consented</b>	63	84	
	Total on wards	127	234	
5	Not eligible	43	73	
	Refused consent	31	71	
	<b>Total consented</b>	53	90	
	Total on wards	102	59	
6	Not eligible	43	19	
	Refused consent	23	14	
	<b>Total consented</b>	36	26	
-	Total on wards	155	142	
7	Not eligible	62	60	
		$\dashv$		

Refused consent

	Total consented	69	62
8	Total on wards	70	88
	Not eligible	34	45
	Refused consent	15	19
	Total consented	21	24
9	Total on wards	-	87
	Not eligible	-	10
	Refused consent	-	13
	Total consented	-	64

Table 2 Demographic and clinical characteristics of participants						
Description		N (%) or mean (SD)				
		Overall	Pre-intervention wards	Post-intervention wards		
		1108	670	438		
Demographic characteristics						
	Men	609 (55%)	352 (53%)	257 (59%)		
Gender	Women	499 (45%)	318 (47%)	181 (41%)		
Age (years)	Mean (SD)	39.7 (12.8)	39.7 (13.0)	39.6 (12.6)		
First language	English	879 (80%)	525 (79%)	354 (82%)		
	Not English	219 (20%)	141 (21%)	78 (18%)		
Ethnicity	White	556 (50%)	325 (49%)	231 (53%)		
	Mixed	71 (6·4%)	38 (5·7%)	33 (7.5%)		
	Asian	59 (5·3%)	30 (4.5%)	29 (6.6%)		
	Black	377 (34%)	250 (37%)	127 (29%)		
	Chinese	3 (0·3%)	3 (0.5%)	-		
	Other	41 (3.7%)	23 (3·4%)	18 (4·1%)		
Legal status of admission	Involuntary	616 (56%)	386 (58%)	230 (53%)		
	Voluntary	485 (44%)	280 (42%)	205 (47%)		

Number of previous admissions	Mean (SD)	3.6 (5.5)	3.6 (6.0)	3.5 (4.7)		
Primary clinical diagnosis	Psychosis	513 (48%)	330 (50%)	183 (45%)		
	Other	554 (52%)	329 (50%)	225 (55%)		
Length of stay (days)	Mean (SD)	34.4 (53.8)	37.7 (61.7)	29.4 (38.5)		
Measured clinical outcomes						
VOICE potential range 19-114		54.5 (18.0)	56.5 (19.1)	54·2 (17·2)		
SS-RES		89.9 (26.8)	91.3 (27.1)	86.4 (24.2)		
PANSS		53.5 (15.3)	55.6 (15.8)	52·1 (13·1)		
NOSIE		15.8 (8.2)	16.2 (8.5)	15.4 (7.3)		