
## **scientific** reports



## **OPEN Publisher Correction: Comparison** of platforms for testing antibodies to Chlamydia trachomatis antigens in the Democratic Republic of the Congo and Togo

Published online: 01 September 2021

Sarah Gwyn, Marcel S. Awoussi, Ana Bakhtiari, Rachel N. Bronzan, Kathryn Crowley, Emma M. Harding-Esch, Yao Kassankogno, Janvier N. Kilangalanga, Felix Makangila, Sylvain Mupoyi, Jeremiah Ngondi, Bonaventure Ngoyi, Stephanie Palmer, Jessica M. Randall, Anders Seim, Anthony W. Solomon, Raymond Stewart, Kwamy Togbey, Pitchouna A. Uvon & Diana L. Martin

Correction to: Scientific Reports https://doi.org/10.1038/s41598-021-86639-8, published online 31 March 2021

The Acknowledgements section in the original version of this Article was incomplete.

"The surveys in the Democratic Republic of the Congo were generously supported by the American People through the United States Agency for International Development (USAID) via its ENVISION project (cooperative agreement number OAA-A-11-00048) and Act to End NTDs | East program (cooperative agreement No. 7200AA18CA00040), implemented by RTI International. The surveys and activities in the Togolese Republic were generously supported by the American People through the USAID via its End Neglected Tropical Diseases in Africa project (cooperative agreement number AID-OAA-A-10-00050), managed by FHI 360. Laboratory work at CDC was funded through an interagency agreement with USAID."

## now reads:

"The surveys in the Democratic Republic of the Congo were generously supported by the American People through the United States Agency for International Development (USAID) via its ENVISION project (cooperative agreement number OAA-A-11-00048) and Act to End NTDs | East program (cooperative agreement No. 7200AA18CA00040), implemented by RTI International. The surveys and activities in the Togolese Republic were generously supported by the American People through the USAID via its End Neglected Tropical Diseases in Africa project (cooperative agreement number AID-OAA-A-10-00050), managed by FHI 360. Laboratory work at CDC was funded through an interagency agreement with USAID. Disclaimer: The authors alone are responsible for the views expressed in this article and they do not necessarily represent the views, decisions or policies of the institutions with which they are affiliated. The authors declare no competing interests."

The original Article has been corrected.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.

© The Author(s) 2021