

LONDON
SCHOOL of
HYGIENE
& TROPICAL
MEDICINE



Watson-Jones, D; Baisley, K; Brown, J; Kavishe, B; Andreasen, A; Changalucha, J; Mayaud, P; Kapiga, S; Gumodoka, B; Hayes, RJ; de Sanjos, S (2013) High prevalence and incidence of human papillomavirus in a cohort of healthy young African female subjects. *Sexually transmitted infections*, 89 (5). pp. 358-65. ISSN 1368-4973 DOI: <https://doi.org/10.1136/sextrans-2012-050685>

Downloaded from: <http://researchonline.lshtm.ac.uk/682470/>


DOI: [10.1136/sextrans-2012-050685](https://doi.org/10.1136/sextrans-2012-050685)

Usage Guidelines

Please refer to usage guidelines at <http://researchonline.lshtm.ac.uk/policies.html> or alternatively contact researchonline@lshtm.ac.uk.

Available under license: Creative Commons Attribution Non-commercial
<http://creativecommons.org/licenses/by-nc/3.0/>

Supplemental Figure 1. Prevalence of HPV infection (any type) by age¹



¹ Prevalence in all girls, assuming that girls who report being non-sexually active are negative for all serotypes. No girls under age 13 reported being sexually active.