Europe's journal on infectious disease epidemiology, prevention and control HOME **ARCHIVES ABOUT US EDITORIAL POLICY** FOR AUTHORS FOR REVIEWERS LINKS **20-YEAR ANNIVERSARY** Home Eurosurveillance Monthly Release 2006: Volume 11/ Issue 1 Article 1 Search In this issue en es fr Back to Table of Contents ÷ Submit article Tattooing and piercing – the need for guidelines in EU Tweet Next Trichinellosis: still a concern for RSS Feed Europe Tattooing, permanent makeup Eurosurveillance, Volume 11, Issue 1, 01 January 2006 5 Follow us on Twitter and piercing in Amsterdam; guidelines, legislation and **Editorial** E) Subscribe monitoring TATTOOING AND PIERCING - THE NEED FOR GUIDELINES IN EU Hepatitis A vaccination policy Unsubscribe E) for travellers to Egypt in eight Citation style for this article: Noah N. Tattooing and piercing - the need for guidelines in EU. Euro Surveill. 2006;11(1):pii=589. Contact European countries, 2004 Available online: http://www.eurosurveillance.org/ViewArticle.aspx?ArticleId=589 Absence of infection in ? Sitemap asymptomatic contacts of index SARS case in France Community-acquired Announcements methicillin-resistant Staphylococcus aureus in Norman Noah EUROSURVEILLANCE IN Switzerland : first surveillance London School of Hygiene and Tropical Medicine, London, United Kingdom **OPEN ACCESS** report DIRECTORIES Emergence of MRSA infections Eurosurveillance remains in horses in a veterinary hospital: in the updated list of the strain characterisation and Directory of Open Access comparison with MRSA from As in Amsterdam [1], the impetus for UK quidelines for hygienic tattooing came from an outbreak Journals (DOAJ). It was first humans of hepatitis B caused in 1978 by a tattooist. The outbreak resulted in 30 primary and three added to the DOAJ on 9 Meat inspection for Trichinella September 2004. secondary cases [2]. Guidelines for hygienic tattooing followed soon after, and were taken up, in pork, horsemeat and game Eurosurveillance is also fairly enthusiastically on the whole, by the tattooists. These were expanded in 1982 to include within the EU: available listed in the Securing a Hybrid Environment for technology and its present acupuncture, ear-piercing and hair electrolysis. Laws to control the hygiene of these Research Preservation and implementation practitioners were introduced at the same time {Local Government Miscellaneous Provisions Act Access / Rights MEtadata 1982 [amended 2003] and the Greater London Council [General Powers] Act 1982}. Body piercing for Open archiving (SHERPA/RoMEO) [2], a was hardly heard of at the time: although it was undoubtedly and somewhat furtively practised, database which uses a it was not as popular or as open as it is now. Guidelines for beauty therapy, hygienic hairdressing colour-coding scheme to

classify publishers according to their selfarchiving policy and to show the copyright and open access self-archiving policies of academic journals. Eurosurveillance is listed there as a 'green' journal, which means that authors can archive preprint (i.e. pre-refereeing), post-print (i.e. final draft post-refereeing) and archive the publisher's version/PDF.

FIFTH EUROSURVEILLANCE SCIENTIFIC SEMINAR

ESCAIDE participants are invited to the fifth Eurosurveillance scientific seminar on 30 November 2016

TWITTER

Follow Eurosurveillance on Twitter: @Eurosurveillanc

ZIKA VIRUS INFECTION Read our articles on Zika virus infection

EXPRESSION OF CONCERN

Note of concem published for 'Epidemiological investigation of MERS-CoV spread in a single hospital in South Korea, May to June 2015', http://bit.ly/29QFXPp

All announcements



and micropigmentation followed.

The main, and most urgent, problem with non-medical skin penetration is hygiene – in particular the transmission of bloodborne viruses, and especially hepatitis B. This virus is arguably the most infectious organism known to man and can survive for long periods in the environment. Fortunately, the guidelines formulated in 1978 and 1982 in the UK were for hepatitis B, so that when the other two main bloodborne viruses, hepatitis C and HIV, became known a little later, being much less resistant, they were adequately covered by the guidelines.

HCV may be asymptomatic for years, and HIV may also be asymptomatic, though usually for a shorter period. HBV infection in adults is less commonly asymptomatic, but all three infections eventually cause serious symptoms. The incubation periods for these three infections can be long, which can make outbreaks difficult to recognise. Bacterial infection must also be considered – in my experience, these usually arise from poor aftercare or poor aftercare advice. Infection introduced at the time of the piercing may lead to septicaemia and even to endocarditis in susceptible persons, and also, of course, to wound infections. Infection arising after piercing the cartilage of the ear is a particular and urgent problem, brought about as frequently by poor aftercare as by an unhygienic piercing.

The hygiene of non-medical skin piercing needs to be addressed urgently in the EU, so that uniform and effective guidelines can be applied throughout the Union. Otherwise, with different guidelines, standards of practice will vary from country to country.

Other factors that need to be addressed urgently (not all to do with hygiene) are

- Age of consent for each type of piercing, as well as competence to give consent;
- The use of disinfectants, including alcohol for skin disinfection and work surfaces, chlorine-based solutions for surfaces and blood spills, etc
- The training and accreditation of practitioners, which follows from the above;
- The use of anaesthetics, including ethyl chloride which is more painful than the piercing and may cause freezer burns, and local anaesthetic creams;
- Pre-piercing advice, including warning of the possibility of complications (for ear-cartilage piercing in particular);
- Aftercare advice given to customers;
- Record keeping;
- Ethical issues, such as forming an accredited association of competent practitioners who will

ensure high standards so that members of the public know they will receive a guaranteed service of competence and safety, as well as those (alcohol and drugs) referred to by Worp and colleagues. There should be one national association for each type of practitioner, so that uniform standards are followed.

• Epidemiological studies of the rate and incidence of complications following the different types of piercing. A study is currently being conducted by the Health Protection Agency Centre for Infections in England and Wales.

The use of non-sterile or chemically toxic pigments, as specified by Worp and colleagues, undoubtedly also needs attention but I am not aware of infection caused by pre-contaminated pigment and the problems of toxicity and allergy need more research before making recommendations. Guidelines for hygiene and the other factors mentioned should not have to wait for these.

The authors are to be congratulated for their fine work in controlling non-medical skin piercing in Amsterdam, and in particular for their work in monitoring the performance of skin piercing establishments.

References

1. Worp J, Boonstra A, Coutinho RA, van den Hoek JAR. Tattooing, permanent makeup and piercing in Amsterdam; guidelines, legislation and monitoring. Euro Surveill 2006; 01: http://www.eurosurveillance.org/em/v11n01/1101-223.asp

2. Limentani AE, Elliott L, Noah ND, Lamborn JK. An outbreak of hepatitis B from tattooing. The Lancet 1979; 2: 86-88

Back to Table of Contents	en es fr	
		Tweet Next •
To top ▶ Recommend this page The publisher's policy on data collection and use of cookies.		
		at the opinions of the European Contro for Disease
Disclaimer: The opinions expressed by authors control Prevention and Control (ECDC) or the editorial team of ECDC is responsible for the use that might be may to support, not replace, the relationship that exists b	or the institutions with which the authors are affiliat ade of the information in this journal. The information	ed. Neither ECDC nor any person acting on behalf n provided on the <i>Eurosurveillance</i> site is designed

advertisement. Except where otherwise stated, all manuscripts published after 1 January 2016 will be published under the <u>Creative Commons Attribution</u> (<u>CC BY</u>) licence. You are free to share and adapt the material, but you must give appropriate credit, provide a link to the licence, and indicate if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use.

Eurosurv eillance [ISSN 1560-7917] - ©2007-2016. All rights reserved.

CERTIFIED 08/2016

