

826 **Table II.** Summary of Systematic Reviews and Meta-Analyses Assessing the Association Between Psoriasis and Cardiovascular  
827 Disease Risk Factors.

Study	Study Dates	Total Number of Patients		Number of Studies Included	CV Risk Factor	Composite Measure of Association (95% CI)
		Psoriasis	No Psoriasis			
Armstrong, et al. <sup>71</sup> 2012	January 1, 1980 - January 1, 2012	201,831	2,119,329	Total: 16 Severity Assessment: 5 Incidence: 1	Obesity	Overall: OR 1.66 (1.46-1.89) Mild: OR 1.46 (1.17-1.82) Severe: OR 2.23 (1.63-3.05) Incidence: HR 1.18 (1.14-1.23)
Armstrong, et al. <sup>73</sup> 2012	January 1, 1980 - January 1, 2012	309,469	2,384,229	Total: 24 Severity Assessment: 5 Incidence: 2	Hypertension	Overall: OR 1.58 (1.42-1.76) Mild: OR 1.30 (1.15-1.47) Severe: OR 1.49 (1.20-1.86)

						Incidence: HR 1.09 (1.05–1.14) Incidence: RR 1.17 (1.06–1.30)
Armstrong, et al. <sup>78</sup> 2012	January 1, 1980 - January 1, 2012	404,494	4,640,847	Total: 27 Severity Assessment: 5 Incidence: 5	Diabetes	Overall: OR 1.59 (1.38-1.83) Mild: OR 1.53 (1.16-2.04) Severe: OR 1.97 (1.48-2.62) Incidence: RR 1.27 (1.16-1.40)
Ma, et al. <sup>81</sup> 2012 <sup>a</sup>	January 1, 1980 - January 1, 2012	265,685	2,167,198	Total: 25 Severity Assessment: 5 Incidence: 1	Dyslipidemia	Overall OR: 1.04-5.55 Mild OR: 1.10-3.38 Severe OR: 1.26-5.55
Armstrong, et al. <sup>89</sup> 2013	January 1, 1980 - January 1, 2012	41,853	1,357,324	Total: 12 Severity	Metabolic Syndrome	Overall OR: 2.26 (1.70-3.01) Mild OR: 1.22 (1.11-1.35) <sup>b</sup>

				Assessment: 3		Moderate OR: 1.56 (1.38-1.76) <sup>b</sup> Severe OR: 1.98 (1.62-2.43) <sup>b</sup>
--	--	--	--	---------------	--	--

828

829 CI, confidence interval; CV, cardiovascular; HR, hazard ratio; OR, odds ratio; RR, relative risk

830 <sup>a</sup>Systematic review only.831 <sup>b</sup>Reported from single study by Langan, et al.<sup>72</sup>