

Table 4. Baseline clinical (undilated and dilated) optic disc assessment made at the slit lamp

| | Undilated assessment | | | Dilated assessment | | |
|------------------------------|--------------------------|-------------------------|------------------------------|--------------------------|-------------------------|------------------------------|
| | Right VCDR (95%CI) | Left VCDR (95%CI) | Right and Left (95%CI) | Right VCDR (95%CI) | Left VCDR (95%CI) | Right and Left (95%CI) |
| Number | 2958 | 2959 | 5917 | 3906 | 3915 | 7821 |
| 0.5th Percentile | 0.1(0.1-0.1) | 0.1(0.1-0.1) | 0.1(0.1-0.1) | 0.1(0.1- 0.1) | 0.1(0.1- 0.1) | 0.1(0.1-0.1) |
| 2.5th Percentile | 0.1(0.1-0.1) | 0.1(0.1-0.1) | 0.1(0.1-0.1) | 0.1(0.1- 0.1) | 0.1(0.1- 0.1) | 0.1(0.1-0.1) |
| Mean(SD) | 0.21 (0.14) | 0.22 (0.13) | 0.21(0.13) | 0.23 (0.16) | 0.23 (0.15) | 0.23(0.15) |
| 97.5th Percentile | 0.6(0.5-0.6) | 0.6(0.5-0.6) | 0.6(0.5-0.6) | 0.7(0.6- 0.7) | 0.6(0.6- 0.7) | 0.7(0.6-0.7) |
| 99.5th Percentile | 0.8(0.8-0.9) | 0.8 (0.7- 0.9) | 0.8(0.8-0.8) | 0.9(0.8- 1.0) | 0.84(0.8- 0.9) | 0.9(0.8-0.9) |