BMJ Global Health

Drivers of health workers' migration, intention to migrate and non-migration from low/middle-income countries, 1970–2022: a systematic review

Patience Toyin-Thomas,^{1,2} Paul Ikhurionan,³ Efe E Omoyibo,⁴ Chinelo Iwegim,⁵ Avwebo O Ukueku,⁶ Jermaine Okpere,⁷ Ukachi C Nnawuihe,⁸ Josephine Atat,⁹ Uwaila Otakhoigbogie,¹⁰ Efetobo Victor Orikpete,¹¹ Franca Erhiawarie,¹² Emmanuel O Gbejewoh,¹³ Uyoyo Odogu,¹⁴ Itua C G Akhirevbulu,¹⁵ Yakubu Kevin Kwarshak ¹⁶ ,¹⁶ Oghenebrume Wariri ^{17,18}

To cite: Toyin-Thomas P, Ikhurionan P, Omoyibo EE, et al. Drivers of health workers' migration, intention to migrate and non-migration from low/ middle-income countries, 1970–2022: a systematic review. BMJ Global Health 2023;8:e012338. doi:10.1136/ bmjgh-2023-012338

Handling editor Seye Abimbola

► Additional supplemental material is published online only. To view, please visit the journal online (http://dx.doi.org/10. 1136/bmjgh-2023-012338).

Received 17 March 2023 Accepted 25 April 2023



© Author(s) (or their employer(s)) 2023. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by

For numbered affiliations see end of article.

Correspondence to

Dr Oghenebrume Wariri; oghenebrume.wariri@lshtm. ac.uk

ABSTRACT

Background The migration of healthcare workers (HWs) from low/middle-income countries (LMICs) is a pressing global health issue with implications for population-level health outcomes. We aimed to synthesise the drivers of HWs' out-migration, intention to migrate and non-migration from LMICs.

Methods We searched Ovid MEDLINE, EMBASE, CINAHL, Global Health and Web of Science, as well as the reference lists of retrieved articles. We included studies (quantitative, qualitative or mixed-methods) on HWs' migration or intention to migrate, published in either English or French between 1 January 1970 and 31 August 2022. The retrieved titles were deduplicated in EndNote before being exported to Rayyan for independent screening by three reviewers.

Results We screened 21 593 unique records and included 107 studies. Of the included studies, 82 were single-country studies focusing on 26 countries, while the remaining 25 included data from multiple LMICs. Most of the articles focused on either doctors 64.5% (69 of 107) and/or nurses 54.2% (58 of 107). The UK (44.9% (48 of 107)) and the USA (42% (45 of 107)) were the top destination countries. The LMICs with the highest number of studies were South Africa (15.9% (17 of 107)), India (12.1% (13 of 107)) and the Philippines (6.5% (7 of 107)). The major drivers of migration were macro-level and meso-level factors. Remuneration (83.2%) and security problems (58.9%) were the key macro-level factors driving HWs' migration/intention to migrate. In comparison, career prospects (81.3%), good working environment (63.6%) and job satisfaction (57.9%) were the major meso-level drivers. These key drivers have remained relatively constant over the last five decades and did not differ among HWs who have migrated and those with intention to migrate or across geographical regions.

Conclusion Growing evidence suggests that the key drivers of HWs' migration or intention to migrate are similar across geographical regions in LMICs. Opportunities exist to build collaborations to develop and implement strategies to halt this pressing global health problem.

WHAT IS ALREADY KNOWN ON THIS TOPIC

- ⇒ To effectively tackle the issue of health workers' (HWs) migration from low/middle-income countries (LMICs) and improve health systems, robust data, especially related to the drivers of migration or nonmigration, are needed.
- ⇒ Although LMICs are most impacted, to date, no systematic review has exclusively studied these groups of countries to understand the key drivers of emigration, migration intention or non-migration.

WHAT THIS STUDY ADDS

- ⇒ We report, to our knowledge, the first systematic review that rigorously assessed the drivers of migration/intention to migrate across all human resources for health cadres from LMICs covering the last five decades.
- ⇒ We analysed the changing trends and factors influencing HWs' migration from LMICs over time, and examined the reasons for non-migration among those who remain in their source countries.
- ⇒ We used two policy-relevant conceptual frameworks to synthesise and categorise the drivers of HWs' migration from LMICs.

HOW THIS STUDY MIGHT AFFECT RESEARCH, PRACTICE OR POLICY

Our findings highlight the fact that opportunities exist to build collaborations to develop and implement strategies to halt this pressing global health problem.

INTRODUCTION

Human resources for health (HRH) play a crucial role in the functioning of health systems and have been demonstrated to impact population-level health outcomes. ¹⁻³ A 2022 Global Burden of Disease Study estimated that a minimum of 20.7 physicians, 70.6



nurses and midwives, 8.2 dental personnel and 9.4 pharmaceutical personnel per 10000 population would be required globally to achieve universal health coverage.⁴ Regarding absolute numbers, the minimum thresholds fell short by 6.4 million physicians, 30.6 million nurses, 3.3 million dental personnel and 2.9 million pharmaceutical personnel.⁴ Furthermore, to achieve the healthrelated sustainable development goals (SDGs), the WHO recommended a health workforce density of 4.45 per 1000 population.⁵ Nevertheless, a growing concern is that by 2030, a shortage of 18 million HRH will occur, primarily in low/middle-income countries (LMICs) of Southeast Asia and sub-Saharan Africa.⁶ Recognising such shortfalls, SDG 3c aims to significantly boost health financing and enhance the training, recruitment, development and retention of HRH in LMICs. However, the emigration of HRH exacerbates the existing workforce shortages in their home countries, leading to reduced access to healthcare, increased healthcare costs and adverse health outcomes for the population.⁸⁹

The migration of HRH from LMICs is a pressing global health issue with significant implications for both sending and receiving countries. 10 It is influenced by a complex interplay of push and pull factors at the individual and systemic levels. 11-13 At the individual level, factors such as better job opportunities, improved working conditions, higher salaries and better career prospects can act as drivers for migration. ¹⁴¹⁵ At the systemic level, weak health systems, limited professional development opportunities, political instability and poor governance can push HRH to seek employment elsewhere. 11 12 14 Additionally, the global distribution of health workers is influenced by macro-level factors such as economic globalisation and international trade agreements, 16 17 which can exacerbate workforce migration from LMICs. A comprehensive understanding of these drivers is essential for developing effective policies to retain health workers in their home countries.

To effectively tackle the issue of HRH migration from LMICs and improve health systems, robust data, especially related to the drivers of migration or non-migration, are needed to inform measures taken by governments and organisations such as the WHO. Unfortunately, systematic review data on the drivers of HRH migration are sparse, with the existing reviews having a limited scope related to LMIC settings. 18-21 Previous systematic reviews on the drivers of HRH migration have only examined specific categories of HRH, 18 21 such as nurses or physicians, or have restricted their studies to a particular country, especially the UK. 18 19 21 Although LMICs are most impacted, to date, no systematic review has exclusively studied these groups of countries to understand the key drivers of emigration, migration intention or non-migration. Furthermore, previous systematic reviews have not analysed the changing trends and factors influencing HRH migration from LMICs over time, nor have they explored the reasons for non-migration among those HRH who remain in their source countries.

This systematic review, therefore, aims to determine the drivers of health workers' out-migration, intention to migrate and non-migration from LMICs. The specific objectives are: to document publication trends and identify the cadres of health workers studied, their source and destination countries, and to categorise drivers of HRH out-migration, migration intention and non-migration from LMICs using a relevant policy-oriented framework. This review will also determine if there have been changes in the drivers of HRH out-migration or intention to migrate from LMICs over the past decades and compare drivers between HRH with migration intention and those who have already migrated, between cadre and between geographical regions within LMICs.

METHODS

This systematic review followed the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guidelines. The review protocol was registered with PROSPERO (CRD42022334283) and published a priori in a peer-reviewed journal. The review process did not deviate from the previously published protocol. However, we updated the original protocol to include studies that modelled drivers of HRH migration as they were found to be a rich source of macro-level drivers of migration.

Information sources and search strategy

We systematically searched five electronic databases: Ovid MEDLINE, EMBASE, CINAHL, Global Health and Web of Science. We also examined the reference list of retrieved items to identify additional articles further. The search strategy was developed based on several variants of the key concepts from the study aim: health workers, low-and middle-income countries and migration. The search strategy was developed, refined and implemented using a three-stage approach. In the first stage, a preliminary search was conducted in the MEDLINE database using key concepts, and the search terms were refined based on the titles and indexing terms of the retrieved items. The refined search strategy was adapted and applied to all the databases in the second stage. In the final stage, the reference list of included full-text papers was searched for additional articles not found in the database search. During the search, we truncated text words and applied wildcards to enable the retrieval of relevant articles that used different spellings for the same word. In addition, we combined text words and Medical Subject Headings terms using Boolean operators. All databases were searched in August 2022. The complete search strategy employed across all five databases is available in online supplemental table 1.

Eligibility criteria

Primary studies, including those with quantitative, qualitative or mixed-methods, and studies based on secondary data with the following specific characteristics were included in the review: (a) focused on any category of HRH from any LMIC (ie, low-income, lower



middle-income and upper middle-income economies) based on the 2020 World Bank classification²⁴; (b) assessed HRH migration or intention to migrate; (c) reported any determinant of HRH migration; and (d) published in English or French language. We did not apply any date restriction for the included studies. We excluded systematic or scoping reviews, journal correspondence or commentary on HRH migration or intention to migrate. Also, studies reporting data from HRH from LMICs who trained and have only worked in highincome countries were excluded because we considered that their experience might not reflect those of their colleagues who trained or have worked in LMICs.

Study selection

We exported all the retrieved titles into the EndNote V.20 (Clarivate Philadelphia, Pennsylvania, USA) reference management software to remove duplicates. After deduplication in EndNote, the records were transferred to Rayyan (a web-based application for screening articles of systematic review)²⁵ for blinded screening of the title and abstract by three independent reviewers. Any study that did not meet the prespecified eligibility criteria was excluded, and the reasons were documented. All disagreements regarding the inclusion of studies were resolved by a consensus after discussion by the three independent reviewers. Whenever the three initial reviewers failed to reach a consensus, a fourth research team member acted as an arbiter. Following the title and abstract screening, full-text articles were retrieved, and when not found, we explored options such as interlibrary loans. However, we did not contact the authors to request access.

Data extraction

Data extraction was conducted using a standardised data extraction form developed to reflect the sequence of variables required from the included studies. Three authors independently pilot-tested the data extraction form using 20 randomly selected full-text articles, and the form was subsequently refined based on feedback from the pilot testing process. The articles were divided among three teams, with three reviewers in each team. Two reviewers extracted each article, which the third reviewer verified to confirm the accuracy of the extracted variables. The extracted variables are listed in online supplemental table 2, and the merging decisions for conceptually similar variables.

Risk of bias in individual studies

Two reviewers independently evaluated the methodological quality of the included primary studies. The mixedmethods appraisal tool (MMAT) was used for the evaluation as it is a single tool that can handle different study designs, including quantitative, qualitative and mixedmethods studies.²⁶ The MMAT was chosen because it addresses the difficulties of using multiple appraisal tools for different study designs in a single review. It is well validated and focuses on five core criteria that are

relevant to each study design, rated on a scale of 'yes', 'no' or 'can't tell' to provide consistent appraisals. To summarise the overall quality of the included studies (online supplemental figure 1A,B), we used the descriptors 'low', 'medium' and 'high'. A study was classified as 'high quality' if all five criteria were rated as 'yes'. Studies that met three to four criteria were considered 'medium quality', while those that met one or two criteria were deemed 'low quality'. Any disagreements during the appraisal process were resolved through consultation with a third team member. No studies were excluded based on methodological quality to ensure a comprehensive data representation from as many countries as possible.

Synthesis of results

Given the heterogeneity of the included studies regarding their study design, population and outcome of interest, we did not conduct a meta-analysis. Instead, a narrative synthesis was used to summarise the results. Based on two frameworks, we synthesised the drivers of HRH migration or intention to migrate. The first framework is the migration theory of push and pull factors, which refers to factors that drive people to leave their home country (push) and factors that attract them to a foreign country (pull).²⁷ The second is Young's framework which categorised these push and pull factors into three levels: macrolevel (global and national factors), meso-level (professional factors) and micro-level (personal factors).

Patient and public involvement

Patients and/or the public were not involved in the design, conduct, reporting or dissemination plans of this research.

RESULTS

The initial search produced 27542 publications, of which 21593 were unique after deduplication. After reviewing the titles and abstracts, 21 373 articles were removed. The full texts of the remaining 220 articles were obtained, but 12 were inaccessible and 114 were not eligible for inclusion. An additional 25 articles were found in the reference list; however, only 13 were eligible for inclusion. In the end, 107 articles 11 29-134 were eligible for the final analysis, as shown in the PRISMA flow chart in figure 1. Out of the included articles, 82 were single-country studies that focused on 26 countries. The remaining 25 articles were based on data collected from multiple LMICs. Table 1 shows the summary of key article characteristics, while the assessment of the methodological quality of the articles is included as online supplemental figure 1A,B.

Publication trend, the cadres of HRH studied, the source and the destination countries

Few studies on HRH migration were published before 2004 (figure 2A). However, the publication of articles on the topic gained momentum in 2004, peaking in 2014 with 13 articles 37 56 60 86 106–111 123 129 134 published that year.




Figure 1 Flow chart showing identification, screening and selection process of included studies. HIC, high-income country; LMIC, low/middle-income country.

Most articles focused on doctors and nurses, representing 64.5% and 54.2% of the included articles, respectively (figure 2B). The source countries of HRH migration are shown in figure 2C, with 18.7% (20 of 107) of the articles covering data from multiple countries. The top source countries, as determined by studies with single-country data, are South Africa (15.9% (17 of 107) of articles), India (12.1% (13 of 107)) and the Philippines (6.5% (7 of 107)). The WHO African Region had the highest number of source studies from single-source countries (27.1% (29 of 107)) compared with other LMIC regions. $^{34.36.41.42}_{52.57.59.60.62.64.66.69.75-77.82.85.88.92.95.97-99.122.124.129.130.133}$ The UK

is the leading destination country, with 44.9% (48 of 107) of the articles studied, followed closely by the USA at 42% (45 of 107) (figure 2D). Australia and Canada both had 32.7% representation in the articles. Other destination countries include the United Arab Emirates with 11.2% representation, New Zealand with 9.3% and Saudi Arabia with 8.4% representation in the articles.

Drivers of out-migration, intention to migrate and non-migration

Overall, the most common drivers were the macro-level (global and national) and meso-level (professional) factors. Remuneration and security were the most common macro-level factors driving HRH migration from LMICs, with 83.2% and 58.9% of studies, respectively, identifying these factors (figure 3A). The main drivers at the meso-level were career prospects (81.3%), a good working environment (63.6%) and job satisfaction

(57.9%). The most cited micro-level factors (ie, personal factors) were family ties (61.6%) and improved quality of life (69.7%).

The local push factors were the most reported and mirrored the foreign pull factors. Poor pay, work environment, career development, infrastructure and job satisfaction were the most listed local push factors. In contrast, financial incentives, a good work environment and career development were the topmost foreign pull factors (figure 3B). The most common local pull factors (ie, drivers of non-migration) were family ties, job satisfaction and advancing age. In contrast, the most common foreign push factors were sociocultural barriers and the cost of migration.

The trends in the drivers of migration and non-migration of HRH from LMICs

Between 1970 and 2022, financial incentives (pay-related drivers) and career advancement (ie, opportunities or lack thereof) have consistently been reported as drivers of HRH migration in included articles. These two drivers were evident as foreign pull and local push factors, as depicted in figure 4. However, from around the early 2000s until 2022, other drivers such as a better quality of life, working conditions (good or poor), insecurity/security and unfavourable sociopolitical situations became more frequently cited as reasons for HRH to leave their source countries or be attracted to the destination countries.



Table 1 Characteristics of the 107 included studies in the systematic review on health workers' migration or intention to migrate from low/middle-income countries

Study characteristics	Study reference	No (%) of studies
Publication year		
1970–1980	61 79 120 127 128	5 (4.7)
1981–1990	45 59 78 131	4 (3.7)
1991–2000	41 122	2 (1.9)
2001–2010	11 31 36 38 40 42–44 49 50 53 57 58 62 65 66 68 71 75 77 88 99–104	26 (24.3)
2011–2020	29 30 32–35 37 39 46–48 51 52 54–56 60 63 64 67 69 70 72 73 80–87 89–91 98 105–119 121 123–126 129 130 132–134	63 (58.9)
2021–2022	74 92–97	7 (6.5)
Study design		
Quantitative	29–32 35 39 42 44 47 50–52 57 62 64 66 68–70 72 73 75 80–82 85 86 88 89 91 94 95 97 100 102–104 109 110 112 113 116 120 122 127 128 130 131 134	52 (48.6)
Qualitative	11 36–38 46 56 59 60 65 67 71 77 78 83 90 93 96 98 99 101 107 108 111 113 117 119 123 125 126 129 132	31 (30.0)
Mixed-methods	34 40–43 45 48 53–55 58 61 74 76 79 84 87 92 106 115 118 121 124 133	24 (22.4)
Country of included studies		
One country	29 30 32–39 41 42 44 45 47 48 50 52–55 57 59–62 64 66 67 69 70 72 73 75–81 83–93 95–100 103–105 107 109 112 114 116–131 133 134	82 (76.6)
Multiple countries*	11 31 40 43 46 49 51 56 58 63 65 68 71 74 82 94 101 102 106 108 110 111 113 115 132	20 (18.7)
Dimension studied		
Intention to migrate	11 29–32 36 39 40 42 47 48 57 64 65 68–70 74–76 80 81 85 87 88 91 97 100 102 104 110 115–118 120 121 123 124 126 129 130 134	45 (42.1)
Emigrated	34 35 37 41 44 46 49 51–56 59–63 66 71 72 77–79 82 83 86 92–96 99 101 103 106–109 111–113 119 122 125 127 131 132	49 (47.8)
Mixed (intention and emigrated)	38 43 45 50 58 67 73 84 89 90 98 128 133	13 (12.1)

*Five included studies were unclear about their source countries but included data from multiple low/middle-income countries.

Evaluating drivers of migration by migration status and geographical regions

Overall, the key factors driving migration were similar for HRH who have already migrated and those who plan to migrate (figure 5A). For example, local push factors such as poor sociopolitical situations, poor pay and lack of job satisfaction were reported by a similar number of articles in both categories of HRH. Similarly, foreign pull factors such as having a family member abroad, good career opportunities, financial incentives and security were also equally reported in both groups (figure 5A). In addition, the key drivers were consistent across geographical regions, as the same drivers were consistently reported in articles from different regions, particularly in Africa, the Eastern Mediterranean and Southeast Asia (figure 5B).

DISCUSSION

HRH migration from LMICs is a significant challenge to achieving SDG 3, as adequate health workforce-to-patient ratios are essential for promoting well-being for all ages. ⁵ The already deficient HRH in most LMICs is associated with poor health outcomes, and continuous emigration/

intention to migrate further exacerbates this problem. We report, to our knowledge, the first systematic review that rigorously assessed the drivers of migration/intention to migrate across all HRH cadres from LMICs covering the last five decades. Publications on HRH migration/intention to migrate gained momentum in the early 2000s, the majority focusing on doctors and nurses, with the UK and USA as the top destination countries. The major drivers of this phenomenon were macro-level (national) and meso-level (professional) factors and have remained relatively unchanged over the last five decades. The top macro-level and meso-level drivers include remuneration, security (or lack thereof), career prospects, job satisfaction and working environment-related factors. These drivers do not appear to differ among HRH who have migrated and those with intention to migrate or across geographical regions in LMICs.

The primary research into HRH migration was sporadic between the 1970s and the late 1990s. Most of the studies in the era sought to capture the experiences of doctors or nurses in their destination countries, including culture shocks, acceptance and adaptations in the workplace,




Figure 2 (A) Publication trends on HRH migration; (B) the cadre of the health workforce studies; (C) the source country and (D) destination countries HRH emigrated to or intend to migrate to, 1970–2022. Non-categorised represents studies where the cadre of HRH was not explicitly stated. Source countries shown on the map are from studies focusing on a single country rather than multiple LMICs. HRH, human resources for health; LMICs, low/middle-income countries.




Figure 3 Drivers of health workforce migration from low/middle-income countries (1970–2022) summarised using two conceptual frameworks (A) macro-level, meso-level and micro-level factors²⁸; and (B) push and pull factors.²⁷




Figure 4 Trends in the drivers of health workforce migration in low/middle-income countries, 1970–2022. Per cent (%) of articles represents the proportion of articles each year that reported a particular driver.

and migration drivers. 41 45 59 61 78 79 120 122 127 128 131 However. in the early 2000s, we found a surge in research on HRH migration that peaked in 2014 and covered a wider range of healthcare workers, including those who had already migrated and those planning to do so. This shift coincided with the growing global concern about the adverse effects of a chronic global shortage of well-trained HRH, which was most acutely felt in the countries that need them most. In 2006, the WHO World Health Report was dedicated to HRH—launching a Decade of Human Resources for Health. 135 In 2010, another global call to action was made during the WHO World Health Assembly

when the Code of Practice on the international recruitment of health personnel was adopted. 136 These events may have contributed to the increased publications that sought to understand the drivers of HRH migration and intention to migrate.

We found that the LMICs with the highest number of studies were South Africa, India and the Philippines. These countries are situated in regions persistently dealing with conflicts and social inequality. ¹³⁷ 138 Furthermore, some of these countries also struggle with other issues such as corruption, unemployment, rising xenophobia attacks, and murder targeting migrants and




Figure 5 Comparison of drivers of migration by (A) migration status and (B) geographical regions across low/middle-income countries, 1970–2022. Geographical regions are based on the WHO geographical regions. AFRO, African Region; AMRO, Region of the Americas; EMRO, Eastern Mediterranean Region; EURO, European Region; SEAR, South East Asian Region; WPR, Western Pacific Region.

minority groups. 139 140 Sadly, as the health workforce may not be immune from these dangers, they often leave these countries entirely for their safety. Thus, it is unsurprising that security and poor working environment were key drivers of migration/intention to migrate reported among HRH from these countries. We found that the prospect of a safer environment, opportunities for career advancement and conducive immigration policies with a promise of improved quality of life motivated HRH to leave their home countries. The UK, USA, Canada and Australia were the most preferred destination countries. National health scheme implementation, ageing populations and a shortage of trained HRH in these countries may have created a demand for foreign-trained HRH to fill gaps in the local workforce. 135 While the WHO advocates controlled migration of HRH with a minimal negative impact on source countries' health systems, 136 progress also depends on how top destination countries implement such guidelines. ¹⁹ This review shows that most of the included studies focused on doctors and nurses, which is unsurprising since these cadres are the largest and disproportionately represented in the health workforce of many countries globally.^{5 6} This is especially true in LMICs, where healthcare roles are less diverse than in wealthier nations. Since doctors and nurses are responsible for diagnosing, treating and caring for patients, their scarcity can have detrimental effects on health outcomes.

This review identified remuneration-related issues and future career prospects as critical drivers of HRH

emigration or intention to migrate, operating at macrolevel and meso-level, respectively. At the micro-level, family ties in the destination country and the quest for improved quality of life were the major drivers of migration. Our findings are consistent with prior research demonstrating that financial safety needs, opportunities for professional development through training and research, and the desire for improved quality of life for HRH and their families are critical drivers of HRH emigration. 19 141-143 These findings highlight the complex, multilayered, inter-related factors that may influence HRH emigration or intention to migrate. The implications of these findings are far-reaching and underscore the need for increased investment in LMIC health systems from state and non-state actors to support the welfare and career aspirations of the health workforce. By improving their welfare, access to training and opportunities for professional growth, LMICs can build a more stable and sustainable health workforce that meets their populations' needs. In addition, policies that improve the overall quality of life in LMICs would have a positive spillover effect in reducing the migration of HRH. 144 We also found that the key drivers of non-migration (ie, local pull factors) of health professionals from LMICs were personal (micro-level) factors such as advancing age and family ties, similar to previous research.²⁰ It is likely that the relative stability of family structures, the communal nature of societies in many LMIC contexts and the relative lack of additional benefit to older persons who migrate



partly explain this finding. Nevertheless, personal issues of advancing age and family ties are not affected by policies aimed at halting HRH emigration from LMICs.

Overall, the key drivers of HRH emigration/intention to migrate have remained relatively unchanged over the last five decades and are similar among HRH with intention to migrate and those who already migrated and across geographical regions. This finding highlights the need for countries and development partners to rethink the past and ongoing approaches implemented to address the drivers of HRH emigration from LMICs. Despite the worrying nature of the issue, there is a unique opportunity for countries to collaborate and create a co-learning space to develop more robust strategies to retain HRH, as their similarity across regions suggests that effective strategies implemented in one LMIC may be applicable to others.

This review is subject to some limitations. First, some source countries such as South Africa, India and the Philippines were disproportionately represented, accounting for over one-third (34.5%) of all the included studies, thus, may have skewed our findings. However, the fact that we included a large number (107) of studies, most of which were of medium quality, means that our findings may largely be representative. Second, the majority of included studies (64.5%) focused solely on doctors, and an additional 54.2% focused on nurses, with limited focus on other essential cadres of HRH. Moreover, many of these studies did not differentiate the drivers of HRH emigration between the different cadres. Consequently, we could not examine whether the drivers differed across cadres as we initially proposed in the study protocol. Third, the included studies were mainly cross-sectional, thus, did not examine the changing trend of a particular cohort of HRH over time. Trends in a single cohort may be more insightful and relevant to decision-making and policy formulation. Future research should consider following a specific cohort to investigate whether the drivers of emigration, intention to migrate and nonmigration change over time. Such studies should aim to include LMICs that were either under-represented or not represented in this review to provide a more balanced representation, as the drivers may have differed significantly. Additionally, studies should be designed to compare the drivers of migration and non-migration between different health workforce categories.

Author affiliations

¹Department of Pediatrics, Geisel School of Medicine, Dartmouth College, Hanover, New Hampshire, USA

²The Dartmouth Institute for Health Policy and Clinical Practice, Lebanon, New Hampshire, USA

³Department of Child Health, University of Benin Teaching Hospital, Benin City, Nigeria

⁴Department of Paediatrics, Federal Medical Centre, Asaba, Nigeria

⁵Fraser Health Authority, Surrey, British Columbia, Canada

⁶Department of Obstetrics and Gynaecology, University of Port Harcourt Teaching Hospital, Port Harcourt, Nigeria

⁷Department of Clinical Research, Alpha Research Clinic, Edmonton, Alberta, Canada

⁸Department of Clinical Services, Intercountry Centre for Oral Health for Africa, Jos, Nigeria

⁹Department of Restorative Dentistry, University of Benin Teaching Hospital, Benin City, Nigeria

¹⁰Department of Oral Pathology and Oral Medicine, University of Nigeria, Enugu, Nigeria

¹¹Department of Oral Pathology and Oral Biology, University of Port Harcourt, Choba. Nigeria

¹²Department of Pediatrics, Baylor College of Medicine, Houston, Texas, USA

¹³International Organization for Migration (IOM), Abuja, Nigeria

¹⁴Department of Preventive Dentistry, Lagos University Teaching Hospital, Lagos, Nigeria

¹⁵Department of Surgery, Edo Specialist Hospital, Benin City, Nigeria

¹⁶Department of Surgery, Jos University Teaching Hospital, Jos, Nigeria

¹⁷Vaccines and Immunity Theme, Medical Research Council Unit The Gambia at the London School of Hygiene and Tropical Medicine, Fajara, Gambia

¹⁸Infectious Disease Epidemiology, London School of Hygiene and Tropical Medicine, London, UK

Twitter Emmanuel O Gbejewoh @gbejewoh1, Yakubu Kevin Kwarshak @kwarshak2 and Oghenebrume Wariri @drwariri

Acknowledgements We would like to acknowledge Dr Ekhosuehi T Agho for his contribution to the development of the protocol for this systematic review.

Contributors OW and PT-T conceived the study and its methodology. PI, ICGA, JA, FE, EOG, CI, UN, UyO, JO, EEO, EVO, UwO and AU contributed to the study design and methodology. OW, PT-T, PI, YKK, ICGA, JA, FE, EOG, CI, UN, UyO, JO, EEO, EVO, UwO and AU designed, refined and implemented the search strategy. PT-T, EEO, EOG, PI and AU screened articles for inclusion. PT-T, EEO, JO, PI, CI, JA, UwO, UN and AU extracted and curated data. All authors contributed to the interpretation of results. OW, PT-T, AU, CI, PI, JO, UI, UwO, EEO, EOG, EVO and JA wrote the initial draft of the manuscript. ICGA, JA, FE, EOG, CI, UN, UyO, JO, EEO, EVO, UwO and AU critically reviewed the manuscript. OW supervised the study design and provided overall guidance. OW, PT-T, PI, YKK, ICGA, JA, FE, EOG, CI, UN, UyO, JO, EEO, EVO, UwO and AU approved the final draft of the manuscript. OW, PT-T, PI had full access to all the data used in this study and all authors had final responsibility for the decision to submit for publication

Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Map disclaimer The inclusion of any map (including the depiction of any boundaries therein), or of any geographic or locational reference, does not imply the expression of any opinion whatsoever on the part of BMJ concerning the legal status of any country, territory, jurisdiction or area or of its authorities. Any such expression remains solely that of the relevant source and is not endorsed by BMJ. Maps are provided without any warranty of any kind, either express or implied.

Competing interests None declared. The views expressed in this analysis are those of the authors and do not necessarily reflect those of their parent organisations.

Patient and public involvement Patients and/or the public were not involved in the design, or conduct, or reporting, or dissemination plans of this research.

Patient consent for publication Not required.

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement All data relevant to the study are included in the article or uploaded as supplemental information.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is



properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: http://creativecommons.org/licenses/by-nc/4.0/.

ORCID inc

Yakubu Kevin Kwarshak http://orcid.org/0000-0002-0555-9220 Oghenebrume Wariri http://orcid.org/0000-0002-7432-8995

REFERENCES

- 1 Anand S, Bärnighausen T. Health workers at the core of the health system: framework and research issues. *Health Policy* 2012:105:185–91
- 2 Anand S, Bärnighausen T. Health workers and vaccination coverage in developing countries: an econometric analysis. *Lancet* 2007;369:1277–85.
- 3 World Health Organization. *The world health report 2000. Health systems: improving performance*. Geneva, Switzerland: WHO, 2000
- 4 GBD 2019 Human Resources for Health Collaborators. Measuring the availability of human resources for health and its relationship to universal health coverage for 204 countries and territories from 1990 to 2019: a systematic analysis for the global burden of disease study 2019. *Lancet* 2022;399:2129–54.
- 5 Scheffler RCG, Tulenko K, Bruckner T. Health workforce requirements for universal health coverage and the Sustainable Development Goals – Background paper N.1 to the WHO Global Strategy on Human Resources for Health: Workforce 2030. Human Resources for Health Observer Series No 17. Geneva, Switzerland: WHO. 2016.
- 6 World Health Organization. Global strategy on human resources for health: Workforce 2030. Geneva, Switzerland: WHO, 2016.
- 7 UN Statistics Division. Ndicator 3.c.1. E-handbook on SDG indicators, 2018. Available: https://unstats.un.org/wiki/display/SDGeHandbook/Indicator+3.c.1
- 8 Liu JX, Goryakin Y, Maeda A, et al. Global health workforce labor market projections for 2030. Hum Resour Health 2017;15:11.
- 9 Aluttis C, Bishaw T, Frank MW. The workforce for health in a globalized context -- global shortages and international migration. Glob Health Action 2014;7:23611.
- 10 Siyam A, Dal Poz MR. Migration of health workers: who code of practice and the global economic crisis. Geneva: World Health Organization, 2014.
- 11 Hagopian A, Ofosu A, Fatusi A, et al. The flight of physicians from West Africa: views of African physicians and implications for policy. Soc Sci Med 2005;61:1750–60.
- 12 Awases M, Gbary A, Nyoni J. Migration of health professionals in six countries: a synthesis report. Geneva, Switzerland: WHO, 2004.
- 13 Dovlo D. The brain drain and retention of health professionals in Africa; a case study prepared for a regional training conference on improving tertiary education in sub-Saharan Africa: things that work. Accra 2003.
- 14 Labonté R, Sanders D, Mathole T, et al. Health worker migration from South Africa: causes, consequences and policy responses. Hum Resour Health 2015;13:92.
- 15 Bidwell P, Laxmikanth P, Blacklock C, et al. Security and skills: the two key issues in health worker migration. Glob Health Action 2014:7:24194
- 16 Smith R, Hanefeld J. Globalization, trade, and health economics. Oxford Research Encyclopedia of Economics and Finance 2018.
- 17 Wibulpolprasert S, Pachanee CA, Pitayarangsarit S, et al. International service trade and its implications for human resources for health: a case study of Thailand. Hum Resour Health 2004;2:10.
- 18 Rolle Sands S, Ingraham K, Salami BO. Caribbean nurse migration-a scoping review. Hum Resour Health 2020;18:19.
- 19 Davda LS, Gallagher JE, Radford DR. Migration motives and integration of international human resources of health in the United Kingdom: systematic review and meta-synthesis of qualitative studies using framework analysis. *Hum Resour Health* 2018;16:27.
- 20 Hajian S, Yazdani S, Jadidfard M, et al. Factors influencing the migration intention of health professionals in low and middle income countries: critical review with a theoretical model. J Contemp Med Sci 2020;6:256–61.
- 21 Brennan N, Langdon N, Bryce M. N Drivers of international migration of doctors to and from the United Kingdom. Plymouth, United Kingdom: Camera, Peninsula Medical School, 2021.
- 22 Page MJ, McKenzie JE, Bossuyt PM, et al. The prisma 2020 statement: an updated guideline for reporting systematic reviews. BMJ 2021;372:n71.

- 23 Ikhurionan P, Kwarshak YK, Agho ET, et al. Understanding the trends, and drivers of emigration, migration intention and non-migration of health workers from low-income and middleincome countries: protocol for a systematic review. BMJ Open 2022;12:e068522.
- 24 World Bank. World bank country and lending groups, n.d..
 Available: https://datahelpdesk.worldbank.org/knowledgebase/articles/906519-world-bank-country-and-lending-groups
- 25 Ouzzani M, Hammady H, Fedorowicz Z, et al. Rayyan-a web and mobile APP for systematic reviews. Syst Rev 2016;5:210.
- 26 Hong QN, Pluye P, F bregues S. Mixed methods appraisal tool (MMAT), version 2018. registration of copyright. 2018;1148552:10.
- 27 Lee ES. A theory of migration. Demography 1966;3:47-57.
- 28 Young R, Noble J, Mahon A, et al. Evaluation of international recruitment of health professionals in England. J Health Serv Res Policy 2010;15:195–203.
- 29 Poudel C, Ramjan L, Everett B, et al. Exploring migration intention of nursing students in Nepal: a mixed-methods study. Nurse Educ Pract 2018;29:95–102.
- 30 Tahir MW, Kauser R, Tahir MA. Brain drain of doctors; causes and consequences in Pakistan. Int J Humanit Soc Sci 2011;5:302–8.
- 31 Kohi TW, Portillo CJ, Durrheim K, et al. Does perceived HIV stigma contribute to nurses' intent to migrate in five African countries? J Assoc Nurses AIDS Care 2010;21:134–43.
- 32 Kadel M, Bhandari M. Factors intended to brain drain among nurses working at private hospitals of Biratnagar, Nepal. BIBECHANA 2019;16:213–20.
- 33 Crush J, Pendleton W. Brain flight: the exodus of health professionals from South Africa. *Int J Migr Health Soc Care* 2011:6:3–18.
- 34 Chikanda A. The changing patterns of physician migration from Zimbabwe since 1990. Int J Migr Health Soc Care 2011;7:77–92.
- 35 Baral R, Sapkota S. Factors influencing migration among Nepalese nurses. *J Chitwan Med Coll* 2015;5:25–9.
- 36 Anarfi J, Quartey P, Agyei J. Key determinants of migration among health professionals in Ghana. development research centre on migration, globalisation and poverty. 2010.
- 37 Sapkota TN, van Teijlingen E, Simkhada PP. Nepalese health workers' migration to the United Kingdom: a qualitative study. Health Sci J 2014;8:57.
- 38 Oman KM, Moulds R, Usher K. Specialist training in Fiji: why do graduates migrate, and why do they remain? A qualitative study. Hum Resour Health 2009;7:9.
- 39 Sha'ban W. An exploration of the factors influencing migration workers of healthcare workers in mogadishu hospitals. *Mogadishu University J* 2018.
- 40 Khadria B. Migration of highly skilled Indians: case studies of it and the health professionals. 2004.
- 41 Dovlo D, Nyonator F. Migration by graduates of the University of Ghana medical school: a preliminary rapid appraisal. *Human Resources for Health Development J* 1999;3:40–51.
- 42 Pendleton W, Crush J, Lefko-Everett K. The haemorrhage of health professionals from South Africa: Medical opinions 2007.
- 43 Awases M, Gbary A, Nyoni J, et al. Migration of health professionals in six countries: a synthesis report 2004.
- 44 Kaushik M, Roy A, Bang AA, et al. Quality of medical training and emigration of physicians from India. BMC Health Serv Res 2008;8:279.
- 45 Joyce RE, Hunt CL. Philippine nurses and the brain drain. Soc Sci Med 1982;16:1223–33.
- 46 Jirovsky E, Hoffmann K, Maier M, et al. Why should I have come here? - a qualitative investigation of migration reasons and experiences of health workers from sub-Saharan Africa in Austria. BMC Health Serv Res 2015;15:74.
- 47 Imran N, Azeem Z, Haider II. Original article brain drain: a harsh reality. International migration of Pakistani medical graduates. J Postgraduate Med Institute 2012;26:67–72.
- 48 Ibrahim H, Al Sharif FZ, Satish KP, et al. Should I stay or should I go now? the impact of pull factors on physician decisions to remain in a destination country. Int J Health Plann Manage 2019;34:e1909–20.
- 49 Hussey PS. International migration patterns of physicians to the United States: a cross-national panel analysis. *Health Policy* 2007;84:298–307.
- 50 Hawkes M, Kolenko M, Shockness M, et al. Nursing brain drain from India. Hum Resour Health 2009;7:5.
- 51 Hagander LE, Hughes CD, Nash K, et al. Surgeon migration between developing countries and the United States: train, retain, and gain from brain drain. World J Surg 2013;37:14–23.
- 52 George A, Blaauw D, Thompson J, et al. Doctor retention and distribution in post-apartheid South Africa: tracking medical



- graduates (2007-2011) from one university. *Hum Resour Health* 2019:17:100.
- 53 El-Jardali F, Dumit N, Jamal D, et al. Migration of Lebanese nurses: a questionnaire survey and secondary data analysis. Int J Nurs Stud 2008;45:1490–500.
- 54 De Silva AP, Liyanage IK, De Silva STGR, et al. Migration of Sri Lankan medical specialists. Hum Resour Health 2013;11:11.
- 55 Mota NV y VP da, Ribeiro H. n.d. Emigração de médicos brasileiros para OS estados unidos dA américa. Saude Soc;28:286–96.
- 56 Connell J. The two cultures of health worker migration: a Pacific perspective. Soc Sci Med 2014;116:73–81.
- 57 Chikanda A. Nurse migration from Zimbabwe: analysis of recent trends and impacts. Nurs Ing 2005;12:162–74.
- 58 Brown RPC, Connell J. The migration of doctors and nurses from South Pacific island nations. Soc Sci Med 2004;58:2193–210.
- 59 Bourne DE. Medical manpower in South Africa -- emigration during 1975-1981 of doctors qualifying after 1955. S Afr Med J 1983:64:447–8.
- 60 Bidwell P, Laxmikanth P, Blacklock C, et al. Security and skills: the two key issues in health worker migration. Glob Health Action 2014;7:7.
- 61 Bhatt RV, Soni JM, Patel NF, et al. Migration of Baroda medical graduates, 1949-72. Med Educ 1976;10:290–2. Available http:// blackwell-synergy.com/doi/abs/10.1111/medu.1976.10.issue-4
- 62 Bezuidenhout MM, Joubert G, Hiemstra LA, et al. Reasons for doctor migration from South Africa. South African Family Practice 2009;51:211–5.
- 63 Balasubramanian M, Spencer AJ, Short SD, et al. Characteristics and practice profiles of migrant dentist groups in Australia: implications for dental workforce policy and planning. Int Dent J 2015;65:146–55.
- 64 Bagraim JJ. Commitment and the emigration intentions of South African professional nurses. *Health SA Gesondheid* 2013;18.
- 65 Astor A, Akhtar T, Matallana MA, et al. Physician migration: views from professionals in Colombia, Nigeria, India, Pakistan and the Philippines. Soc Sci Med 2005;61:2492–500.
- 66 Arnold PC, Lewinsohn DE. Motives for migration of South African doctors to Australia since 1948. Med J Aust 2010;192:288–90.
- 67 Arif M, Cruickshank M, Fraser J. To remain, migrate abroad or RESETTLE: a complex dynamic process affecting Pakistani physicians' career decisions. APJHM 2006;14:37–47. Available https://journal.achsm.org.au/index.php/achsm/issue/view/25
- 68 Arah OA. The metrics and correlates of physician migration from Africa. BMC Public Health 2007;7:83.
- 69 Antwi J, Phillips DC. Wages and health worker retention: evidence from public sector wage reforms in Ghana. J Develop Econom 2013;102:101–15.
- 70 Philip H, P. BP, Babu A, et al. A study on contributing factors of nurses migration to overseas among the staff nurses working in selected Hospital at Mangalore. J Health Allied Sci NU 2018;08:003–6.
- 71 Alonso-Garbayo A, Maben J. Internationally recruited nurses from India and the Philippines in the United Kingdom: the decision to emigrate. *Hum Resour Health* 2009;7:37.
- 72 Alameddine M, Kharroubi SA, Dumit NY, et al. What made Lebanese emigrant nurses leave and what would bring them back? A cross-sectional survey. Int J Nurs Stud 2020;103:S0020-7489(19)30304-9.
- 73 Al-Khalisi N. The Iraqi medical brain drain: a cross-sectional study. Int J Health Serv 2013;43:363–78.
- 74 Adovor E, Czaika M, Docquier F, et al. Medical brain drain: how many, where and why? J Health Econ 2021;76:S0167-6296(20)31055-9.
- 75 Adetayo JO. A study of factors influencing brain drain among medical personnel in Nigeria. Nig J Health Biomed Sci 2010;9.
- 76 Adebayo A, Akinyemi OO. What are you really doing in this country?: emigration intentions of Nigerian doctors and their policy implications for human resource for health management. *J Int Migr Integr* 2022;23:1377–96.
- 77 Aboderin I. Contexts, motives and experiences of Nigerian overseas nurses: understanding links to globalization. *J Clin Nurs* 2007;16:2237–45.
- 78 Baker SR, Broe DM, Kumar V. Characteristics of the distribution of emigrant Indian radiologists, pathologists and anesthesiologists in the United States. Soc Sci Med 1984;19:885–91.
- 79 Belsasso G, Tapia LL, Tapia HL. Determining factors in migration and adaptation of Mexican psychiatrists to the United States: a Mexican viewpoint. Am J Psychiatry 1970;126:1318–21.
- 80 Santric-Milicevic M, Matejic B, Terzic-Supic Z, et al. Determinants of intention to work abroad of college and specialist nursing graduates in Serbia. Nurse Educ Today 2015;35:590–6.

- 81 Sohail I, Habib M. Brain drain: doctors' career intentions and associated factors, a questionnaire survey in Pakistan. J Postgraduate Med Institute 2016;30:189–93.
- 32 Okeke EN. Brain drain: do economic conditions push doctors out of developing countries? Soc Sci Med 2013;98:169–78.
- 83 Ronquillo C, Boschma G, Wong ST, et al. Beyond greener pastures: exploring contexts surrounding Filipino nurse migration in Canada through oral history. Nurs Inq 2011;18:262–75.
- 84 Oda H, Tsujita Y, Irudaya Rajan S. An analysis of factors influencing the International migration of Indian nurses. *J Int Migr* Integr 2018:19:607–24.
- 85 Boafo IM. Ghanaian nurses' emigration intentions: the role of workplace violence. *Int J Africa Nurs Sci* 2016;5:29–35.
- 86 Malik S, Doocy S, Burnham G. Future plans of Iraqi physicians in Jordan: predictors of migration. *Int Migr* 2014;52:1–8.
- 87 Vartiainen P, Pitkanen P, Asis MMB, et al. From the Philippines to Finland: nurses' expectations and Finnish realities. *J Populat Soc Stud* 2016:24:30–46.
- 88 Oosthuizen M, Ehlers VJ. Factors that may influence South African nurses' decisions to emigrate. *Health SA Gesondheid* 2007;12:14–26.
- 89 Thapa B, Shrestha K. Factors influencing brain drain among Nepalese nurses. Kathmandu Univ Med J 2017;15:35–9.
- 90 Asadi H, Ahmadi B, Nejat S, et al. Factors influencing the migration of Iranian healthcare professionals: a qualitative study. PLoS One 2018;13:e0199613.
- 91 Firdous SN, Zulfiqar Hyder Naqvi SM, Akhter M. Factors affecting migration abroad of dental practitioners from Karachi: a cross-sectional survey. *J Pak Med Assoc* 2019;69:1–8.
- 92 Bourgeault IL, Runnels V, Atanackovic J, et al. Hiding in plain sight: the absence of consideration of the gendered dimensions in 'source' country perspectives on health worker migration. Hum Resour Health 2021;19:40.
- 93 Kallström A, Al-Abdulla O, Parkki J, et al. I had to leave. I had to leave my clinic, my City, leave everything behind in Syria. qualitative research of Syrian healthcare workers migrating from the war-torn country. BMJ Open 2021;11:e049941.
- 94 Lanati M, Thiele R. Aid for health, economic growth, and the emigration of medical workers. *J of Intl Development* 2021;33:1112–40.
- 95 Nwadiuko J, Switzer GE, Stern J, et al. South African physician emigration and return migration, 1991-2017: a trend analysis. Health Policy Plan 2021;36:630–8.
- 96 Smith DM, Gillin N. Filipino nurse migration to the UK: understanding migration choices from an ontological securityseeking perspective. Soc Sci Med 2021;276:113881.
- 97 Adeniyi MA, Efuntoye O, Popoola G, et al. Profile and determinants of intention to migrate by early career doctors in Nigeria: a report from charting study. Int J Health Plann Manage 2022;37:1512–25.
- 98 Skelton T, Irakoze A, Bould MD, et al. Retention and migration of Rwandan Anesthesiologists: a qualitative study. Anesth Analg 2020:131:605–12.
- 99 Labonté R, Packer C, Klassen N. Managing health professional migration from sub-Saharan Africa to Canada: a stakeholder inquiry into policy options. Hum Resour Health 2006;4:22.
- 100 Thomas P. The International migration of Indian nurses. Int Nurs Rev 2006;53:277–83.
- 101 Oberoi SS, Lin V. Brain drain of doctors from southern Africa: brain gain for Australia. *Aust Health Rev* 2006;30:25–33.
- 102 Arah OA, Ogbu UC, Okeke CE. Too poor to leave, too rich to stay: developmental and global health correlates of physician migration to the United States, Canada, Australia, and the United Kingdom. Am J Public Health 2008;98:148–54.
- 103 Benamer HT, Bredan A, Bakoush O. The Libyan doctors' brain drain: an exploratory study. BMC Res Notes 2009;2:242.
- 104 El-Jardali F, Dimassi H, Dumit N, et al. A national cross-sectional study on nurses' intent to leave and job satisfaction in Lebanon: implications for policy and practice. BMC Nurs 2009;8:3.
- 105 Imran N, Azeem Z, Haider II, et al. Brain drain: post graduation migration intentions and the influencing factors among medical graduates from Lahore, Pakistan. BMC Res Notes 2011;4:417.
- 106 Lofters A, Slater M, Fumakia N, et al. brain drain and brain waste: experiences of international medical graduates in Ontario. Risk Manag Healthc Policy 2014;7:81–9.
- 107 Salami B, Nelson S, Hawthorne L, et al. Motivations of nurses who migrate to Canada as domestic workers. Int Nurs Rev 2014;61:479–86.
- 108 Moosa S, Wojczewski S, Hoffmann K, et al. The inverse primary care law in sub-Saharan Africa: a qualitative study of the views of migrant health workers. Br J Gen Pract 2014;64:e321–8.



- 109 Okeke EN. Do higher salaries lower physician migration? Health Policy Plan 2014;29:603–14.
- 110 Nentwich MM, Schaller UC, Klauss V. Reasons reported by African ophthalmologists for staying in Africa and for considering migrating. *Int Ophthalmol* 2014;34:887–92.
- 111 Poppe A, Jirovsky E, Blacklock C, et al. Why sub-Saharan African health workers migrate to European countries that do not actively recruit: a qualitative study post-migration. Glob Health Action 2014;7:24071.
- 112 Al-Nawafleh AH. Managing Jordanian nurse migration to the Gulf cooperation Council states. East Mediterr Health J 2015;21:220–5.
- 113 Balasubramanian M, Brennan DS, Spencer AJ, et al. The global interconnectedness of dentist migration: a qualitative study of the life-stories of international dental graduates in Australia. Health Policy Plan 2015;30:442–50.
- 114 Lowe M, Chen D-R. Factors influencing the migration of West African health professionals. *Pan Afr Med J* 2016;24:237.
- 115 Tomblin Murphy G, MacKenzie A, Waysome B, et al. A mixed-methods study of health worker migration from Jamaica. Hum Resour Health 2016;14:36.
- 116 Asadi H, Ahmadi B, Nedjat S, et al. Factors affecting intent to immigration among Iranian health workers in 2016. Electron Physician 2017;9:4669–77.
- 117 Shojaeimotlagh V, Valizadeh S, Hasankhani H, et al. Psychological needs, satisfaction and intention to migrate in Iranian nurses: a qualitative content analysis. Iran J Public Health 2018;47:1201–8.
- 118 Hashish EA, Ashour HM. Determinants and mitigating factors of the brain drain among Egyptian nurses: a mixed-methods study. J Res Nurs 2020;25:699–719.
- 119 Zhou Y, Roscigno C, Sun Q. Why do china-educated nurses emigrate? A qualitative exploration. *Int J Nurs Stud* 2016:53:163–72.
- 120 Zeighami B, Zeighami E, Agah T. What's behind the nursing brain drain? A study of the attitudes of Iranian nurses. *Int Nurs Rev* 1977;24:84–7.
- 121 Walton-Roberts M, Runnels V, Rajan SI, et al. Causes, consequences, and policy responses to the migration of health workers: key findings from India. Hum Resour Health 2017;15:28.
- 122 vanPJ, Holtshousen WS, Geldenhuys DJ. Reasons why South African qualified dentists are working in the UK. SADJ: Journal of the South African dental association = tydskrif van die suidafrikaanse tandheelkundige vereniging 1999;54:127–30.
- 123 Thomas P. Indian perspective on migration of health professionals from India. *Nurs J India* 2014;105:244–7.
- 124 Kalifa T, Ololo S, Tafese F. Intention to leave and associated factors among health professionals in jimma zone public health centers, Southwest Ethiopia. Open J Prev Med 2016;06:31–41.
- 125 Stievano A, Olsen D, Tolentino Diaz Y, et al. Indian nurses in Italy: a qualitative study of their professional and social integration. J Clin Nurs 2017;26:4234–45.
- 126 Schumann M, Maaz A, Peters H. Doctors on the move: a qualitative study on the driving factors in a group of Egyptian physicians migrating to Germany. Global Health 2019;15:15.

- 127 Ronaghy HA, Zeighami E, Farahmand N, et al. Causes of physician migration: responses of Iranian physicians in the United States. J Med Educ 1976;51:305–10.
- 128 Ronaghy HA, Zeighami B, Agah T, et al. Migration of Iranian nurses to the U.S.: a study of one school of nursing in Iran. Int Nurs Rev 1975;22:87–8.
- 29 Reardon C, George G. An examination of the factors fueling migration amongst community service practitioners. Afr. j. prim. health care fam. med. 2014;6.
- 130 Olalekan AW, Adeniran OO, Adebukola AM, et al. Health care providers migration and brain drain phenomenon: perception of health care workers in Lagos state in southwestern Nigeria. Continental J Tropical Med 2011;5:24–7.
- 131 Lopez M. Why nurses leave the country? Philipp J Nurs 1987;57:21–2.
- 132 Likupe G. The skills and brain drain what nurses say. J Clin Nurs 2013;22:1372–81.
- 133 Labonté R, Sanders D, Mathole T, et al. Health worker migration from South Africa: causes, consequences and policy responses. Hum Resour Health 2015;13:92:92...
- 134 Aggarwal S, Rai A, Bath KS, et al. Migratory trends of medical graduates in India. J Pioneering Med Sci 2014;4:155–8.
- World Health Organization. Working together for health: the World Health Report 2006. Geneva, Switzerland: World Health Organization, 2006.
- 136 World Health Organization. The who global code of practice on the International recruitment of health personnel. Geneva, Switzerland: World Health Organization, 2010.
- 137 Jain-Chandra S, Kinda T, Kochhar K, et al. Sharing the growth dividend: analysis of inequality in Asia. JBFE 2019;2:5–28.
- 138 Østby G, Nordås R, Rød JK. Regional inequalities and civil conflict in sub-Saharan Africa. *Int Stud Q* 2009;53:301–24.
- 139 Kumar R, Roy P. Violent-acts against doctors and healthcare professionals in India: call for action. J Family Med Prim Care 2019:8:3457–60.
- 140 Njaka S, Edeogu OC, Oko CC, et al. Work place violence (wpv) against healthcare workers in Africa: a systematic review. Heliyon 2020;6:e04800.
- 141 Dohlman L, DiMeglio M, Hajj J, et al. Global brain drain: how can the maslow theory of motivation improve our understanding of physician migration? Int J Environ Res Public Health 2019:16:1182.
- 142 Humphries N, Crowe S, McDermott C, et al. The consequences of Ireland's culture of medical migration. Hum Resour Health 2017;15:87.
- 143 Clarke N, Crowe S, Humphries N, et al. Factors influencing trainee doctor emigration in a high income country: a mixed methods study. Hum Resour Health 2017;15:66.
- 144 Witt J. Addressing the migration of health professionals: the role of working conditions and educational placements. BMC Public Health 2009:9:S7.

Supplementary Material

Drivers of Health Workers Migration, Intention to Migrate, and Non-Migration from Lowand Middle-Income Countries: A Systematic Review

Supplementary Table 1: Search strategy

1. Ovid MEDLINE(R) and Epub Ahead of Print, In-Process, In-Data-Review & Other Non-Indexed Citations, Daily and Versions(R) <1946 to August 21, 2022>

Concept	Variants used to query database
#1 (Health worker)	*Health workforce/ [Mesh] OR exp health personnel/ [Mesh] OR health worker*[tw] OR healthcare worker*[tw] OR health personnel [tw] OR health care worker*[tw] OR health service provider*[tw] OR medical worker*[tw] OR healthcare professional*[tw] OR healthcare provider*[tw] OR health care provider*[tw] OR doctor*[tw] OR physician*[tw] OR nurses[tw] OR nursing professional*[tw] OR pharmacist*[tw] OR dentist*[tw] OR dential surgeon*[tw] OR midwife[tw] OR midwives[tw]
#2 (Migration)	exp human migration/ OR "emigration and immigration"/[Mesh] OR migrat*[tw] OR migrant*[tw] OR emigrat*[tw] OR emigrant*[tw] OR "brain drain" [tw] OR exodus[tw] OR relocate*[tw]
#3 (LMICs)	Developing Countries/ OR ((developing or less* developed or under developed or underdeveloped or middle income or low* income) adj (economy or economies))(tiab) OR ((developing or less* developed or under developed or underdeveloped or middle income or low* income or underserved or under served or deprived or poor*) adj (countr* or nation? or population? or world))(tiab) OR (low* adj (gdp or gnp or gross odmestic or gross national))(tiab) OR (low adj3 middle adj3 countr*)(tiab) OR (lmic or lmics or third world or lami countr*)(tiab) OR transitional countr*(tiab) OR global south(tiab) OR Democratic People's Republic of Korea"/ OR (North Korea or (Democratic People* Republic adj2 Korea))(tiab) OR Cambodia/ OR Cambodia(tiab) OR (Indonesia/ OR (Indonesia or Dutch East Indies)(tiab) OR (Kiribati or Gilbert Islands or Phoenix Islands or Line Islands)(tiab) OR Micronesia/ OR Micronesia/ OR (Morgolia/ OR Mongolia/ OR Mongolia(tiab) OR Myanmar/ OR (Myanmar or Burma)(tiab) OR Papua New Guinea/ OR (Papua New Guinea or German New Guinea or British New Guinea or Territory of Papua)(tiab) OR Philippines/ OR (Philippines or Philippine Islands)(tiab) OR Solomon Islands(tiab) OR Timor-Leste/ OR (Timor-Leste or East Timor or Portuguese Timor)(tiab) OR Vanuatu/ OR (Vanuatu or New Hebrides)(tiab) OR Vietnam/ OR (Viet Nam or Vietnam or French Indochina)(tiab) OR American Samoa(OR American Samoa(tiab) OR exp China/ OR China(tiab) OR Fiji/ OR Fiji(tiab) OR Malaysia/ OR (Malaysia or Malayan Union or Malaya)(tiab) OR Marshall Islands(tiab) OR Fiji/ OR Fiji(tiab) OR "Independent State of Samoa"/ OR ((Samoa not American Samoa) or Western Samoa or Navigator Islands or Samoan Islands)(tiab) OR Thalland/ OR (Thailand or Siam)(tiab) OR Tonga/ OR Tonga(tiab) OR (Tuvalu or Ellice Islands)(tiab) OR Azerbaijan/ OR Melanesia(tiab) OR Polynesia(tiab) OR Nodova/ OR Moldova(tiab) OR Uzbekistan/ OR Uzbekistan/ OR Uzbekistan/ OR Natoria OR Republic of Belarus"/ OR (Belarus or Byelarus or Byelarus or Byelorussia or Belorussia)(tiab) OR Romania/tiab) O

Salvador/ OR El Salvador[tiab] OR Honduras/ OR Honduras[tiab] OR Nicaragua/ OR Nicaragua[tiab] OR Argentina/ OR (Argentina or Argentine Republic)[tiab] OR Belize/ OR Belize or British Honduras)[tiab] OR Brazil/ OR Brazil[tiab] OR Colombia/ OR Colombia[tiab] OR Costa Rica/ OR Costa Rica[tiab] OR Cuba/ OR Cuba[tiab] OR Dominica/ OR Dominica[tiab] OR Dominica[tiab] OR Dominican Republic/ OR Dominican Republic[tiab] OR Ecuador/ OR Ecuador[tiab] OR Grenada/ OR Grenada[tiab] OR Guatemala/ OR Guatemala[tiab] OR Guyana/ OR (Guyana or British Guiana)[tiab] OR Jamaica/ OR Jamaica[tiab] OR Mexico/ OR (Mexico or United Mexican States)[tiab] OR Paraguay/ OR Paraguay.mp OR Peru/ OR Peru[tiab] OR Saint Lucia/ OR (St Lucia or Saint Lucia or Iyonala or Hewanorra)[tiab] OR "Saint Vincent and the Grenadines"/ OR (Saint Vincent or St Vincent or Grenadines)[tiab] OR Suriname/ OR (Suriname or Dutch Guiana)[tiab] OR Venezuela/ OR Venezuela[tiab] OR Djibouti/ OR (Djibouti or French Somaliland)[tiab] OR Egypt/ OR Egypt[tiab] OR Morocco/ OR Morocco[tiab] OR Tunisia/ OR Tunisia.mp OR (Gaza or West Bank or Palestine)[tiab] OR Algeria/ OR Algeria[tiab] OR Iran/ OR (Iran or Persia)[tiab] OR Iraq/ OR (Iraq or Mesopotamia)[tiab] OR Jordan/ OR Jordan[tiab] OR Lebanon/ OR (Lebanon or Lebanese Republic)[tiab] OR Libya/ OR Libya[tiab] Or Syria/ OR (Syria or Syrian Arab Republic)[tiab] OR Yemen/ OR Yemen[tiab] OR Afghanistan/ OR Afghanistan[tiab] OR Nepal/ OR Nepal[tiab] OR Bangladesh/ OR Bangladesh[tiab] OR Bhutan/ OR Bhutan[tiab] OR exp India/ OR India[tiab] OR Pakistan/ OR Pakistan[tiab] OR Maldives[tiab] OR Sri Lanka/ OR (Sri Lanka or Ceylon)[tiab] OR Angola/ OR Angola[tiab] OR Cameroon/ OR (Cameroon or Kamerun or Cameroun)[tiab] OR Cape Verde/ Or (Cape Verde or Cabo Verde)[tiab] OR Comoros/ OR (Comoros or Glorioso Islands or Mayotte)[tiab] OR Congo/ OR (Congo not ((Democratic Republic adj3 Congo) or congo red or crimean-congo))[tiab] OR Cote d'Ivoire/ OR Cote d'Ivoire or Cote dIvoire or Ivory Coast)[tiab] OR Eswatini/ OR (eSwatini or Swaziland)[tiab] OR Ghana/ OR (Ghana or Gold Coast)[tiab] OR Kenya/ OR (Kenya or East Africa Protectorate)[tiab] OR Lesotho/ OR (Lesotho or Basutoland)[tiab] OR Mauritania/ OR Mauritania[tiab] OR Nigeria/ OR Nigeria[tiab] OR (Sao Tome abj2 Principe)[tiab] OR Senegal/ OR Senegal[tiab] OR Sudan/ OR (Sudan not South Sudan)[tiab] OR Zambia/ OR Zambia or Northern Rhodesia)[ti,ab] OR Zimbabwe/ OR (Zimbabwe or Southern Rhodesia)[tiab] OR Botswana/ OR (Botswana or Bechuanaland or Kalahari)[tiab] OR Equatorial Guinea/ OR (Equatorial Guinea or Spanish Guinea)[tiab] OR Gabon/ OR (Gabon or Gabonese Republic)[tiab] OR Mauritius/ OR (Mauritius or Agalega Islands)[tiab] OR Namibia/ OR (Namibia or German South West Africa)[tiab] OR South Africa/ OR (South Africa or Cape Colony or British Bechuanaland or Boer Republics or Zululand or Transvaal or Natalia Republic or Orange Free State)[tiab] OR Benin/ OR (Benin or Dahomey)[tiab] OR Burkina Faso/ OR (Burkina Faso or Burkina Fasso or Upper Volta)[tiab] OR Burundi/ OR (Burundi or Ruanda-Urundi)[tiab] OR Central African Republic/ OR (Central African Republic or Ubangi-Shari)[tiab] OR Chad/ OR Chad[tiab] OR "Democratic Republic of the Congo"/ OR (((Democratic Republic or DR) adj2 Congo) or Congo-Kinshasa or Belgian Congo or Zaire or Congo Free State)[tiab] OR Eritrea/ OR Eritrea[tiab] OR Ethiopia/ OR (Ethiopia or Abyssinia)[tiab] OR Gambia/ OR Gambia[tiab] OR Guinea/ OR (Guinea not (New Guinea or Guinea Pig* or Guinea Fowl or Guinea-Bissau or Portuguese Guinea or Equatorial Guinea))[tiab] OR Guinea-Bissau/ OR (Guinea-Bissau or Portuguese Guinea)[tiab] OR Liberia/ OR Liberia[tiab] OR Madagascar/ OR (Madagascar or Malagasy Republic)[tiab] OR Malawi/ OR (Malawi or Nyasaland)[tiab] OR Mali/ OR Mali[tiab] OR Mozambique/ OR (Mozambique or Mocambique or Portuguese East Africa)[tiab] OR Niger/ OR (Niger not (Aspergillus or Peptococcus or Schizothorax or Cruciferae or Gobius or Lasius or Agelastes or Melanosuchus or radish or Parastromateus or Orius or Aspergillus or Parastromateus or Stomoxys))[tiab] OR Rwanda/ OR (Rwanda or Ruanda)[tiab] OR Sierra Leone/ OR (Sierra Leone or Salone)[tiab] OR Somalia/ OR (Somalia or Somaliland)[tiab] OR South Sudan/ OR South Sudan[tiab] OR Tanzania/ OR (Tanzania or Tanganyika or Zanzibar)[tiab] OR Togo/ OR (Togo or Togolese Republic or Togoland)[tiab] OR Uganda/ OR Uganda[tiab] OR "Africa south of the Sahara"/ OR Africa, central/ OR Africa, eastern/ OR Africa, southern/ OR Africa, western/ OR ("Africa South of the Sahara" or sub-Saharan Africa or sub-Saharan Africa)[tiab] OR Central Africa[tiab] OR Eastern Africa[tiab] OR Southern Africa[tiab] OR Western Africa[tiab]

#1 AND #2 AND #3

Limited to: English and French language.

2. Embase Classic + Embase (Ovid) <1947 to August 22, 2022>

Concept	Variants used to query database
#1 (Health worker)	exp health care personnel/ OR clinician/ OR dental personnel/ OR health workforce/ OR hospital personnel/ OR medical personnel/ OR mental health care personnel/ OR "health worker*".mp OR "health personnel".mp OR "healthcare worker*".mp OR "health care worker*".mp OR "health service provider*".mp OR "medical worker*".mp OR "healthcare professional*".mp OR "health care professional*".mp OR "healthcare provider*".mp OR "health care provider*".mp OR physician*.mp OR nurse*.mp OR "nursing professional".mp OR pharmacist*.mp OR dentist*.mp OR "dental surgeon*".mp OR midwife.mp OR midwives.mp OR "health service providers".mp OR surgeon*.mp OR "medical officer*".mp OR "medical practitioner*".mp OR "nursing practitioner*".mp OR "dental officer*".mp OR "oral healthcare professional*".mp OR "oral healthcare provider*".mp
#2 (Migration)	exp migration/ OR forced migration/ OR migrat*.mp OR migrant*.mp OR emigrat*.mp OR emigrant*.mp OR "brain drain".mp OR exodus.mp OR relocat*.mp
#3 (LMICs)	Developing Countries/ OR ((developing or less* developed or under developed or underdeveloped or middle income or low* income) adj (economy or economies))[tiab] OR ((developing or less* developed or under developed or under developed or under developed or underdeveloped or middle income or low* income or underserved or under served or deprived or poor*) adj (countr* or nation? or population? or world))[tiab] OR (low* adj (gdp or gnp or gross domestic or gross national))[tiab] OR (low adj3 middle adj3 countr*)[tiab] OR (lomc or linics or third world or lami countr*)[tiab] OR transitional countr*[tiab] OR global south[tiab] OR Democratic People's Republic of Korea"/ OR (North Korea or (Democratic People* Republic adj2 Korea))[tiab] OR Cambodia/ OR Cambodia tiab] OR Indonesia/ OR (Indonesia or Dutch East Indies)[tiab] OR (Kiribati or Gilbert Islands or Phoenix Islands or Line Islands)[tiab] OR Laos/ OR (Laos or (Lao adj1 Democratic Republic))[tiab] OR Micronesia/ OR Micronesia tiab] OR Nangolia/ OR Mongolia(tiab) OR Myanmar/ OR (Myanmar or Burma)[tiab] OR Papua New Guinea) OR (Papua New Guinea or German New Guinea or British New Guinea or Territory of Papua)[tiab] OR Philippines/ OR (Philippines or Philippine Islands)[tiab] OR Solomon Islands(tiab) OR Timor-Leste/ OR (Timor-Leste or East Timor or Portuguese Timor)[tiab] OR Vanuatu/ OR (Vanuatu or New Hebrides)[tiab] OR Vietnam/ OR (Viet Nam or Vietnam or French Indochina)[tiab] OR Malaysia/ OR (Malaysia or Malayan Union or Malaya)[tiab] OR Marshall Islands[tiab] OR Fiji/ OR Fiji(tiab) OR Malaysia/ OR (Malaysia or Malayan Union or Malaya)[tiab] OR Marshall Islands[tiab] OR Nauru.t(iab) OR "independent State of Samoa"/ OR ((Samoa not American Samoa) or Western Samoa or Navigator Islands or Samoan Islands)[tiab] OR Melanesia/ OR Melanesia[tiab] OR Polynesia/ OR Polynesia(tiab) OR Kyrgyzstan/ OR Kyrgyzstan/ OR Kyrgyzstan/ OR Ryrgyzstan/ OR Ryrgyzstan/ OR Ryrgyzstan/ OR Ryrgyzstan/ OR Ryrgyzstan/ OR Republic or Kirghizia or Kirghiziab) OR Polynesia/ OR Moldova/ OR Mold

Brazil/ OR Brazil[tiab] OR Colombia/ OR Colombia[tiab] OR Costa Rica/ OR Costa Rica[tiab] OR Cuba/ OR Cuba[tiab] OR Dominica/ OR Dominica[tiab] OR Dominica[tiab] OR Dominican Republic/ OR Dominican Republic[tiab] OR Ecuador/ OR Ecuador[tiab] OR Grenada/ OR Grenada[tiab] OR Guatemala/ OR Guatemala[tiab] OR Guyana/ OR (Guyana or British Guiana)[tiab] OR Jamaica/ OR Jamaica[tiab] OR Mexico/ OR (Mexico or United Mexican States)[tiab] OR Paraguay/ OR Paraguay.mp OR Peru/ OR Peru[tiab] OR Saint Lucia/ OR (St Lucia or Saint Lucia or Iyonala or Hewanorra)[tiab] OR "Saint Vincent and the Grenadines"/ OR (Saint Vincent or St Vincent or Grenadines)[tiab] OR Suriname/ OR (Suriname or Dutch Guiana)[tiab] OR Venezuela/ OR Venezuela[tiab] OR Djibouti/ OR (Djibouti or French Somaliland)[tiab] OR Egypt/ OR Egypt[tiab] OR Morocco/ OR Morocco[tiab] OR Tunisia/ OR Tunisia.mp OR (Gaza or West Bank or Palestine)[tiab] OR Algeria/ OR Algeria[tiab] OR Iran/ OR (Iran or Persia)[tiab] OR Iraq/ OR (Iraq or Mesopotamia)[tiab] OR Jordan/ OR Jordan[tiab] OR Lebanon/ OR (Lebanon or Lebanese Republic)[tiab] OR Libya/ OR Libya[tiab] Or Syria/ OR (Syria or Syrian Arab Republic)[tiab] OR Yemen/ OR Yemen[tiab] OR Afghanistan/ OR Afghanistan[tiab] OR Nepal/ OR Nepal[tiab] OR Bangladesh/ OR Bangladesh[tiab] OR Bhutan/ OR Bhutan[tiab] OR exp India/ OR India[tiab] OR Pakistan/ OR Pakistan[tiab] OR Maldives[tiab] OR Sri Lanka/ OR (Sri Lanka or Ceylon)[tiab] OR Angola/ OR Angola[tiab] OR Cameroon/ OR (Cameroon or Kamerun or Cameroun)[tiab] OR Cape Verde/ Or (Cape Verde or Cabo Verde)[tiab] OR Comoros/ OR (Comoros or Glorioso Islands or Mayotte)[tiab] OR Congo/ OR (Congo not ((Democratic Republic adj3 Congo) or congo red or crimean-congo))[tiab] OR Cote d'Ivoire/ OR Cote d'Ivoire or Cote dIvoire or Ivory Coast)[tiab] OR Eswatini/ OR (eSwatini or Swaziland)[tiab] OR Ghana/ OR (Ghana or Gold Coast)[tiab] OR Kenya/ OR (Kenya or East Africa Protectorate)[tiab] OR Lesotho/ OR (Lesotho or Basutoland)[tiab] OR Mauritania/ OR Mauritania[tiab] OR Nigeria/ OR Nigeria[tiab] OR (Sao Tome abj2 Principe)[tiab] OR Senegal/ OR Senegal[tiab] OR Sudan/ OR (Sudan not South Sudan)[tiab] OR Zambia/ OR Zambia or Northern Rhodesia)[ti,ab] OR Zimbabwe/ OR (Zimbabwe or Southern Rhodesia)[tiab] OR Botswana/ OR (Botswana or Bechuanaland or Kalahari)[tiab] OR Equatorial Guinea/ OR (Equatorial Guinea or Spanish Guinea)[tiab] OR Gabon/ OR (Gabon or Gabonese Republic)[tiab] OR Mauritius/ OR (Mauritius or Agalega Islands)[tiab] OR Namibia/ OR (Namibia or German South West Africa)[tiab] OR South Africa/ OR (South Africa or Cape Colony or British Bechuanaland or Boer Republics or Zululand or Transvaal or Natalia Republic or Orange Free State)[fiab] OR Benin/ OR (Benin or Dahomey)[fiab] OR Burkina Faso/ OR (Burkina Faso or Burkina Fasso or Upper Volta)[tiab] OR Burundi/ OR (Burundi or Ruanda-Urundi)[tiab] OR Central African Republic/ OR (Central African Republic or Ubangi-Shari)[tiab] OR Chad/ OR Chad[tiab] OR "Democratic Republic of the Congo"/ OR (((Democratic Republic or DR) adj2 Congo) or Congo-Kinshasa or Belgian Congo or Zaire or Congo Free State)[tiab] OR Eritrea/ OR Eritrea[tiab] OR Ethiopia/ OR (Ethiopia or Abyssinia)[tiab] OR Gambia/ OR Gambia[tiab] OR Guinea / OR (Guinea not (New Guinea or Guinea Pig* or Guinea Fowl or Guinea-Bissau or Portuguese Guinea or Equatorial Guinea))[tiab] OR Guinea-Bissau/ OR (Guinea-Bissau or Portuguese Guinea)[tiab] OR Liberia/ OR Liberia[tiab] OR Madagascar/ OR (Madagascar or Malagasy Republic)[tiab] OR Malawi/ OR (Malawi or Nyasaland)[tiab] OR Mali[tiab] OR Mozambique/ OR (Mozambique or Mocambique or Portuguese East Africa)[tiab] OR Niger/ OR (Niger not (Aspergillus or Peptococcus or Schizothorax or Cruciferae or Gobius or Lasius or Agelastes or Melanosuchus or radish or Parastromateus or Orius or Aspergillus or Parastromateus or Stomoxys))[tiab] OR Rwanda/ OR (Rwanda or Ruanda)[tiab] OR Sierra Leone/ OR (Sierra Leone or Salone)[tiab] OR Somalia/ OR (Somalia or Somaliland)[tiab] OR South Sudan/ OR South Sudan[tiab] OR Tanzania/ OR (Tanzania or Tanganyika or Zanzibar)[tiab] OR Togo/ OR (Togo or Togolese Republic or Togoland)[tiab] OR Uganda/ OR Uganda[tiab] OR "Africa south of the Sahara"/ OR Africa, central/ OR Africa, eastern/ OR Africa, southern/ OR Africa, western/ OR ("Africa South of the Sahara" or sub-Saharan Africa or sub-Saharan Africa)[tiab] OR Central Africa[tiab] OR Eastern Africa[tiab] OR Southern Africa[tiab] OR Western Africa[tiab]

#1 AND #2 AND #3

Limited to: English and French language.

3. Global Health (Ovid) <1910 to August 23, 2022>

Concept	Variants used to query database
#1 (Health worker)	exp health care workers/ or dentists/ or home health aides/ or midwives/ or nurses/ or physicians/ OR "health worker*".mp OR "health personnel".mp OR "healthcare worker*".mp OR "health care worker*".mp OR "health service provider*".mp OR "medical worker*".mp OR "healthcare professional*".mp OR "health care professional*".mp OR "healthcare provider*".mp OR "health care provider*".mp OR doctor*.mp OR physician*.mp OR nurses.mp OR "nursing professional".mp OR pharmacist*.mp OR dentist*.mp OR "dental surgeon*".mp OR midwife.mp OR midwives.mp OR "health service providers".mp OR surgeon*.mp OR "medical officer*".mp OR "nursing practitioner*".mp OR "dental officer*".mp OR "oral healthcare professional*".mp OR "oral healthcare provider*".mp
#2 (Migration)	migration/ OR exp behaviour/ OR migrants/ OR movement/ OR settlement/ OR migrat*.mp OR migrant*.mp OR emigrat*.mp OR emigrant*.mp OR exodus.mp OR relocat*.mp
#3 (LMICs)	Developing Countries/ OR ((developing or less* developed or under developed or underdeveloped or middle income or low* income) adj (economy or economies))[tiab] OR ((developing or less* developed or under developed or under served or developed or poor*) adj (countr* or nation? or population? or world))[tiab] OR (low* adj (gdp or gnp or gross domestic or gross national))[tiab] OR (low adj amiddle adj3 countr*)[tiab] OR (limic or lmics or third world or lami countr*)[tiab] OR transitional countr*[tiab] OR global south[tiab] OR Democratic People's Republic of Korea"/ OR (North Korea or (Democratic People* Republic adj2 Korea))[tiab] OR Cambodia] OR Cambodia[tiab] OR Indonesia/ OR (Indonesia or Dutch East Indies)[tiab] OR (Kiribati or Gilbert Islands or Phoenix Islands or Line Islands)[tiab] OR Alosy OR (Laos or (Lao adj1 Democratic Republic))[tiab] OR Micronesia/ OR Micronesia/ OR Micronesia/ OR Mongolia/ OR Mongolia/ OR Mongolia/ OR Mongolia/ OR Myammar or Burma)[tiab] OR Papua New Guinea or German New Guinea or British New Guinea or Territory of Papua][tiab] OR Philippines/ OR (Philippines or Philippine Islands)[tiab] OR Solomon Islands[tiab] OR Timor-Leste / OR (Timor-Leste or East Timor or Portuguese Timor)[tiab] OR Vanuatu/ OR (Vanuatu or New Hebrides)[tiab] OR Vietnam/ OR (Wiet Nam or Vietnam or French Indochina][tiab] OR American Samoa/ OR American Samoa[tiab] OR exp China/ OR China[tiab] OR Nauru.t[iab] OR "Independent State of Samoa"/ OR (Gamoa not American Samoa) or Western Samoa or Navigator Islands or Samoan Islands)[tiab] OR Thailand OR (Thailand or Siam)[tiab] OR Noponesia/ OR Noponesia/ OR Noponesia/ OR Molavsia/ OR Melanesia/ OR Republic of North Macedonia"/ OR Ross

Republic[tiab] OR Ecuador/ OR Ecuador[tiab] OR Grenada/ OR Grenada[tiab] OR Guatemala/ OR Guatemala[tiab] OR Guyana/ OR (Guyana or British Guiana)[tiab] OR Jamaica/ OR Jamaica[tiab] OR Mexico/ OR (Mexico or United Mexican States)[tiab] OR Paraguay/ OR Paraguay.mp OR Peru/ OR Peru[tiab] OR Saint Lucia/ OR (St Lucia or Saint Lucia or Iyonala or Hewanorra)[tiab] OR "Saint Vincent and the Grenadines"/ OR (Saint Vincent or St Vincent or Grenadines)[tiab] OR Suriname/ OR (Suriname or Dutch Guiana)[tiab] OR Venezuela/ OR Venezuela[tiab] OR Djibouti/ OR (Djibouti or French Somaliland)[tiab] OR Egypt/ OR Egypt[tiab] OR Morocco/ OR Morocco[tiab] OR Tunisia/ OR Tunisia.mp OR (Gaza or West Bank or Palestine)[tiab] OR Algeria/ OR Algeria[tiab] OR Iran/ OR (Iran or Persia)[tiab] OR Iraq/ OR (Iraq or Mesopotamia)[tiab] OR Jordan/ OR Jordan[tiab] OR Lebanon/ OR (Lebanon or Lebanese Republic)[tiab] OR Libya/ OR Libya[tiab] Or Syria/ OR (Syria or Syrian Arab Republic)[tiab] OR Yemen/ OR Yemen[tiab] OR Afghanistan/ OR Afghanistan[tiab] OR Nepal/ OR Nepal[tiab] OR Bangladesh/ OR Bangladesh[tiab] OR Bhutan/ OR Bhutan[tiab] OR exp India/ OR India[tiab] OR Pakistan/ OR Pakistan[tiab] OR Maldives[tiab] OR Sri Lanka/ OR (Sri Lanka or Ceylon)[tiab] OR Angola/ OR Angola[tiab] OR Cameroon/ OR (Cameroon or Kamerun or Cameroun)[tiab] OR Cape Verde/ Or (Cape Verde or Cabo Verde)[tiab] OR Comoros/ OR (Comoros or Glorioso Islands or Mayotte)[tiab] OR Congo/ OR (Congo not ((Democratic Republic adj3 Congo) or congo red or crimean-congo))[tiab] OR Cote d'Ivoire OR Cote d'Ivoire or Cote dIvoire or Ivory Coast)[tiab] OR Eswatini/ OR (eSwatini or Swaziland)[tiab] OR Ghana/ OR (Ghana or Gold Coast)[tiab] OR Kenya/ OR (Kenya or East Africa Protectorate)[tiab] OR Lesotho/ OR (Lesotho or Basutoland)[tiab] OR Mauritania/ OR Mauritania[tiab] OR Nigeria/ OR Nigeria[tiab] OR (Sao Tome abj2 Principe)[tiab] OR Senegal/ OR Senegal[tiab] OR Sudan/ OR (Sudan not South Sudan)[tiab] OR Zambia OR Zambia or Northern Rhodesia)[ti,ab] OR Zimbabwe/ OR (Zimbabwe or Southern Rhodesia)[tiab] OR Botswana/ OR (Botswana or Bechuanaland or Kalahari)[tiab] OR Equatorial Guinea/ OR (Equatorial Guinea or Spanish Guinea)[tiab] OR Gabon/ OR (Gabon or Gabonese Republic)[tiab] OR Mauritius/ OR (Mauritius or Agalega Islands)[tiab] OR Namibia/ OR (Namibia or German South West Africa)[tiab] OR South Africa/ OR (South Africa or Cape Colony or British Bechuanaland or Boer Republics or Zululand or Transvaal or Natalia Republic or Orange Free State)[tiab] OR Benin/ OR (Benin or Dahomey)[tiab] OR Burkina Faso/ OR (Burkina Faso or Burkina Fasso or Upper Volta)[tiab] OR Burundi/ OR (Burundi or Ruanda-Urundi)[tiab] OR Central African Republic/ OR (Central African Republic or Ubangi-Shari)[tiab] OR Chad/ OR Chad[tiab] OR "Democratic Republic of the Congo"/ OR (((Democratic Republic or DR) adj2 Congo) or Congo-Kinshasa or Belgian Congo or Zaire or Congo Free State)[tiab] OR Eritrea/ OR Eritrea[tiab] OR Ethiopia/ OR (Ethiopia or Abyssinia)[tiab] OR Gambia/ OR Gambia[tiab] OR Guinea/ OR (Guinea not (New Guinea or Guinea Pig* or Guinea Fowl or Guinea-Bissau or Portuguese Guinea or Equatorial Guinea))[tiab] OR Guinea-Bissau/ OR (Guinea-Bissau or Portuguese Guinea)[tiab] OR Liberia/ OR Liberia[tiab] OR Madagascar/ OR (Madagascar or Malagasy Republic)[tiab] OR Malawi/ OR (Malawi or Nyasaland)[tiab] OR Mali/ OR Mali[tiab] OR Mozambique/ OR (Mozambique or Mocambique or Portuguese East Africa)[tiab] OR Niger/ OR (Niger not (Aspergillus or Peptococcus or Schizothorax or Cruciferae or Gobius or Lasius or Agelastes or Melanosuchus or radish or Parastromateus or Orius or Aspergillus or Parastromateus or Stomoxys))[tiab] OR Rwanda/ OR (Rwanda or Ruanda)[tiab] OR Sierra Leone/ OR (Sierra Leone or Salone)[tiab] OR Somalia/ OR (Somalia or Somaliland)[tiab] OR South Sudan/ OR South Sudan[tiab] OR Tanzania/ OR (Tanzania or Tanganyika or Zanzibar)[tiab] OR Togo/ OR (Togo or Togolese Republic or Togoland)[tiab] OR Uganda/ OR Uganda[tiab] OR "Africa south of the Sahara"/ OR Africa, central/ OR Africa, eastern/ OR Africa, southern/ OR Africa, western/ OR ("Africa South of the Sahara" or sub-Saharan Africa or sub-Saharan Africa)[tiab] OR Central Africa[tiab] OR Eastern Africa[tiab] OR Southern Africa[tiab] OR Western Africa[tiab]

#1 AND #2 AND #3

Limited to: English and French language.

4. CINAHL Complete (EBSCOhost Research Databases) <inception to August 25, 2022>

Concept	Variants used to query database (Exclude MEDLINE records/Apply equivalent subjects)	
#1 (Health worker)	healthcare workers OR healthcare professionals OR healthcare personnel or healthcare worker OR health personnel OR "health service provider" OR "medical workers" OR "medical personel" OR medical personnel OR healthcare providers OR doctors OR physicians OR "medical officer" OR medical practitioners OR medical practitioners OR surgeon* OR nurses OR "nursing professional" OR pharmacist* OR dentist* OR "dental surgeon*" OR midwife OR midwives OR "health service providers" OR "nursing practitioner*" OR "dental officer*" OR "oral healthcare professional*" OR "oral healthcare provider*"	
#2 (Migration)	migration OR migrat* OR migrant* OR emigrat* OR emigrant* OR "brain drain" OR exodus OR relocat* OR migration or immigration or emigration or refugee	
#3 (LMICs)	low and middle income countries OR developing countries OR low and middle income countries or developing countries (Geographic Subset: Africa, Asia, Mexico & Central/South America, Middle East)	
	#1 AND #2 AND #3	
Limited to: English and French language.		

5. Web of Science (in Web of Science Core Collection) <1969 to August 29, 2022>


worker) Field prov profe Field Field Field Office O	ealth care workers" (All Fields) or "health worker*" (All Fields) or "health personnel" (All Fields) or "health care worker*" (All Fields) or "health service ovider*" (All Fields) or "medical worker*" (All Fields) or "health care professional*" (All Fields) or "health care ofessional*" (All Fields) or "healthcare provider*" (All Fields) or "health care provider*" (All Fields) or "health care provider*" (All Fields) or physician* (All Fields) or nurses (All Fields) or "nursing professional" (All Fields) or pharmacist* (All Fields) or dentist* (All Fields) or "dental surgeon*" (All Fields) or midwife (All Fields) or "health service providers" (All Fields) or surgeon* (All Fields) or "medical ficer*" (All Fields) or "medical practitioner*" (All Fields) or "nursing practitioner*" (All Fields) or "dental ficer*" (All Fields) or "oral healthcare professional*" (All Fields) or "oral healthcare provider*" (All Fields) or "oral healthcare provider*" (All Fields) or "oral healthcare provider*" (All Fields) or migrant* (All Fields) or migran
#3 ALL= (LMICs) ALL= ALL= ALL= ALL= ALL= ALL= ALL= ALL=	Elds) or emigrant* (All Fields) or emigrat* (All Fields) or migrant* (All Fields) or migrat* (All Fields) L=("low-and middle-income countries") OR ALL=(Albania) OR ALL=(Afghanistan) OR ALL=(Algeria) OR L=(Angola) OR ALL=("Antigua and Barbuda") OR ALL=(Argentina) OR ALL=(Armenia) OR ALL=(Azerbaijan) OR L=(Bangladesh) OR ALL=(Belarus) OR ALL=(Belize) OR ALL=(Benin) OR ALL=(Bhutan) OR ALL=(Bolivia) OR L=("Bosnia and Herzegovina") OR ALL=(Botswana) OR ALL=(Brazil) OR ALL=("Burkina Faso") OR ALL=(Burundi) R ALL=("Cabo Verde") OR ALL=(Cambodia) OR ALL=(Cameroon) OR ALL=("Central African Republic") OR
(LMICs) ALL= ALL= OR A ALL= ALL= ALL= ALL= ALL= ALL= ALL= AL	L=(Angola) OR ALL=("Antigua and Barbuda") OR ALL=(Argentina) OR ALL=(Armenia) OR ALL=(Azerbaijan) OR L=(Bangladesh) OR ALL=(Belarus) OR ALL=(Belize) OR ALL=(Benin) OR ALL=(Bhutan) OR ALL=(Bolivia) OR L=("Bosnia and Herzegovina") OR ALL=(Botswana) OR ALL=(Brazil) OR ALL=("Burkina Faso") OR ALL=(Burundi) OR ALL=("Cabo Verde") OR ALL=(Cambodia) OR ALL=(Cameroon) OR ALL=("Central African Republic") OR
ALL= ALL= ALL= ALL= ALL= Guin "Sair Serbi Afric Vince (All F Togo Turki or Uz "Wes	L=(Chad) OR ALL=(China) OR ALL=(Colombia) OR ALL=(Comoros) OR ALL=("Democratic Republic of Congo") OR L=(Congo) OR ALL=("Costa Rica") OR ALL=("Cöte d'Ivoire") OR ALL=(Cuba) OR ALL=(Djibouti) OR L=(Congo) OR ALL=("El Salvador") OR ALL=(Dominica) OR ALL=("El Salvador") OR ALL=(Dominica) OR ALL=("El Salvador") OR ALL=(Entrea) OR ALL=(Eritrea) OR ALL=(Eryt) OR ALL=(Eritrea) OR ALL=(Eryt) OR ALL=(Erenada) OR ALL=(Genada) OR ALL=(Gambia) OR ALL=(Georgia) OR ALL=(Ghana) OR ALL=(Genada) OR ALL=(Guinea) OR ALL=(Guinea) OR ALL=(Guinea) OR ALL=(Guinea) OR ALL=(Guinea) OR ALL=(Iran) OR ALL=(Jordan) OR ALL=(Honduras) OR ALL=(India) OR ALL=(India) OR ALL=(Iran) OR ALL=(Iran) OR ALL=(Jordan) OR ALL=(Jordan) OR ALL=(Kosakhstan) OR ALL=(Kosakhstan) OR ALL=(Kiribati) OR ALL=("Democratic People's Republic of Korea") OR L=(Kosovo) OR ALL=(Kirygyzstan) OR ALL=(Libya) OR ALL=("Domocratic Republic") OR ALL=(Ebanon) OR L=(Leosotho) OR ALL=(Iberia) OR ALL=(Libya) OR ALL=("North Macedonia") OR ALL=(Madagascar) OR L=(Malawi) OR ALL=(Malaysia) OR ALL=(Maldives) OR ALL=(Mali) OR ALL=("Marshall Islands") OR L=(Mauritania) OR ALL=(Montenegro) OR ALL=(Montenegro) OR ALL=(Morocco) OR ALL=(Moro
#1 A	AND #2 AND #3

Supplementary Figure 1a: Methodological quality of the included primary studies based on the five core criteria for each study design using the the Mixed Methods Appraisal Tool (MMAT)



Note: Percentages represents the proportion of studies within each study type that were scored "yes", "no" or "cant tell". There were 52 quantitative studies, 31 qualitative studies, and 24 mixed methods studies.

Supplementary figure 1b: The overall quality of the included studies



Note: A study was classified as "**high quality**" if it <u>met all the five core criteria, rated as "yes</u>." Studies that <u>met three to four criteria</u> were considered "**medium quality**," while those that <u>met one or two criteria</u> were deemed "**low quality**"

Supplementary Table 2: Merging decision of drivers of migration

Local Push	New variable	Original variable
Factors		
	Gender	Gender
	Unemployment/underemployment	Unemployment/underemployment
	Insecurity	Insecurity
	Sociopolitical situations in their home countries	Social injustice
		Racism
		Implementation of the affirmative action policy Religion
		Linguistic group (language)
	Lack of job satisfaction	Disillusioned with the healthcare system
	,	Dissatisfaction with level of autonomy and
		responsibility
		Not Being valued as professionals/ No appreciation by society
	Poor career development opportunities	Poor career prospects
		Poor training/ commitment to excellence in training
	Peer pressure	Peer pressure
	Corruption	Corruption
	Poor pay	Poor pay
	Poor work conditions	Hostile working environment
		Excessive workload
		Lack of professional support from
		supervisor/colleagues
		Mandatory rural posting
	Poor resource availability	Poor facilities
		Lack of optimal technology
	Migratory culture	Migratory culture
	Low cadre	Low cadre
	High cadre	High cadre
		Having a university degree
	Improved financial situation	Improved finances
		Scholarships
	Risk of contracting HIV	Risk of contracting HIV
	Family pressure	Family pressure
		Difficult family situation
	Personal ambition/desire to settle abroad	Personal ambition/desire to settle abroad
	Younger age	Younger age
	Poor economic conditions in home countries	Poor living conditions
		High cost of living
		Decline in GDP
	Providing financial assistance to family living in source country	providing financial assistance to family living in source country
	Concerns for children's future	Poor educational facility for children Poor future/uncertain future for children

Market alexal alexandrates to a comme	I District and the state of the
Medical school characteristics in source	Higher ranked medical colleges
country	Medical colleges with larger post-graduate
	programs
	Higher medical schools per million population
Source country health characteristics	Higher physician, nurse and public health
•	workforce densities
	Higher total health spending
	Higher population health status
Improved economic and social	Improved economic and social development in
development in source country	source country
	Higher per capita GDP/ middle income
	countries
Countries without medical schools	Countries without medical schools
Private health sector	Private health sector
Residents in urban areas	Residents in urban areas
Family ties	Family ties
	Familial desire to return
Advancing age	Advancing age
Increased years lived outside of source	Increased years lived outside of source country
country	
Professional satisfaction	Professional satisfaction
	Professional accomplishment
	Improved training
	Opportunity for career advancement
	Job security
Patriotism	Patriotism
	Desire to settle in source country
	optimism about the future
Bonds	Bonds
Low cadre	Low cadre
High Cadre	High Cadre
Public health sector	Public health sector
Having financial security	Ownership of business or property
Traving infarioral cooding	Higher pay
Good working conditions	Improved working conditions
Good Working Conditions	Improvement in health infrastructures through
	foreign aid
	Management support
	Attention to employee suggestions
	Flexibility in working hours
Improved security	Improved security
Improved economic conditions in source	Improved standard of living
country	,
-	Improving per capita income/economic growth
Social and cultural factors including	Culturally appropriate for raising children
-	Culture and social life
İ	

Local Pull Factors

Religion

Foreign	Push
Factors	

Foreign Pull Factors

Higher income inequality	Higher income inequality
Political stability	Political stability
Lack of necessary resources	Lack of necessary resources
Social and cultural factors	Religion and culture
	Racism
	Language barrier
Cost of migration	Cost of migration
oost of migration	Financial barriers
Qualifying examinations	Qualifying examinations
Weather conditions	Weather conditions
Poor career prospects	Poor career prospects
	Lack of information about career pathway
Poor working conditions	Inadequate incentives
	Lack of professionalism and respect
	Long working hours
Poor quality of life	Poor quality of life
	Fractured family life
Lack of opportunities for family members	Lack of job opportunity for spouse
	Lack of educational opportunities for children
Financial incentives	Higher income
	Better economic prospect after training
Scholarships	Scholarships
Good working environment	Better working environment
-	Flexible work hours
Better quality of life	Better quality of life
	Psychological wellbeing
Security/Stability	Security/Stability
Good career opportunities	Professional advancement opportunities
	Better training/Improved knowledge and skills
	Research opportunities
	Easy of finding job abroad
Job satisfaction	Professional status/prestige
	Job security
	Appreciation by society
Peer Influence	Peer Influence
Adventure/ Taste of something new	Adventure/ Taste of something new
Conducive immigration and settlement	Offer of permanent residency
policies in host country	Conducive immigration and settlement reliefes
	Conducive immigration and settlement policies in host country
	Citizenship
Family members abroad	Family members abroad
Weather	Weather
	1

Active recruitment of health workers

Active recruitment of health workers

	Relocation assistance
Previous travel abroad for professional	Previous travel abroad for professional reasons
reasons	
No exams to write	No exams to write
Proximity to source country	Proximity to source country
Social and cultural factors	Language
	Cultural similarities
	Personal freedom