

LONDON
SCHOOL of
HYGIENE
& TROPICAL
MEDICINE



LSHTM Research Online

Santoro, A; Abu-Rmeileh, N; Khader, A; Seita, A; McKee, M; (2016) Primary healthcare reform in the United Nations Relief and Works Agency for Palestine Refugees in the Near East. Eastern Mediterranean health journal = La revue de sante de la Mediterranee orientale = al-Majallah al-sihhiyah li-sharq al-mutawassit, 22 (6). pp. 417-421. ISSN 1020-3397 DOI: <https://doi.org/10.26719/2016.22.6.417>

Downloaded from: <http://researchonline.lshtm.ac.uk/2997173/>

DOI: <https://doi.org/10.26719/2016.22.6.417>

Usage Guidelines:

Please refer to usage guidelines at <https://researchonline.lshtm.ac.uk/policies.html> or alternatively contact researchonline@lshtm.ac.uk.

Available under license: Copyright the publishers

<https://researchonline.lshtm.ac.uk>

Short communication

Primary healthcare reform in the United Nations Relief and Works Agency for Palestine Refugees in the Near East

A. Santoro¹, N. Abu-Rmeileh², A. Khader³, A. Seita³ and M. McKee⁴

إصلاح نظام الرعاية الصحية الأولية في وكالة الأمم المتحدة لغوث وتشغيل اللاجئين الفلسطينيين في الشرق الأدنى

اليسيو سانتورو، نيفين أبو رميلة، علي خضر، أكهيو سيتا، مارتين ماك كيه

الخلاصة: يشهد اللاجئون الفلسطينيون الذين تقدّم لهم خدمات من قبل وكالة الأمم المتحدة لغوث وتشغيل اللاجئين الفلسطينيين (الأونروا) في الشرق الأدنى تزايداً في معدلات الأمراض غير السارية. ولمواجهة التحديات المالية والتنظيمية التي تنشأ عن ذلك، بدأت الأونروا - في عام 2011 - برنامجاً على مستوى الوكالة لإصلاح نظام الرعاية الصحية الأولية، يسترشد بإطار نموذج الرعاية المزمّنة. فأعيد تنظيم الخدمات الصحية باتباع نهج يتمحور حول الأسرة، تقدمه فرق صحة الأسرة متعددة الاختصاصات، مدعّمةً بأخر مستجدات النصائح التقنية. كما طبّق نظام شامل للمعلومات السريرية - اصطلاح على تسميته: الصحة الإلكترونية - لجمع كمّ كبير من المعلومات الصحية، مع التركيز على استمرارية المعالجة. وكانت الأونروا قادرة على إحداث هذه التغييرات واسعة النطاق في حدود مواردها المتاحة، بإعادة تخصيص الموارد المالية، وإصلاح آليات الدفع المتبعة لديها، وتحديث سياساتها المعنية بشراء الأدوية. ولكن على الرغم من أن المكونات الخاصة بإصلاح نظام الرعاية الصحية الأولية في الأونروا تظهر نتائج واعدة، إلا أن هناك حاجة إلى بذل مزيد من الجهود لمساعدة المرضى أكثر من ذلك وتعزيز مشاركة المجتمع.

ABSTRACT Palestinian refugees served by the United Nation Relief and Works Agency for Palestine Refugees in the Near East (UNRWA) are experiencing increasing rates of diagnosis of non-communicable diseases. In response, in 2011 UNRWA initiated an Agency-wide programme of primary healthcare reform, informed by the Chronic Care Model framework. Health services were reorganized following a family-centred approach, with delivery by multidisciplinary family health teams supported by updated technical advice. An inclusive clinical information system, termed e-Health, was implemented to collect a wide range of health information, with a focus on continuity of treatment. UNRWA was able to bring about these wide-ranging changes within its existing resources, reallocating finances, reforming its payment mechanisms, and modernizing its drug-procurement policies. While specific components of UNRWA's primary healthcare reform are showing promising results, additional efforts are needed to empower patients further and to strengthen involvement of the community.

Réforme des soins de santé primaires à l'Office de secours et de travaux des Nations Unies pour les réfugiés de Palestine dans le Proche-Orient

RÉSUMÉ Les réfugiés palestiniens secourus par l'Office de secours et de travaux des Nations Unies pour les réfugiés de Palestine dans le Proche-Orient (UNRWA) sont confrontés à une recrudescence des maladies non transmissibles. En conséquence, l'UNRWA a lancé en 2011 un programme de réforme des soins de santé primaires à l'échelle de l'Office, guidé par le modèle de soins chroniques. Les services de santé ont été réorganisés sur la base d'une approche orientée vers la famille, avec des prestations de santé dispensées par des équipes de médecine familiale multidisciplinaires soutenues par un conseil technique mis à jour. Un système d'information clinique exhaustif, appelé e-Health, a été mis en œuvre pour collecter une grande quantité d'informations, l'accent étant mis sur la continuité du traitement. L'UNRWA a été en mesure de mener ces changements d'envergure à partir des ressources existantes, en réattribuant des fonds, en réformant ses mécanismes de paiement, et modernisant ses politiques d'approvisionnement en médicaments. Si les composants spécifiques de la réforme de l'UNRWA en matière de soins de santé primaires donnent des résultats prometteurs, davantage d'efforts doivent être déployés pour autonomiser davantage encore les patients et renforcer l'engagement communautaire.

¹Department of Public Health and Infectious Diseases, La Sapienza University, Rome, Italy (Correspondence to A. Santoro: a.santoro@unrwa.org),
²Institute of Community and Public Health, Birzeit University, Birzeit, West Bank, ³United Nation Relief and Works Agency for Palestine Refugees in the Near East Headquarters, Amman, Jordan, ⁴Faculty of Public Health and Policy, European Centre on Health of Societies in Transition, London School of Hygiene and Tropical Medicine, London, United Kingdom.

Received: 25/01/16; accepted: 06/05/16

Introduction

The burden of noncommunicable diseases (NCDs) is high among many refugee populations (1–5). Tragically, the Middle East has a long experience of forced migration (1). Hypertension and diabetes are widespread among Syrian and Iraqi refugees displaced to Lebanon (2–5). Palestinian refugees scattered across the WHO Eastern Mediterranean Region experience patterns of NCDs that are similar to those in non-refugee Palestinians living in the West Bank and Gaza (6–8).

Although Palestinian refugees do have partial access to health services in some host countries, their health needs are mostly met by the United Nations Relief and Works Agency for Palestine Refugees in the Near East (UNRWA), which provides assistance through its network of 138 primary health centres. There is a widespread consensus that primary healthcare should play a central role in effective management of NCDs (9). Consequently, in 2011 UNRWA initiated extensive reform of the structure of primary healthcare, designed to respond appropriately to the growing burden of NCDs among Palestinian refugees (6).

This paper analyses the current response of UNRWA to the changing needs of Palestinian refugees and outlines a way forward. The primary healthcare reform is analysed in the light of the Chronic Care Model (CCM).

Chronic care model

The CCM has been a major influence on the management of NCDs in many countries (9). It envisages organization of services around health teams, adherence to evidence-based guidelines, support for self-management, and development of appropriate information systems (10). In 2002, the WHO adapted the CCM to the circumstances of low- and middle-income countries

(LMICs). Community empowerment and effective integration of the components of the model into existing health system assets were included in the updated model (Table 1) (9,11).

Analysis of primary healthcare reform

Delivery system design

Inspired by the success of a similar policy in Egypt (12,13), UNRWA's primary healthcare reform is designed to have a family-centred perspective. Each family is assigned to a specific multidisciplinary family health team (FHT), staffed by doctors, midwives and nurses. Consequently, health care is no longer provided vertically, based on the doctors' specialization, but horizontally, according to the health needs of the family (14). Task shifting is a major pillar of UNRWA's reform. Maternal, child and NCD services are mainly provided by nurses and midwives, who play the role of gate-keepers, referring to doctors only when complications arise, aided by carefully designed guidelines, termed technical instructions (TIs). Compelling evidence suggests that these groups can provide high-quality care (15,16). UNRWA is now conducting a wide-ranging assessment of human resource allocation to inform future policies on task shifting systematically (17).

Decision support

Clinical protocols play a critical role in improving healthcare quality (18,19). In 1993, UNRWA launched its NCD programme to tackle diabetes and hypertension. Since then, it has adopted and regularly updated an increasing number of TIs, working closely with the WHO. TIs are made available to nurses and midwives delivering services for those with NCDs (20). The aim is to standardize the management of preventative and curative services, with algorithms to plan follow-up encounters. TIs also seek to increase efficiency,

by limiting access to doctors to those who need their specialist expertise. This gives patients more time for high-quality interactions and protects doctors from excessive workload. Since implementation of UNRWA's reform in 2011, the average number of consultations per day has reduced by 8.7% (6).

Clinical information systems

Clinical information systems should underpin the effective functioning of the CCM (21,22). However, experience in both developed and resource-constrained countries has highlighted the massive challenges in implementing them (23,24). Nevertheless, UNRWA has succeeded in developing its own electronic medical record system, e-Health. This in-house development has helped to contain costs (6). e-Health was piloted in Jordan and subsequently rolled out to the majority of UNRWA's health centres across the WHO Eastern Mediterranean Region. The system was carefully designed to complement the FHT component of the reform. Individual patient's records are integrated to create family files that are designed to enhance continuity of care. When any family member attends a health centre, the record highlights non-attendance by other members. UNRWA evaluations show that e-Health provides accurate information about numbers of patients, services provided and outcomes of care (25–29).

Health systems

Strong systems of governance are critical to successful reforms (30). The UNRWA Headquarters in Amman led the reform, taking account of the Agency's existing assets. The Agency revised its financial allocation strategy to ensure that the provision of health services remains free of charge for all Palestinian refugees. The drug-procurement policies were also redesigned (31). Health information systems units were established at all levels to facilitate the collection and utilization of electronic data to inform

policy making (25–29). Furthermore, new staff payment mechanisms are regularly updated in order to incentivize the health workforce. The UNRWA Headquarters also convenes regular meetings with frontline staff to streamline strategies across operational fields.

Self-management support

UNRWA's primary healthcare reform seeks to strengthen patient–provider encounters and, in turn, to foster patients' ability to self-manage their conditions (14). However, a recent clinical audit conducted across UNRWA's operational fields identified weaknesses in lifestyle counselling and limited evidence of self-management of NCDs (32). Consistently, self-management of diabetes in Jordan and Saudi Arabia is a particular problem (33,34). In Saudi Arabia, it is constrained by the exclusion of glucometers from patients' benefits packages (34). The same exclusion applies to UNRWA because of budget limitations. However, in the light of promising results from some LMICs for the use of mobile phones as a means to improve NCD self-management (24, 35–38), UNRWA has recently piloted an SMS reminder system (39).

Community

UNRWA has piloted community participation initiatives in Jordan and the Syrian Arab Republic, seeking to incorporate them within the Agency's broader primary health reform. Community volunteers are tasked to promote healthy behaviour and to detect patients who do not adhere to NCD treatment. However, budget constraints

have curbed the systematic adoption of such policies. UNRWA is currently exploring potential strategies to implement affordable community-based initiatives. A recent diabetes campaign exemplifies the Agency's pledges on community participation (6).

The beneficial effects of community-based initiatives in NCD management have been reported in several LMICs, suggesting that they could be "successfully introduced across varied cultural settings and within diverse health systems" (40). Peer-run educational strategies have also attracted attention (41). The British Expert Patient Programme has attracted much attention and lessons could be learnt from it (42).

Conclusions and way forward

Since its establishment in 1949, UNRWA has always responded to emerging challenges. In 1985, the *New England Journal of Medicine* celebrated the "impressive achievements of the Agency in the fields of sanitation and preventative services for communicable diseases" (43). However, over the last 15 years, the growing burden of NCDs faced by Palestinian refugees has created a need for massive reorganization of healthcare delivery.

In 2011, UNRWA's primary health reform was launched. While scientifically rigorous evaluation of its impact is needed, some cautious optimism is justified. From its outset, the Agency has based its reform on the CCM, which

is seen as an appropriate framework to guide primary healthcare policies (44). The result is that, in 2014, the WHO Regional Office for the Eastern Mediterranean depicted UNRWA's healthcare policy as "a good example of how primary health care reform ... could improve quality of care and patient satisfaction under difficult situations" (45).

Some components of the reform have already achieved positive results. Khader and colleagues highlighted the role played by e-Health in supporting drug-procurement policies, monitoring NCD risk factors, and evaluating the quality of care over time by identifying the occurrence of late complications of NCDs (25–29). Additionally, the Agency's internal assessments reported widespread satisfaction with the new FHT approach among both providers and patients. Yet, progress in improving self-management and community participation raises some concerns. Patient self-management of NCDs has been weak both before and after the reform (32,46), whereas implementation of innovative and affordable community-oriented initiatives remains under consideration.

Hopefully, evidence can inform the way forward. Educational policies targeting patients and families need to be designed to support patient self-management (47,48). It is critical to involve the community in peer education. A recent Cochrane review highlights the crucial role of group-based self-management training strategies (49, 50). Moreover, the use of technology can

Table 1 Updated chronic care model (CCM)

Delivery system design	To restructure medical practices to facilitate team care
Decision support	To assure that providers have access to evidence-based guidelines
Clinical information systems	To provide timely access to data about patients and patient populations
Self-management support	To help patients acquire skills and confidence to self-manage
Health systems	To serve as the foundation by providing structure and goals
Community	To link with community resources and establish policy

Source: (21)

support adherence to protocols and facilitate patients' follow-up (51–54).

Community strengthening is especially relevant given the upcoming mental health policy of UNRWA. Despite shrinking resources, the Agency has pledged to integrate mental health services within its basic package of health services, and the Mental Health and Psychosocial Support and

Protection (MHPS) programme is currently being piloted in Gaza (6).

This paper analyses UNRWA's primary healthcare reform in the light of the CCM framework, on which it is based. The Agency has responded positively to the recent calls of the WHO Director-General Margaret Chan to address the failures to deliver in the light of the Alma Ata primary

healthcare principles (55). The forthcoming mental health policy demonstrates the Agency's willingness to go beyond its financial constraints. However, the areas of self-management and community participation urgently need further commitment.

Funding: None.

Competing interests: None declared.

References

- Morabia A, Benjamin GC. The refugee crisis in the Middle East and public health. *Am J Public Health*. 2015 Dec;105(12):2405–6. PMID:26469670
- Strong J, Varady C, Chahda N, Doocy S, Burnham G. Health status and health needs of older refugees from Syria in Lebanon. *Confl Health*. 2015 Apr 9;9:12. PMID:26056531
- Misery beyond the war zone: life for Syrian refugees and displaced populations in Lebanon. Geneva: Medecins Sans Frontieres; 2013 (<http://www.msf.org.uk/sites/uk/files/lebanon-report-light.pdf>, accessed 29 July 2016).
- El-Khatib Z, Scales D, Vearey J, Forsberg BC. Syrian refugees, between rocky crisis in Syria and hard inaccessibility to healthcare services in Lebanon and Jordan. *Confl Health*. 2013 Sep 3;7(1):18. PMID:24004474
- Global annual report public health 2007. Geneva: United Nations High Commissioner for Refugees; 2008.
- Annual report 2014. Amman: United Nations Relief and Works Agency for Palestine Refugees in the Near East (UNRWA); 2015.
- Giacaman R, Khatib RLS, Shabaneh L, Ramlawi A, Sabri B, Sabatinelli G, et al. Health status and health services in the occupied Palestinian territory. *Lancet* 2009;373:837–49.
- Husseini A, Abu-Rmeileh NME, Mikki N, Ramahi TM, Ghosh HA, Barghuthi N, et al. Cardiovascular diseases, diabetes mellitus, and cancer in the occupied Palestinian territory. *Lancet*. 2009 Mar 21;373(9668):1041–9. PMID:19268350
- Beaglehole R, Epping-Jordan J, Patel V, Chopra M, Ebrahim S, Kidd M, et al. Improving the prevention and management of chronic disease in low-income and middle-income countries: a priority for primary health care. *Lancet*. 2008 Sep 13;372(9642):940–9. PMID:18790317
- Wagner EH. Chronic disease management: what will it take to improve care for chronic illness? *Eff Clin Pract*. 1998 Aug-Sep;1(1):2–4. PMID:10345255
- Pruitt S, Annandale S, J E-J, Fernández Díaz JM, Khan M, Kisa A, et al. Innovative care for chronic conditions: building blocks for action. Geneva: World Health Organization; 2002.
- Regional Health Systems Observatory. Health systems profile Egypt. World Health Organization Regional Office for the Eastern Mediterranean; 2006 (<http://apps.who.int/medicinedocs/documents/s17293e/s17293e.pdf>, accessed 29 July 2016).
- Gadallah MA, Allam MF, Ahmed AM, El-Shabrawy EM. Are patients and healthcare providers satisfied with health sector reform implemented in family health centres? *Qual Saf Health Care*. 2010 Dec;19(6):e4. PMID:20231176
- Modern and efficient UNRWA health services. Family health team (FHT) approach. Amman: United Nations Relief and Works Agency for the Palestine Refugees in the Near East; 2011 (<http://www.unrwa.org/sites/default/files/Health%20Reform%20Strategy.pdf>, accessed 29 July 2016).
- Watts SA, Gee J, O'Day ME, Schaub K, Lawrence R, Aron D, et al. Nurse practitioner-led multidisciplinary teams to improve chronic illness care: the unique strengths of nurse practitioners applied to shared medical appointments/group visits. *J Am Acad Nurse Pract*. 2009 Mar;21(3):167–72. PMID:19302693
- Nouwens E, van Lieshout J, van den Hombergh P, Laurant M, Wensing M. Shifting cardiovascular care to nurses results in structured chronic care. *Am J Manag Care*. 2014 Jul 1;20(7):e278–84. PMID:25295547
- Workload indicators of staffing need (WISN). Geneva: World Health Organization; 2008.
- Grimshaw J, Freemantle N, Wallace S, Russell I, Hurwitz B, Watt I, et al. Developing and implementing clinical practice guidelines. *Qual Health Care*. 1995 Mar;4(1):55–64. PMID:10142039
- Unwin N, Mugusi F, Aspray T, Whiting D, Edwards R, Mbanya JC, et al. Tackling the emerging pandemic of non-communicable diseases in sub-Saharan Africa: the essential NCD health intervention project. *Public Health*. 1999 May;113(3):141–6. PMID:10910412
- Prevention and control of non-communicable diseases. Amman: United Nations Relief and Works Agency for the Palestine Refugees in the Near East, 2009 Contract No.: NO.: HD/DC/01/1997 Revision No. 4.
- Siminerio LM. The role of technology and the chronic care model. *J Diabetes Sci Technol*. 2010 03 01;4(2):470–5. PMID:20307409
- Cebul RD, Love TE, Jain AK, Hebert CJ. Electronic health records and quality of diabetes care. *N Engl J Med*. 2011 Sep 1;365(9):825–33. PMID:21879900
- The NHS IT nightmare. *Lancet*. 2011 Aug 13;378(9791):542. PMID:21840444
- Douglas GP, Gadabu OJ, Joukes S, Mumba S, McKay MV, Ben-Smith A, et al. Using touchscreen electronic medical record systems to support and monitor national scale-up of antiretroviral therapy in Malawi. *PLoS Med*. 2010 08 10;7(8):e1000319. PMID:20711476
- Khader A, Farajallah L, Shahin Y, Hababeh M, Abu-Zayed I, Kochi A, et al. Cohort monitoring of persons with hypertension: an illustrated example from a primary healthcare clinic for Palestine refugees in Jordan. *Trop Med Int Health*. 2012 Sep;17(9):1163–70. PMID:22845700
- Khader A, Farajallah L, Shahin Y, Hababeh M, Abu-Zayed I, Kochi A, et al. Cohort monitoring of persons with diabetes mellitus in a primary healthcare clinic for Palestine refugees in Jordan. *Trop Med Int Health*. 2012 Dec;17(12):1569–76. PMID:23051859

27. Khader A, Ballout G, Shahin Y, Hababeh M, Farajallah L, Zeidan W, et al. Diabetes mellitus and treatment outcomes in Palestine refugees in UNRWA primary health care clinics in Jordan. *Public Health Action*. 2013 Dec 21;3(4):259-64. PMID:26393043
28. Khader A, Ballout G, Shahin Y, Hababeh M, Farajallah L, Zeidan W, et al. Treatment outcomes in a cohort of Palestine refugees with diabetes mellitus followed through use of E-Health over 3 years in Jordan. *Trop Med Int Health*. 2014 Feb;19(2):219-23. PMID:24341942
29. Khader A, Ballout G, Shahin Y, Hababeh M, Farajallah L, Zeidan W, et al. What happens to Palestine refugees with diabetes mellitus in a primary healthcare centre in Jordan who fail to attend a quarterly clinic appointment? *Trop Med Int Health*. 2014 Mar;19(3):308-12. PMID:24387037
30. Nuno R, Coleman K, Bengoa R, Sauto R. Integrated care for chronic conditions: the contribution of the ICCF Framework. *Health Policy*. 2012;105(1):55-64.
31. Ewen M, Al Sakit M, Saadeh R, Laing R, Vialle-Valentin C, Seita A, et al. Comparative assessment of medicine procurement prices in the United Nations Relief and Works Agency for Palestine Refugees in the Near East (UNRWA). *J Pharm Policy Pract*. 2014 10 21;7(1):13. PMID:25379183
32. Shahin Y, Kapur A, Khader A, Zeidan W, Harries AD, Nerup J, et al. Clinical audit on the provision of diabetes care in the primary care setting by United Nations Relief and Works Agency for Palestine Refugees in the Near East (UNRWA). *J Diabetes Mellitus*. 2015;5:12-20.
33. Khattab M, Khader YS, Al-Khawaldeh A, Ajlouni K. Factors associated with poor glycaemic control among patients with type 2 diabetes. *J Diabetes Complications*. 2010 Mar-Apr;24(2):84-9. PMID:19282203
34. Al Johani KA, Kendall GE, Snider PD. Self-management practices among type 2 diabetes patients attending primary health-care centres in Medina, Saudi Arabia. *East Mediterr Health J*. 2015 10 02;21(9):621-8. PMID:26450858
35. Tweya H, Gareta D, Chagwera F, Ben-Smith A, Mwenyemasi J, Chiputula F, et al. Early active follow-up of patients on antiretroviral therapy (ART) who are lost to follow-up: the 'Back-to-Care' project in Lilongwe, Malawi. *Trop Med Int Health*. 2010 Jun;15 Suppl 1:82-9. PMID:20586965
36. Losina E, Touré H, Uhler LM, Anglaret X, Paltiel AD, Balestre E, et al.; ART-LINC Collaboration of International Epidemiological Databases to Evaluate AIDS (IeDEA); CEPAC International investigators. Cost-effectiveness of preventing loss to follow-up in HIV treatment programs: a Côte d'Ivoire appraisal. *PLoS Med*. 2009 Oct;6(10):e1000173. PMID:19859538
37. Lester RT, Ritvo P, Mills EJ, Kariri A, Karanja S, Chung MH, et al. Effects of a mobile phone short message service on antiretroviral treatment adherence in Kenya (WellTel Kenya1): a randomised trial. *Lancet*. 2010 Nov 27;376(9755):1838-45. PMID:21071074
38. Bui TD, Kadzamakanja O, Munthali C. Mobilizing for the Lilongwe Diabetes Peer Support Programme in Malawi. *Malawi Med J*. 2014;26(4):124-5. PMID:26167262
39. Schermerhorn J, Buckley S, Habaibeh M, Ballout G, Seita A. Reminders, refugees, and Ramadan: characterizing missed immunization appointments among Palestine refugees in Jordan; 2014.
40. Fisher EB, Boothroyd RI, Coufal MM, Baumann LC, Mbanya JC, Rotheram-Borus MJ, et al. Peer support for self-management of diabetes improved outcomes in international settings. *Health Aff (Millwood)*. 2012 Jan;31(1):130-9. PMID:22232103
41. Funnell MM. Peer-based behavioural strategies to improve chronic disease self-management and clinical outcomes: evidence, logistics, evaluation considerations and needs for future research. *Fam Pract*. 2010 Jun;27 Suppl 1:i17-22. PMID:19509083
42. Richardson G, Kennedy A, Reeves D, Bower P, Lee V, Middleton E, et al. Cost effectiveness of the Expert Patients Programme (EPP) for patients with chronic conditions. *J Epidemiol Community Health*. 2008 Apr;62(4):361-7. PMID:18339831
43. Lilienfeld LS, Rose JC, Corn M; United Nations Relief and Works Agency. UNRWA and the health of Palestinian refugees. *N Engl J Med*. 1986 Aug 28;315(9):595-600. PMID:3736649
44. Epping-Jordan JE, Pruitt SD, Bengoa R, Wagner EH. Improving the quality of health care for chronic conditions. *Qual Saf Health Care*. 2004 Aug;13(4):299-305. PMID:15289634
45. Report on the regional consultation on strengthening service provision through the family practice approach. Cairo: World Health Organization Regional Office for the Eastern Mediterranean; 2014 (http://applications.emro.who.int/docs/IC_meet_rep_2015_EN_16267.pdf, accessed 29 July 2016).
46. Yusef JI. Management of diabetes mellitus and hypertension at UNRWA primary health care facilities in Lebanon. *East Mediterr Health J*. 2000 Mar-May;6(2-3):378-90. PMID:11556027
47. Miller TA, Dimatteo MR. Importance of family/social support and impact on adherence to diabetic therapy. *Diabetes Metab Syndr Obes*. 2013 11 06;6:421-6. PMID:24232691
48. Rutten G. Diabetes patient education: time for a new era. *Diabet Med*. 2005 Jun;22(6):671-3. PMID:15910614
49. Deakin T, McShane CE, Cade JE, Williams RD. Group based training for self-management strategies in people with type 2 diabetes mellitus. *Cochrane Database Syst Rev*. 2005 Apr 18;(2):CD003417. PMID:15846663
50. Sanchez I. Implementation of a diabetes self-management education program in primary care for adults using shared medical appointments. *Diabetes Educ*. 2011 May-Jun;37(3):381-91. PMID:21454887
51. Roblin DW. The potential of cellular technology to mediate social networks for support of chronic disease self-management. *J Health Commun*. 2011;16 Suppl 1:59-76. PMID:21843096
52. Nundy S, Dick JJ, Goddu AP, Hogan P, Lu CY, Solomon MC, et al. Using mobile health to support the chronic care model: developing an institutional initiative. *Int J Telemed Appl*. 2012; Article ID 871925, <http://dx.doi.org/10.1155/2012/871925>.
53. Lall D, Prabhakaran D. Organization of primary health care for diabetes and hypertension in high, low and middle income countries. *Expert Rev Cardiovasc Ther*. 2014 Aug;12(8):987-95. PMID:24934722
54. Chi BH, Stringer JS. Mobile phones to improve HIV treatment adherence. *Lancet*. 2010 Nov 27;376(9755):1807-8. PMID:21071073
55. Primary health care. Now more than ever. Geneva: World Health Organization; 2008.