

LONDON  
SCHOOL of  
HYGIENE  
& TROPICAL  
MEDICINE



LSHTM Research Online

Takeshita, J; Grewal, S; Langan, SM; Mehta, NN; Ogdie, A; Van Voorhees, AS; Gelfand, JM; (2017) Psoriasis and comorbid diseases: Implications for management. *Journal of the American Academy of Dermatology*, 76 (3). pp. 393-403. ISSN 0190-9622 DOI: <https://doi.org/10.1016/j.jaad.2016.07.065>

Downloaded from: <http://researchonline.lshtm.ac.uk/id/eprint/3515673/>

DOI: <https://doi.org/10.1016/j.jaad.2016.07.065>

**Usage Guidelines:**

Please refer to usage guidelines at <https://researchonline.lshtm.ac.uk/policies.html> or alternatively contact [researchonline@lshtm.ac.uk](mailto:researchonline@lshtm.ac.uk).

Available under license: <http://creativecommons.org/licenses/by-nc-nd/2.5/>

<https://researchonline.lshtm.ac.uk>

735 **Table IV: Guidelines for Age-Appropriate Cancer Screening\***

<b>Malignancy</b>	<b>Age</b>	<b>Screen</b>	<b>Frequency</b>	<b>Level of Evidence</b>
Breast cancer <sup>96</sup>	50 to 74	Mammogram	Every 2 years	IA
Cervical cancer <sup>97</sup>	21 to 65	Pap smear	Every 3 years	IB
Colon cancer <sup>98</sup>	50 to 75	Fecal occult blood test (FOBT)	Yearly	IB
		Flexible sigmoidoscopy + FOBT	Every 5 years (flexible sigmoidoscopy)  Every 3 years (FOBT)	
		Colonoscopy	Every 10 years	
Lung cancer <sup>99</sup>	55 to 80 with $\geq 30$ pack-year history and current smoker or quit within 15 years	Low dose computed tomography of the chest	Yearly	IA

736

737 \*Refer to guideline reference documents for full screening recommendations.

738 Level of evidence definitions: IA, evidence from meta-analysis of randomized controlled trials;  
739 IB, evidence from at least one randomized controlled trial; IIA, evidence from at least one  
740 controlled study without randomization; IIB, evidence from at least one other type of  
741 experimental study; III, evidence from nonexperimental descriptive studies, such as comparative  
742 studies, correlation studies, and case-control studies; IV, evidence from expert committee reports  
743 or opinions or clinical experience of respected authorities, or both.