

LONDON
SCHOOL of
HYGIENE
& TROPICAL
MEDICINE



LSHTM Research Online

Goodman, Shaun G; Nicolau, Jose C; Requena, Gema; Maguire, Andrew; Blankenberg, Stefan; Chen, Ji Yan; Granger, Christopher B; Grieve, Richard; Pocock, Stuart J; Simon, Tabassome; +4 more... Yasuda, Satoshi; Vega, Ana Maria; Brieger, David; TIGRIS Study Investigators; (2017) Longer-term oral antiplatelet use in stable post-myocardial infarction patients: Insights from the long Term rIsk, clinical manaGement and healthcare Resource utilization of stable coronary artery dISease (TIGRIS) observational study. International journal of cardiology, 236. pp. 54-60. ISSN 0167-5273 DOI: <https://doi.org/10.1016/j.ijcard.2017.02.062>

Downloaded from: <http://researchonline.lshtm.ac.uk/id/eprint/3592093/>

DOI: <https://doi.org/10.1016/j.ijcard.2017.02.062>

Usage Guidelines:

Please refer to usage guidelines at <https://researchonline.lshtm.ac.uk/policies.html> or alternatively contact researchonline@lshtm.ac.uk.

Available under license: <http://creativecommons.org/licenses/by-nc-nd/2.5/>

<https://researchonline.lshtm.ac.uk>

Supplementary Tables

Supplementary Table 1 – Body mass index, waist circumference, heart rate, and blood pressure at enrolment by geographical region

	Total population	Asia-Pacific/ Australia	Europe	North America	South America
Number of patients	9225 (100)	2850 (30.89)	4240 (45.96)	1024 (11.1)	1111 (12.04)
BMI, kg/m ² measured	8964	2713	4138	1014	1099
Median*	26.81 (24.21-29.82)	24.77 (22.56-27.24)	27.68 (25.16-30.47)	28.59 (25.25-32.5)	27.57 (25.07-30.45)
Underweight (<20)	275 (3.07)	191 (7.04)	42 (1.01)	23 (2.27)	19 (1.73)
Normal (20-<25)	2629 (29.33)	1250 (46.07)	924 (22.33)	205 (20.22)	250 (22.75)
Overweight (25-30)	3890 (43.4)	1001 (36.9)	1976 (47.75)	391 (38.56)	522 (47.5)
Obese (>30)	2170 (24.21)	271 (9.99)	1196 (28.9)	395 (38.95)	308 (28.03)
Waist circumference (cm) measured	7711	2208	3548	882	1073
Median*	97 (89-106)	90 (83-96.85)	101 (93-109)	99.03 (91.44-109.22)	99 (92-107)
Heart rate (beats/ min)	8891	2716	4054	1014	1107
Median*	68 (60-75)	70 (64-77)	66 (60-74)	67 (60-74)	68 (62-73)
Systolic blood pressure (mm Hg) measured	9012	2774	4109	1020	1109
Median*	130 (120-140)	128 (118-138)	134 (121-146)	128 (117.5-140)	128 (120-140)
Diastolic blood pressure (mm Hg) measured	9004	2767	4109	1019	1109
Median*	77 (70-82)	75 (69-80)	80 (70-85)	74 (68-81)	80 (70-80)

All numbers are given as numbers (%), except *median (25th, 75th percentiles)

BMI=Body Mass Index; mm Hg=millimeters of Mercury

Supplementary Table 2 – Reasons for cessation of antiplatelet therapy prescribed following the index MI and discontinued prior to enrolment

	ASA	Clopidogrel	Prasugrel	Ticagrelor	Ticlopidine
Number of patients	1028	3717	934	829	16
Intolerance or hypersensitivity	4 (0.4)	7 (0.2)	2 (0.2)	11 (1.3)	0 (0)
GI bleeding	16 (1.6)	15 (0.4)	5 (0.5)	5 (0.6)	0 (0)
Other bleeding complication	20 (2.0)	25 (0.7)	7 (0.8)	6 (0.7)	0 (0)
Other GI side effect	19 (1.9)	9 (0.2)	0 (0)	2 (0.2)	0 (0)
Physician advice/termination	652 (63.4)	3344 (90.0)	814 (87.1)	753 (90.8)	16 (100)
Patient wish	25 (2.4)	54 (1.5)	8 (0.9)	3 (0.4)	0 (0)
Other	290 (28.2)	262 (7.1)	98 (10.5)	49 (5.9)	0 (0)

All numbers are given as numbers (%)

GI=Gastrointestinal