

CORRECTION

Open Access



Correction to: Detecting eukaryotic microbiota with single-cell sensitivity in human tissue

Susanne Lager^{1,2}, Marcus C. de Goffau³, Ulla Sovio^{1,2}, Sharon J. Peacock^{3,4,5}, Julian Parkhill³, D. Stephen Charnock-Jones^{1,2} and Gordon C. S. Smith^{1,2*}

Correction

The author reported an error in an equation in the article [1].

The incorrect formula shown is the following:

$$\text{Correction factor} = \frac{1 + (99.9 - \text{Human}(\%))}{\text{Human}(\%)}$$

The correct formula should be:

$$\text{Correction factor} = 1 + \frac{99.9 - \text{Human}(\%)}{\text{Human}(\%)}$$

Author details

¹Department of Obstetrics and Gynaecology, University of Cambridge, National Institute for Health Research Cambridge Biomedical Research Centre, Cambridge, UK. ²Centre for Trophoblast Research (CTR), Department of Physiology, Development and Neuroscience, University of Cambridge, Cambridge, UK. ³Wellcome Trust Sanger Institute, Cambridge, UK. ⁴Department of Medicine, University of Cambridge, Cambridge, UK. ⁵London School of Hygiene and Tropical Medicine, London, UK.

Published online: 20 October 2018

Reference

1. Lager S, de Goffau MC, Sovio U, Peacock SJ, Parkhill J, Stephen Charnock-Jones D, Smith GCS. Detecting eukaryotic microbiota with single-cell sensitivity in human tissue. *Microbiome*. 2018;6:151.

* Correspondence: gcss2@cam.ac.uk

¹Department of Obstetrics and Gynaecology, University of Cambridge, National Institute for Health Research Cambridge Biomedical Research Centre, Cambridge, UK

²Centre for Trophoblast Research (CTR), Department of Physiology, Development and Neuroscience, University of Cambridge, Cambridge, UK

