



**Figure 3**


Control  
Convalescent Plasma




| D-dimer ng/ml [Median (IQR)] |                     |               |
|------------------------------|---------------------|---------------|
|                              | Convalescent plasma | Placebo       |
| Day 7                        | 386 (250-657)       | 414 (265-618) |




| Ferritin ng/ml [Median (IQR)] |                     |               |
|-------------------------------|---------------------|---------------|
|                               | Convalescent plasma | Placebo       |
| Day 7                         | 235.5 (128-469.5)   | 288 (143-473) |




| IL-6 pg/ml [Median (IQR)] |                     |                |
|---------------------------|---------------------|----------------|
|                           | Convalescent plasma | Placebo        |
| Day 7                     | 2.9 (1.6-7.1)       | 4.4 (2.0-11.4) |



| Lymphocytes x10 <sup>9</sup> /L [Median (IQR)] |                     |               |
|--|---------------------|---------------|
|  | Convalescent plasma | Placebo       |
| Day 7  | 1.8 (1.4-2.2)       | 1.7 (1.2-2.1) |



| C-reactive protein mg/L [Median (IQR)] |                     |                |
|--|---------------------|----------------|
|  | Convalescent plasma | Placebo        |
| Day 7                                  | 5.1 (1.4-13.7)      | 6.8 (1.9-20.3) |



| Pre-albumin mg/dl [Median (IQR)] |                     |                  |
|----------------------------------|---------------------|------------------|
|                                  | Convalescent plasma | Placebo          |
| Day 7                            | 30.5 (23-41.5)      | 28.1 (21.0-44.6) |