



OPEN ACCESS

► Additional material is published online only. To view, please visit the journal online (<http://dx.doi.org/10.1136/injuryprev-2019-043531>).

For numbered affiliations see end of article.

**Correspondence to**

Received 14 October 2019  
Revised 29 November 2019  
Accepted 6 December 2019  
Published Online First  
24 August 2020

# Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study

Spencer L James,<sup>1</sup> Chris D Castle,<sup>1</sup> Zachary V Dingels,<sup>1</sup> Jack T Fox,<sup>1</sup> Erin B Hamilton,<sup>1</sup> Zichen Liu,<sup>1</sup> Nicholas L S Roberts,<sup>1</sup> Dillon O Sylte,<sup>1</sup> Gregory J Bertolacci,<sup>1</sup> Matthew Cunningham,<sup>1</sup> Nathaniel J Henry,<sup>1</sup> Kate E LeGrand,<sup>1</sup> Ahmed Abdelalim,<sup>2</sup> Ibrahim Abdollahpour,<sup>3</sup> Rizwan Suliankatchi Abdulkader,<sup>4</sup> Aidin Abedi,<sup>5</sup> Kedir Hussein Abegaz,<sup>6,7</sup> Akine Eshete Abosetugn,<sup>8</sup> Abdelrahman I Abushouk,<sup>9</sup> Oladimeji M Adebayo,<sup>10</sup> Jose C Adsuar,<sup>11</sup> Shailesh M Advani,<sup>12,13</sup> Marcela Agudelo-Botero,<sup>14</sup> Tauseef Ahmad,<sup>15,16</sup> Muktar Beshir Ahmed,<sup>17</sup> Rushdia Ahmed,<sup>18,19</sup> Miloud Taki Eddine Aichour,<sup>20</sup> Fares Alahdab,<sup>21</sup> Fahad Mashhour Alanezi,<sup>22</sup> Niguse Meles Alema,<sup>23</sup> Biresaw Wassihun Alemu,<sup>24,25</sup> Suliman A Alghnam,<sup>26</sup> Beriwan Abdulqadir Ali,<sup>27</sup> Saqib Ali,<sup>28</sup> Cyrus Alinia,<sup>29</sup> Vahid Alipour,<sup>30,31</sup> Syed Mohamed Aljunid,<sup>32,33</sup> Amir Almasi-Hashiani,<sup>34</sup> Nihad A Almasri,<sup>35</sup> Khalid Altirkawi,<sup>36</sup> Yasser Sami Abdeldayem Amer,<sup>37,38</sup> Catalina Liliana Andrei,<sup>39</sup> Alireza Ansari-Moghaddam,<sup>40</sup> Carl Abelardo T Antonio,<sup>41,42</sup> Davood Anvari,<sup>43,44</sup> Seth Christopher Yaw Appiah,<sup>45,46</sup> Jalal Arabloo,<sup>30</sup> Morteza Arab-Zozani,<sup>47</sup> Zohreh Arefi,<sup>48</sup> Olatunde Aremu,<sup>49</sup> Filippo Ariani,<sup>50</sup> Amit Arora,<sup>51,52</sup> Malke Asaad,<sup>53</sup> Beatriz Paulina Ayala Quintanilla,<sup>54,55</sup> Getinet Ayano,<sup>56</sup> Martin Amogre Ayanore,<sup>57</sup> Ghasem Azarian,<sup>58</sup> Alaa Badawi,<sup>59,60</sup> Ashish D Badiye,<sup>61</sup> Atif Amin Baig,<sup>62,63</sup> Mohan Bairwa,<sup>64,65</sup> Ahad Bakhtiari,<sup>66</sup> Arun Balachandran,<sup>67,68</sup> Maciej Banach,<sup>69,70</sup> Srikanta K Banerjee,<sup>71</sup> Palash Chandra Banik,<sup>72</sup> Amrit Banstola,<sup>73</sup> Suzanne Lyn Barker-Collo,<sup>74</sup> Till Winfried Bärnighausen,<sup>75,76</sup> Akbar Barzegar,<sup>77</sup> Mohsen Bayati,<sup>78</sup> Shahrzad Bazargan-Hejazi,<sup>79,80</sup> Neeraj Bedi,<sup>81,82</sup> Masoud Behzadifar,<sup>83</sup> Habte Belete,<sup>84</sup> Derrick A Bennett,<sup>85</sup> Isabela M Bensenor,<sup>86</sup> Kidanemariam Berhe,<sup>87</sup> Akshaya Srikanth Bhagavathula,<sup>88,89</sup> Pankaj Bhardwaj,<sup>90,91</sup> Anusha Ganapati Bhat,<sup>92</sup> Kritika Bhattacharyya,<sup>93,94</sup> Zulfiqar A Bhutta,<sup>95,96</sup> Sadia Bibi,<sup>97</sup> Ali Bijani,<sup>98</sup> Archith Bloor,<sup>99</sup> Guilherme Borges,<sup>100</sup> Rohan Borschmann,<sup>101,102</sup> Antonio Maria Borzi,<sup>103</sup> Soufiane Boufous,<sup>104</sup> Dejana Braithwaite,<sup>105</sup> Nikolay Ivanovich Briko,<sup>106</sup> Traolach Brugha,<sup>107</sup> Shyam S Budhathoki,<sup>108</sup> Josip Car,<sup>109,110</sup> Rosario Cárdenas,<sup>111</sup> Félix Carvalho,<sup>112</sup> João Mauricio Castaldelli-Maia,<sup>113</sup> Carlos A Castañeda-Orjuela,<sup>114,115</sup> Giulio Castelpietra,<sup>116,117</sup> Ferrán Catalá-López,<sup>118,119</sup> Ester Cerin,<sup>120,121</sup> Joht S Chandan,<sup>122</sup> Jens Robert Chapman,<sup>123</sup> Vijay Kumar Chattu,<sup>124</sup> Soosanna Kumary Chattu,<sup>125</sup> Irini Chatziralli,<sup>126,127</sup> Neha Chaudhary,<sup>128,129</sup> Daniel Youngwhan Cho,<sup>130</sup> Jee-Young J Choi,<sup>131</sup> Mohiuddin Ahsanul Kabir Chowdhury,<sup>132,133</sup> Devasahayam J Christopher,<sup>134</sup> Dinh-Toi Chu,<sup>135</sup> Flavia M Cicuttini,<sup>136</sup> João M Coelho,<sup>137</sup> Vera M Costa,<sup>112</sup> Saad M A Dahlawi,<sup>138</sup> Ahmad Daryani,<sup>139</sup> Claudio Alberto Dávila-Cervantes,<sup>140</sup> Diego De Leo,<sup>141</sup> Feleke Mekonnen Demeke,<sup>142</sup> Gebre Teklemariam Demoz,<sup>143,144</sup> Desalegn Getnet Demsie,<sup>23</sup> Kebede Deribe,<sup>145,146</sup> Rupak Desai,<sup>147</sup> Mostafa Dianati Nasab,<sup>148</sup> Diana Dias da Silva,<sup>149</sup> Zahra Sadat Dibaji Forooshani,<sup>150</sup> Hoa Thi Do,<sup>151</sup> Kerrie E Doyle,<sup>152</sup> Tim Robert Driscoll,<sup>153</sup> Eleonora Dubljanin,<sup>154</sup> Bereket Duko Adema,<sup>155,156</sup> Arielle Wilder Eagan,<sup>157,158</sup> Demelash Abewa Elemineh,<sup>159</sup>



© Author(s) (or their employer(s)) 2020. Re-use permitted under CC BY. Published by BMJ.

**To cite:** James SL, Castle CD, Dingels ZV, et al. *Inj Prev* 2020;**26**:i125–i153.

Shaimaa I El-Jaafary,<sup>2</sup> Ziad El-Khatib,<sup>160,161</sup> Christian Lycke Ellingsen,<sup>162,163</sup> Maysaa El Sayed Zaki,<sup>164</sup> Sharareh Eskandarieh,<sup>165</sup> Oghenowede Eyawo,<sup>166,167</sup> Pawan Sirwan Faris,<sup>168,169</sup> Andre Faro,<sup>170</sup> Farshad Farzadfar,<sup>171</sup> Seyed-Mohammad Fereshtehnejad,<sup>172,173</sup> Eduarda Fernandes,<sup>174</sup> Pietro Ferrara,<sup>175</sup> Florian Fischer,<sup>176</sup> Morenike Oluwatoyin Folayan,<sup>177</sup> Artem Alekseevich Fomenkov,<sup>178</sup> Masoud Foroutan,<sup>179</sup> Joel Msafiri Francis,<sup>180</sup> Richard Charles Franklin,<sup>181,182</sup> Takeshi Fukumoto,<sup>183,184</sup> Biniyam Sahiledengle Geberemariam,<sup>185</sup> Hadush Gebremariam,<sup>87</sup> Ketema Bizuwork Gebremedhin,<sup>186</sup> Leake G Gebremeskel,<sup>143,187</sup> Gebreamlak Gebremedhn Gebremeskel,<sup>188,189</sup> Berhe Gebremichael,<sup>190</sup> Getnet Azeze Gedefaw,<sup>191,192</sup> Birhanu Geta,<sup>193</sup> Agegnehu Bante Getenet,<sup>194</sup> Mansour Ghafourifard,<sup>195</sup> Farhad Ghamari,<sup>196</sup> Reza Ghanei Gheshlagh,<sup>197</sup> Asadollah Gholamian,<sup>198,199</sup> Syed Amir Gilani,<sup>200,201</sup> Tiffany K Gill,<sup>202</sup> Amir Hossein Goudarzian,<sup>203</sup> Alessandra C Goulart,<sup>204,205</sup> Ayman Grada,<sup>206</sup> Michal Grivna,<sup>207</sup> Rafael Alves Guimarães,<sup>208</sup> Yuming Guo,<sup>136,209</sup> Gaurav Gupta,<sup>210</sup> Juanita A Haagsma,<sup>211</sup> Brian James Hall,<sup>212</sup> Randah R Hamadeh,<sup>213</sup> Samer Hamidi,<sup>214</sup> Demelash Woldeyohannes Handiso,<sup>185</sup> Josep Maria Haro,<sup>215,216</sup> Amir Hasanzadeh,<sup>217,218</sup> Shoaib Hassan,<sup>219</sup> Soheil Hassanipour,<sup>220,221</sup> Hadi Hassankhani,<sup>222,223</sup> Hamid Yimam Hassen,<sup>224,225</sup> Rasmus Havmoeller,<sup>226</sup> Delia Hendrie,<sup>56</sup> Fatemeh Heydarpour,<sup>227</sup> Martha Hajar,<sup>228,229</sup> Hung Chak Ho,<sup>230</sup> Chi Linh Hoang,<sup>231</sup> Michael K Hole,<sup>232</sup> Ramesh Holla,<sup>233</sup> Naznin Hossain,<sup>234,235</sup> Mehdi Hosseinzadeh,<sup>236,237</sup> Sorin Hostiuc,<sup>238,239</sup> Guoqing Hu,<sup>240</sup> Segun Emmanuel Ibitoye,<sup>241</sup> Olayinka Stephen Ilesanmi,<sup>242</sup> Leebek Raja Inbaraj,<sup>243</sup> Seyed Sina Naghibi Irvani,<sup>244</sup> M Mofizul Islam,<sup>245</sup> Sheikh Mohammed Shariful Islam,<sup>246,247</sup> Rebecca Q Ivers,<sup>248</sup> Mohammad Ali Jahani,<sup>249</sup> Mihajlo Jakovljevic,<sup>250</sup> Farzad Jalilian,<sup>251</sup> Sudha Jayaraman,<sup>252</sup> Achala Upendra Jayatilleke,<sup>253,254</sup> Ravi Prakash Jha,<sup>255</sup> Yetunde O John-Akinola,<sup>256</sup> Jost B Jonas,<sup>257,258</sup> Kelly M Jones,<sup>259</sup> Nitin Joseph,<sup>260</sup> Farahnaz Joukar,<sup>220</sup> Jacek Jerzy Jozwiak,<sup>261</sup> Suresh Banayya Jungari,<sup>262</sup> Mikk Jürisson,<sup>263</sup> Ali Kabir,<sup>264</sup> Amaha Kahsay,<sup>87</sup> Leila R Kalankesh,<sup>265</sup> Rohollah Kalhor,<sup>266,267</sup> Teshome Abegaz Kamil,<sup>268</sup> Tanuj Kanchan,<sup>269</sup> Neeti Kapoor,<sup>61</sup> Manoochehr Karami,<sup>270</sup> Amir Kasaeian,<sup>271,272</sup> Hagazi Gebremedhin Kassaye,<sup>23</sup> Taras Kavetsky,<sup>273,274</sup> Gbenga A Kayode,<sup>275,276</sup> Peter Njenga Keiyoro,<sup>277</sup> Abraham Getachew Kelbore,<sup>278</sup> Yousef Saleh Khader,<sup>279</sup> Morteza Abdullatif Khafaie,<sup>280</sup> Nauman Khalid,<sup>281</sup> Ibrahim A Khalil,<sup>282</sup> Rovshan Khalilov,<sup>283</sup> Maseer Khan,<sup>284</sup> Ejaz Ahmad Khan,<sup>285</sup> Junaid Khan,<sup>286</sup> Tripti Khanna,<sup>287,288</sup> Salman Khazaei,<sup>270</sup> Habibolah Khazaie,<sup>289</sup> Roba Khundkar,<sup>290</sup> Daniel N Kiirithio,<sup>291</sup> Young-Eun Kim,<sup>292</sup> Yun Jin Kim,<sup>293</sup> Daniel Kim,<sup>294</sup> Sezer Kisa,<sup>295</sup> Adnan Kisa,<sup>296</sup> Hamidreza Komaki,<sup>297,298</sup> Shivakumar K M Kondlahalli,<sup>299</sup> Ali Koolivand,<sup>300</sup> Vladimir Andreevich Korshunov,<sup>106</sup> Ai Koyanagi,<sup>301,302</sup> Moritz U G Kraemer,<sup>303,304</sup> Kewal Krishan,<sup>305</sup> Barthelemy Kuate Defo,<sup>306,307</sup> Burcu Kucuk Bicer,<sup>308,309</sup> Nuworza Kugbey,<sup>310,311</sup> Nithin Kumar,<sup>312</sup> Manasi Kumar,<sup>313,314</sup> Vivek Kumar,<sup>315</sup> Narinder Kumar,<sup>316</sup> Girikumar Kumaresh,<sup>317</sup> Faris Hasan Lami,<sup>318</sup> Van C Lansingh,<sup>319,320</sup> Savita Lasrado,<sup>321</sup> Arman Latifi,<sup>322</sup> Paolo Lauriola,<sup>323</sup> Carlo La Vecchia,<sup>324</sup> Janet L Leasher,<sup>325</sup> Shaun Wen Huey Lee,<sup>326,327</sup> Shanshan Li,<sup>136</sup> Xuefeng Liu,<sup>328</sup> Alan D Lopez,<sup>1,102,329</sup> Paulo A Lotufo,<sup>330</sup> Ronan A Lyons,<sup>331</sup> Daiane Borges Machado,<sup>332,333</sup> Mohammed Madadin,<sup>334</sup> Muhammed Magdy Abd El Razek,<sup>335</sup> Narayan Bahadur Mahotra,<sup>336</sup> Marek Majdan,<sup>337</sup> Azeem Majeed,<sup>338</sup> Venkatesh Maled,<sup>339,340</sup> Deborah Carvalho Malta,<sup>341</sup> Navid Manafi,<sup>342,343</sup> Amir Manafi,<sup>344</sup> Ana-Laura Manda,<sup>345</sup> Narayana Manjunatha,<sup>346</sup> Fariborz Mansour-Ghanaei,<sup>220</sup> Mohammad Ali Mansournia,<sup>347</sup> Joemer C Maravilla,<sup>348</sup> Amanda J Mason-Jones,<sup>349</sup> Seyedeh Zahra Masoumi,<sup>350</sup> Benjamin Ballard Massenbun,<sup>130</sup> Pallab K Maulik,<sup>351,352</sup> Man Mohan Mehndiratta,<sup>353,354</sup> Zeleke Aschalew Melketsedik,<sup>194</sup> Peter T N Memiah,<sup>355</sup> Walter Mendoza,<sup>356</sup> Ritesh G Menezes,<sup>357</sup> Melkamu Merid Mengesha,<sup>358</sup> Tuomo J Meretoja,<sup>359,360</sup> Atte Meretoja,<sup>361,362</sup> Hayimro Edemealem Merie,<sup>363</sup> Tomislav Mestrovic,<sup>364,365</sup> Bartosz Miazgowski,<sup>366,367</sup> Tomasz Miazgowski,<sup>368</sup> Ted R Miller,<sup>56,369</sup> G K Mini,<sup>370,371</sup> Andreea Mirica,<sup>372,373</sup> Erkin M Mirrakhimov,<sup>374,375</sup> Mehdi Mirzaei-Alavijeh,<sup>251</sup> Prasanna Mithra,<sup>260</sup> Babak Moazen,<sup>376,377</sup> Masoud Moghadaszadeh,<sup>378,379</sup> Efat Mohamadi,<sup>380</sup> Yousef Mohammad,<sup>381</sup> Aso Mohammad Darwesh,<sup>382</sup> Abdollah Mohammadian-Hafshejani,<sup>383</sup> Reza Mohammadpourhodki,<sup>384</sup> Shafiu Mohammed,<sup>75,385</sup> Jemal Abdu Mohammed,<sup>386</sup> Farnam Mohebi,<sup>171,387</sup> Mohammad A Mohseni Bandpei,<sup>388</sup> Mariam Molokhia,<sup>389</sup>

Lorenzo Monasta,<sup>390</sup> Yoshan Moodley,<sup>391</sup> Masoud Moradi,<sup>392,393</sup> Ghobad Moradi,<sup>394,395</sup> Maziar Moradi-Lakeh,<sup>396</sup> Rahmatollah Moradzadeh,<sup>34</sup> Lidia Morawska,<sup>397</sup> Ilais Moreno Velásquez,<sup>398</sup> Shane Douglas Morrison,<sup>130</sup> Tilahun Belete Mossie,<sup>399</sup> Atalay Goshu Muluneh,<sup>400</sup> Kamarul Imran Musa,<sup>401</sup> Ghulam Mustafa,<sup>402,403</sup> Mehdi Naderi,<sup>404</sup> Ahamarshan Jayaraman Nagarajan,<sup>405,406</sup> Gurudatta Naik,<sup>407</sup> Mukhammad David Naimzada,<sup>408,409</sup> Farid Najafi,<sup>410</sup> Vinay Nangia,<sup>411</sup> Bruno Ramos Nascimento,<sup>412</sup> Morteza Naserbakht,<sup>413,414</sup> Vinod Nayak,<sup>415</sup> Javad Nazari,<sup>416,417</sup> Duduzile Edith Ndwandwe,<sup>418</sup> Ionut Negoii,<sup>419,420</sup> Josephine W Ngunjiri,<sup>421</sup> Trang Huyen Nguyen,<sup>231</sup> Cuong Tat Nguyen,<sup>422</sup> Diep Ngoc Nguyen,<sup>423,424</sup> Huong Lan Thi Nguyen,<sup>422</sup> Rajan Nikbakhsh,<sup>425,426</sup> Dina Nur Anggraini Ningrum,<sup>427,428</sup> Chukwudi A Nnaji,<sup>418,429</sup> Richard Ofori-Asenso,<sup>430,431</sup> Felix Akpojene Ogbo,<sup>432</sup> Onome Bright Oghenetega,<sup>433</sup> In-Hwan Oh,<sup>434</sup> Andrew T Olagunju,<sup>435,436</sup> Tinuke O Olagunju,<sup>437</sup> Ahmed Omar Bali,<sup>438</sup> Obinna E Onwujekwe,<sup>439</sup> Heather M Orpana,<sup>440,441</sup> Erika Ota,<sup>442</sup> Nikita Otstavnov,<sup>408,443</sup> Stanislav S Otstavnov,<sup>408,444</sup> Mahesh P A,<sup>445</sup> Jagadish Rao Padubidri,<sup>446</sup> Smita Pakhale,<sup>447</sup> Keyvan Pakshir,<sup>448</sup> Songhomitra Panda-Jonas,<sup>449</sup> Eun-Kee Park,<sup>450</sup> Sangram Kishor Patel,<sup>451,452</sup> Ashish Pathak,<sup>453,454</sup> Sanghamitra Pati,<sup>455</sup> Kebreab Paulos,<sup>456</sup> Amy E Peden,<sup>182,457</sup> Veincent Christian Filipino Pepito,<sup>458</sup> Jeevan Pereira,<sup>459</sup> Michael R Phillips,<sup>460,461</sup> Roman V Polibin,<sup>462</sup> Suzanne Polinder,<sup>211</sup> Farshad Pourmalek,<sup>463</sup> Akram Pourshams,<sup>464</sup> Hossein Poustchi,<sup>464</sup> Swayam Prakash,<sup>465</sup> Dimas Ria Angga Priyadi,<sup>466</sup> Parul Puri,<sup>286</sup> Zahiruddin Quazi Syed,<sup>91</sup> Navid Rabiee,<sup>467</sup> Mohammad Rabiee,<sup>468</sup> Amir Radfar,<sup>469,470</sup> Anwar Rafay,<sup>471</sup> Ata Rafiee,<sup>472</sup> Alireza Rafiei,<sup>473,474</sup> Fakher Rahim,<sup>475,476</sup> Siavash Rahimi,<sup>477</sup> Muhammad Aziz Rahman,<sup>478,479</sup> Ali Rajabpour-Sanati,<sup>480</sup> Fatemeh Rajati,<sup>392</sup> Ivo Rakovac,<sup>481</sup> Sowmya J Rao,<sup>482</sup> Vahid Rashedi,<sup>483</sup> Prateek Rastogi,<sup>446</sup> Priya Rathi,<sup>233</sup> Salman Rawaf,<sup>338,484</sup> Lal Rawal,<sup>485</sup> Reza Rawassizadeh,<sup>486</sup> Vishnu Renjith,<sup>487</sup> Serge Resnikoff,<sup>488,489</sup> Aziz Rezapour,<sup>30</sup> Ana Isabel Ribeiro,<sup>490</sup> Jennifer Rickard,<sup>491,492</sup> Carlos Miguel Rios González,<sup>493,494</sup> Leonardo Roever,<sup>495</sup> Luca Ronfani,<sup>390</sup> Gholamreza Roshandel,<sup>464,496</sup> Basema Saddik,<sup>497</sup> Hamid Safarpour,<sup>498</sup> Mahdi Safdarian,<sup>499,500</sup> S Mohammad Sajadi,<sup>501</sup> Payman Salamati,<sup>500</sup> Marwa R Rashad Salem,<sup>502</sup> Hosni Salem,<sup>503</sup> Inbal Salz,<sup>504</sup> Abdallah M Samy,<sup>505</sup> Juan Sanabria,<sup>506,507</sup> Lidia Sanchez Riera,<sup>508,509</sup> Milena M Santric Milicevic,<sup>510,511</sup> Abdur Razzaque Sarker,<sup>512</sup> Arash Sarveazad,<sup>513</sup> Brijesh Sathian,<sup>514,515</sup> Monika Sawhney,<sup>516</sup> Mehdi Sayyah,<sup>517</sup> David C Schwebel,<sup>518</sup> Soraya Seedat,<sup>519</sup> Subramanian Senthilkumaran,<sup>520</sup> Seyedmojtaba Seyedmousavi,<sup>521</sup> Feng Sha,<sup>522</sup> Faramarz Shaahmadi,<sup>523</sup> Saeed Shahabi,<sup>524</sup> Masood Ali Shaikh,<sup>525</sup> Mehran Shams-Beyranvand,<sup>526</sup> Aziz Sheikh,<sup>527,528</sup> Mika Shigematsu,<sup>529</sup> Jae Il Shin,<sup>530,531</sup> Rahman Shiri,<sup>532</sup> Soraya Siabani,<sup>533,534</sup> Inga Dora Sigfusdottir,<sup>535,536</sup> Jasvinder A Singh,<sup>537,538</sup> Pankaj Kumar Singh,<sup>539</sup> Dharendra Narain Sinha,<sup>540,541</sup> Amin Soheili,<sup>542,543</sup> Joan B Soriano,<sup>544,545</sup> Muluken Bekele Sorrie,<sup>546</sup> Ireneous N Soyiri,<sup>547,548</sup> Mark A Stokes,<sup>549</sup> Mu'awiyah Babale Sufiyan,<sup>550</sup> Bryan L Sykes,<sup>551</sup> Rafael Tabarés-Seisdedos,<sup>552,553</sup> Karen M Tabb,<sup>554</sup> Biruk Wogayehu Taddele,<sup>555</sup> Yonatal Mesfin Tefera,<sup>556,557</sup> Arash Tehrani-Banihashemi,<sup>396,558</sup> Gebretsadkan Hints Tekulu,<sup>559</sup> Ayenew Kassie Tesema Tesema,<sup>560</sup> Berhe Etsay Tesfay,<sup>561</sup> Rekha Thapar,<sup>312</sup> Mariya Vladimirovna Titova,<sup>178,562</sup> Kenean Getaneh Tlaye,<sup>563</sup> Hamid Reza Tohidinik,<sup>347,564</sup> Roman Topor-Madry,<sup>565,566</sup> Khanh Bao Tran,<sup>567,568</sup> Bach Xuan Tran,<sup>569</sup> Jaya Prasad Tripathy,<sup>90</sup> Alexander C Tsai,<sup>570,571</sup> Aristidis Tsatsakis,<sup>572</sup> Lorainne Tudor Car,<sup>573</sup> Irfan Ullah,<sup>574,575</sup> Saif Ullah,<sup>97</sup> Bhaskaran Unnikrishnan,<sup>260</sup> Era Upadhyay,<sup>576</sup> Olalekan A Uthman,<sup>577</sup> Pascual R Valdez,<sup>578,579</sup> Tommi Juhani Vasankari,<sup>580</sup> Yousef Veisani,<sup>581</sup> Narayanaswamy Venketasubramanian,<sup>582,583</sup> Francesco S Violante,<sup>584,585</sup> Vasily Vlassov,<sup>586</sup> Yasir Waheed,<sup>587</sup> Yuan-Pang Wang,<sup>113</sup> Taweewat Wiangkham,<sup>588</sup> Haileab Fekadu Wolde,<sup>400</sup> Dawit Habte Woldeyes,<sup>589</sup> Temesgen Gebeyehu Wondmeneh,<sup>386</sup> Adam Belay Wondmieneh,<sup>186,590</sup> Ai-Min Wu,<sup>591</sup> Grant M A Wyper,<sup>592</sup> Rajaram Yadav,<sup>286</sup> Ali Yadollahpour,<sup>593</sup> Yuichiro Yano,<sup>594</sup> Sanni Yaya,<sup>595</sup> Vahid Yazdi-Feyzabadi,<sup>596,597</sup> Pengpeng Ye,<sup>598</sup> Paul Yip,<sup>599,600</sup> Engida Yisma,<sup>601</sup> Naohiro Yonemoto,<sup>602</sup> Seok-Jun Yoon,<sup>292</sup> Yoosik Youm,<sup>603</sup> Mustafa Z Younis,<sup>604,605</sup> Zabihollah Yousefi,<sup>606,607</sup> Chuanhua Yu,<sup>608,609</sup> Yong Yu,<sup>610</sup> Telma Zahirian Moghadam,<sup>30,611</sup> Zoubida Zaidi,<sup>612</sup> Sojib Bin Zaman,<sup>132,613</sup> Mohammad Zamani,<sup>614</sup> Hamed Zandian,<sup>611,615</sup> Fatemeh Zarei,<sup>616</sup> Zhi-Jiang Zhang,<sup>617</sup> Yunquan Zhang,<sup>618,619</sup>

Arash Ziapour,<sup>533</sup> Sanjay Zodpey,<sup>620</sup> Rakhi Dandona,<sup>1,329,621</sup> Samath Dhamminda Dharmaratne,<sup>1,329,622</sup>  
 Simon I Hay,<sup>1,329</sup> Ali H Mokdad,<sup>1,329</sup> David M Pigott,<sup>1,329</sup> Robert C Reiner,<sup>1,329</sup> Theo Vos<sup>1,329</sup>

## ABSTRACT

**Background** While there is a long history of measuring death and disability from injuries, modern research methods must account for the wide spectrum of disability that can occur in an injury, and must provide estimates with sufficient demographic, geographical and temporal detail to be useful for policy makers. The Global Burden of Disease (GBD) 2017 study used methods to provide highly detailed estimates of global injury burden that meet these criteria.

**Methods** In this study, we report and discuss the methods used in GBD 2017 for injury morbidity and mortality burden estimation. In summary, these methods included estimating cause-specific mortality for every cause of injury, and then estimating incidence for every cause of injury. Non-fatal disability for each cause is then calculated based on the probabilities of suffering from different types of bodily injury experienced.

**Results** GBD 2017 produced morbidity and mortality estimates for 38 causes of injury. Estimates were produced in terms of incidence, prevalence, years lived with disability, cause-specific mortality, years of life lost and disability-adjusted life-years for a 28-year period for 22 age groups, 195 countries and both sexes.

**Conclusions** GBD 2017 demonstrated a complex and sophisticated series of analytical steps using the largest known database of morbidity and mortality data on injuries. GBD 2017 results should be used to help inform injury prevention policy making and resource allocation. We also identify important avenues for improving injury burden estimation in the future.

## INTRODUCTION

The Global Burden of Disease (GBD) study is a comprehensive assessment of population health loss. GBD has expanded in scope since its original release in 1994 (GBD 1990) and was most recently updated in autumn 2018 (GBD 2017).<sup>1–7</sup> Each update of the study has provided updated results through the most recent year of data availability as well as increasingly refined detail in terms of locations, age groups and causes. In addition, GBD incorporates new data as well as updated methods for each annual release that represent the expanding complexity of the study. Cumulatively, the increasing volume of data and increasingly sophisticated estimation methods have necessitated near-continual refinements in terms of data processing, statistical modelling, computational storage and processing as well as global collaboration with the over 4000 GBD collaborators in over 140 countries and territories.

Historically, injuries have formed one of the three broad cause groups in the GBD cause hierarchy alongside the other two main groups of health loss (communicable, maternal, neonatal and nutritional diseases; non-communicable diseases). Not surprisingly, there is considerable variation in how morbidity and mortality are estimated across different causes in the GBD hierarchy and study design. The methods for estimating morbidity and mortality from injuries have evolved over time through the most recent release of GBD 2017. Historically, there have been certain challenges in injuries burden estimation, some of which have been addressed and updated over time, and some of which remain as methodological challenges to address as population health measurement develops more sophisticated modelling strategies. For example, methodological challenges that have

been identified over the past three decades in population health research have included obtaining data in data-sparse, burden-heavy areas of the world, developing adjustments for ill-defined causes of death, separately estimating *cause* of injury from the bodily harm that results from an injury event and adjusting for known biases in data, such as underestimation in sexual violence data.<sup>3 8 9</sup> Cumulatively, the global injuries research community has developed a wide array of methodological innovations and advancements to overcome many of these challenges, although undoubtedly the science will continue to advance as higher-quality datasets become available, as modelling methods improve and as computational processing power becomes more accessible to population health research groups around the world.

Many studies have been published based on different releases of the GBD study, ranging from studies on intentional injuries in the eastern Mediterranean to detailed assessments of traumatic brain injury and spinal cord injury disability rates on a global scale.<sup>10 11</sup> While this array of published GBD injury studies demonstrates a broad spectrum of expert knowledge on specific injuries or specific geographies or both, it is also critical to recognise that population health is a rapidly evolving, collaborative science that has benefited from near-continual improvements even through the current updates being implemented for GBD 2019. As a result, it should benefit the scientific enterprise to focus on publishing the most updated results with perspective on global, demographic and temporal patterns, and on sharing iterative updates on the current state of the science of GBD injuries burden estimation. The goal of this study is to comprehensively review and report methods used for GBD 2017 and associated publications that have gone through extensive collaborator-review and peer-review processes.

## METHODS

### GBD 2017 study

GBD is predicated on the principle that every case of death and disability in the population should be systematically identified and accounted for in the formulation of global disease and injury burden. On the side of mortality, every death that occurs in the population should have one underlying cause of death which can be assigned to a cause in a mutually exclusive, collectively exhaustive hierarchy of diseases and injuries that can cause death. These data can be used in a method described below to calculate cause-specific mortality rates and years of life lost. For morbidity, every non-fatal case of disease or injury should have an amount of disability assigned for some period of time. These data can be used in a process described below to estimate the incidence, prevalence and years lived with disability. Summing morbidity and mortality from some cause form the burden from that cause, expressed as disability-adjusted life-years (DALY). For causes with known risk factors, some portion of this burden may be explained by exposure to that risk factor. Across causes within some population, it is also a principle of GBD that the sum of all cause-specific deaths should equal all-cause mortality in the population, and that rates of incidence, prevalence, remission and cause-specific mortality can be reconciled with one another such that all death and disability in a population is internally consistent across causes and geographies. As examples, the sum of different types of road injury cases must sum up to overall

road injuries, and the sum of deaths from different injuries in a given country must sum up to the estimate of all-injury deaths. The principle of internal consistency extends to populations used in GBD, where every birth, death and net migration must be accounted for in the population estimates which form the denominators of GBD results. While there is immense complexity in the process summarised above, it is important to begin with these core principles which govern the computation processes at the heart of GBD burden estimation. A summarised overview of key GBD 2017 methods is also provided in online supplementary appendix 1.

### GBD study design and hierarchies

GBD study design, including cause-specific methods, is described in a high level of detail in associated publications.<sup>2-7</sup> In addition to the injury-focused methods described in this paper, it is important to define hierarchies used in the GBD study design. In particular, GBD 2017 was built around a location hierarchy where different subnational locations (eg, US states, India states, China provinces) which form a composite of a national location (eg, the USA, India, China). National locations are aggregated to form GBD regions, which are then aggregated to form GBD super regions. These designations affect the modelling structure and utilisation of location random effects, processes which are described in more detail later. The country-level and regional-level GBD location hierarchy used in GBD 2017 is provided in online supplementary appendix table 1. In addition to locations, GBD processes are conducted to produce estimates for every one of 22 age groups, male and female sex and across 28 years from 1990 to 2017 (inclusive). Age-standardised, all-age and combined sex results are also computed for each GBD result. Exceptions exist to the rules above, for example, self-harm is not permitted to occur in the 0–6 days (early neonatal) age group in the GBD age hierarchy. There are no sex restrictions placed on any GBD injury causes, although these restrictions exist for other GBD causes, such as cancers like prostate, cervical and uterine being related to one sex.

### GBD injury classification

In the GBD cause hierarchy, injuries are part of the first level of the GBD cause hierarchy, which consists of three broad groups: communicable, maternal, neonatal and nutritional diseases; non-communicable diseases and injuries. Additional levels of the GBD cause hierarchy provide additional detail. The hierarchy of injuries in GBD is provided in table 1. The organisation of the hierarchy has implications both in terms of how results are produced and in terms of analytical and processing steps which are discussed in more detail below. Case definitions including International Classification of Diseases (ICD) codes used to identify injury deaths and cases are provided in table 2.

GBD separates the concept of cause of injury from nature of injury. Cause of injury (eg, road injuries, falls, drowning) have historically been used for assigning cause of death as opposed to the ‘nature’ of injury, which more directly specifies the pathology that resulted in death. For example, an individual who falls, fractures his or her hip, undergoes surgery and then develops hospital-acquired pneumonia and dies while hospitalised would still have a fall as the underlying cause of death, regardless of whether sepsis or some other disease process leads to death more proximally in the chain of events. In this individual, the ‘nature’ of injury would have been specified as a hip fracture, since it is the bodily injury that would dictate the disability this person experiences. Since it is evident that a hip fracture is more

**Table 1** Global Burden of Disease cause-of-injury hierarchy

| Transport injuries          | Unintentional injuries                          | Self-harm and interpersonal violence | Forces of nature, conflict and terrorism and executions and police conflict |
|-----------------------------|---|--------------------------------------|---|
| Road injuries               | Falls   | Self-harm                            | Exposure to forces of nature  |
| Pedestrian road injuries    | Drowning  | Self-harm by firearm                 | Conflict and terrorism  |
| Cyclist road injuries       | Fire, heat and hot substances                   | Self-harm by other specified means   | Executions and police conflict  |
| Motorcyclist road injuries  | Poisonings                                      | Interpersonal violence               |   |
| Motor vehicle road injuries | Poisoning by carbon monoxide                    | Assault by firearm                   |   |
| Other road injuries         | Poisoning by other means                        | Assault by sharp object              |   |
| Other transport injuries    | Exposure to mechanical forces                   | Assault by other means               |   |
|                             | Unintentional firearm injuries                  |                                      |   |
|                             | Unintentional suffocation                       |                                      |   |
|                             | Other exposure to mechanical forces             |                                      |   |
|                             | Adverse effects of medical treatment            |                                      |   |
|                             | Animal contact                                  |                                      |   |
|                             | Venomous animal contact                         |                                      |   |
|                             | Non-venomous animal contact                     |                                      |   |
|                             | Foreign body                                    |                                      |   |
|                             | Pulmonary aspiration and foreign body in airway |                                      |   |
|                             | Foreign body in eyes                            |                                      |   |
|                             | Foreign body in other body part                 |                                      |   |
|                             | Environmental heat and cold exposure            |                                      |   |
|                             | Other unintentional injuries                    |                                      |   |

disabling than a mild skin abrasion, it is important for measuring non-fatal burden to consider both the cause and the nature in the formulation of complete injury burden. A full list of nature of injury is provided in table 3.

### Cause-specific mortality and years of life lost

As described above, cause-specific mortality is measured for every cause of injury in the GBD cause hierarchy with the exception of foreign body in the ear and sexual violence, which undergo only non-fatal burden estimation (described in more detail below). GBD adheres to five general principles for measuring cause-specific mortality, which are described in more detail elsewhere but are summarised as follows.<sup>12</sup> First, GBD 2017 identifies all available data. For injuries, this includes vital registration (VR), vital registration samples, verbal autopsy (VA), police records and mortuary/hospital data. VR is the preferred data source but is not available in every location in the GBD location hierarchy. Prior VA research has demonstrated that VA is more accurate for certain injury causes than it is for certain diseases.<sup>13</sup> Police data undergo additional validity checks to ensure that systematic under-reporting does not occur in comparison to VR data, which is described in more detail in a related publication.<sup>6</sup> The second general principle relevant to injury mortality estimation is maximising comparability and quality of the dataset. For the purposes

**Table 2** Case definitions for cause of injury in GBD 2017

| Child causes                       | ICD codes  | Case definition (fatal)  | Case definition (non-fatal)   |
|------------------------------------|--|--|---|
| Self-harm                          | ICD9: E950-E959<br>ICD10: X60-X64.9, X66-X84.9, Y87.0  | Deliberate bodily damage inflicted on oneself resulting in death   | Deliberate bodily damage inflicted on oneself with or without intent to kill oneself.   |
| Self-harm by firearm               | ICD9: E955-E955.9<br>ICD10: X72-X74.9  | Deliberate bodily damage inflicted by firearm on oneself resulting in death  | Deliberate bodily damage inflicted on oneself by firearm with or without intent to kill oneself.  |
| Self-harm by other specified means | ICD9: E950-E954, E956-E958.0, E958.2-E959<br>ICD10: X60-X64.9, X66-X67.9, X69-X71.9, X75-X75.9, X77-X84.9, Y87.0   | Deliberate bodily damage inflicted on oneself resulting in death by means of:<br>▶ Self-poisoning<br>▶ Medication overdose<br>▶ Transport incident<br>▶ Falling from height<br>▶ Hanging/strangulation<br>*(not exhaustive)  | Deliberate bodily damage inflicted on oneself with or without intent to kill oneself by means of:<br>▶ Self-poisoning<br>▶ Medication overdose<br>▶ Transport incident<br>▶ Falling from height<br>▶ Hanging/strangulation<br>*(not exhaustive)   |
| Poisoning                          | ICD9: E850.3-E858.99, E862-E869.99, E929.2<br>ICD10: J70.5, X40-X44.9, X47-X49.9, Y10-Y14.9, Y16-Y19.9   | Death resulting from accidental exposure to a non-infectious substance which contacts the body or enters into the body via inhalation, ingestion, injection or absorption and causes deranged physiological function of body and/or cellular injury/death.   | Unintentional exposure to a non-infectious substance which contacts the body or enters into the body via inhalation, ingestion, injection or absorption and causes deranged physiological function of body and/or cellular injury/death.  |
| Poisoning by carbon monoxide (CO)  | ICD9: E862-E862.99, E868-E869.99<br>ICD10: J70.5, X47-X47.9  | Death from exposure to carbon monoxide (CO) as identified based on carboxyhemoglobin levels (specified based on smoking status and age) or proximity to a confirmed CO poisoning case.   | Non-fatal exposure to CO as identified based on carboxyhemoglobin levels (specified based on smoking status and age) or proximity to a confirmed CO poisoning case.   |
| Poisoning by other means           | ICD9: E850.3-E858.99, E866-E866.99<br>ICD10: X40-X44.9, X49-X49.9, Y10-Y14.9, Y16-Y19.9  | Death resulting from accidental exposure to a non-infectious substance (other than CO) which contacts the body or enters into the body via inhalation, ingestion, injection or absorption and causes deranged physiological function of body and/or cellular injury/death.                           | Accidental exposure to a non-infectious substance (other than CO) which contacts the body or enters into the body via inhalation, ingestion, injection or absorption and causes deranged physiological function of body and/or cellular injury/death.                                   |
| Animal contact                     | ICD9: E905-E906.99<br>ICD10: W52.0-W62.9, W64-W64.9, X20-X29.9   | Death resulting from unintentionally being attacked, struck, impaled, bitten, stung, crushed, exposed to or stepped on by a non-human animal.  | Bodily damage resulting from unintentionally being attacked, butted, impaled, bitten, stung, crushed, exposed to or stepped on by a non-human animal.   |
| Venomous animal contact            | ICD9: E905-E905.99<br>ICD10: W52.3, X20-X29.9  | Death resulting from unintentionally being bitten by, stung by, or exposed to a non-human venomous animal.   | Bodily damage resulting from unintentionally being bitten by, stung by or exposed to a non-human venomous or poisonous animal.  |
| Non-venomous animal contact        | ICD9: E905-E906.99<br>ICD10: W52.0-W62.9, W64-W64.9, X20-X29.9   | Death resulting from unintentionally being attacked, struck, impaled, crushed, exposed to or stepped on by a non-human animal.   | Bodily damage resulting from unintentionally being attacked, struck, impaled, crushed, exposed to or stepped on by a non-human animal.  |
| Falls                              | ICD9: E880-E886.99, E888-E888.9, E929.3<br>ICD10: W00-W19.9  | A sudden movement downwards due to slipping, tripping or other accidental movement which results in a person coming to rest inadvertently on the ground, floor or other lower level, resulting in death.   | A sudden movement downward due to slipping, tripping or other accidental movement which results in a person coming to rest inadvertently on the ground, floor or other lower level, resulting in tissue damage.   |
| Drowning                           | ICD10: W65-W70.9, W73-W74.9<br>ICD9: E910-E910.99  | Death that occurs as a result of immersion in water or another fluid.  | Non-fatal immersion or submersion in water or another fluid, regardless of whether tissue damage has occurred. The subject can be resuscitated and has not suffered brain death.  |
| Fire, heat, and hot substances     | ICD9: E890-E899.09, E924-E924.99, E929.4<br>ICD10: X00-X06.9, X08-X19.9  | Death due to unintentional exposure to substances of high temperature sufficient to cause tissue damage on exposure, including bodily contact with hot liquid, solid or gas such as cooking stoves, smoke, steam, drinks, machinery, appliances, tools, radiators and objects radiating heat energy. | Unintentional exposure to substances of high temperature sufficient to cause tissue damage on exposure, including bodily contact with hot liquid, solid or gas such as cooking stoves, smoke, steam, drinks, machinery, appliances, tools, radiators and objects radiating heat energy. |
| Road injuries                      | ICD9: E800.3, E801.3, E802.3, E803.3, E804.3, E805.3, E806.3, E807.3, E810.0-E810.6, E811.0-E811.7, E812.0-E812.7, E813.0-E813.7, E814.0-E814.7, E815.0-E815.7, E816.0-E816.7, E817.0-E817.7, E818.0-E818.7, E819.0-E819.7, E820.0-E820.6, E821.0-E821.6, E822.0-E822.7, E823.0-E823.7, E824.0-E824.7, E825.0-E825.7, E826.0-E826.1, E826.3-E826.4, E827.0, E827.3-E827.4, E828.0, E828.4, E829.0-E829.4<br>ICD10: V01-V04.99, V06-V80.929, V82-V82.9, V87.2-V87.3 | Interaction with an automobile, motorcycle, pedal cycle or other vehicles resulting in death.  | Interaction with an automobile, motorcycle, pedal cycle or other vehicles resulting in bodily damage.   |
| Pedestrian road injuries           | ICD9: E811.7, E812.7, E813.7, E814.7, E815.7, E816.7, E817.7, E818.7, E819.7, E822.7, E823.7, E824.7, E825.7, E826.0, E827.0, E828.0, E829.0<br>ICD10: V01-V04.99, V06-V09.9   | Interaction, as a pedestrian on the road, with an automobile, motorcycle, pedal cycle or other vehicles resulting in death.  | Interaction, as a pedestrian on the road, with an automobile, motorcycle, pedal cycle or other vehicles resulting in bodily damage.   |
| Cyclist road injuries              | ICD9: E800.3, E801.3, E802.3, E803.3, E804.3, E805.3, E806.3, E807.3, E810.6, E811.6, E812.6, E813.6, E814.6, E815.6, E816.6, E817.6, E818.6, E819.6, E820.6, E821.6, E822.6, E823.6, E824.6, E825.6, E826.1<br>ICD10: V10-V19.9   | Accident, as a cyclist or passenger on a pedal cycle, resulting in death.  | Accident, as a cyclist or passenger on a pedal cycle, resulting in bodily damage.   |
| Motorcyclist road injuries         | ICD9: E810.2-E810.3, E811.2-E811.3, E812.2-E812.3, E813.2-E813.3, E814.2-E814.3, E815.2-E815.3, E816.2-E816.3, E817.2-E817.3, E818.2-E818.3, E819.2-E819.3, E820.2-E820.3, E821.2-E821.3, E822.2-E822.3, E823.2-E823.3, E824.2-E824.3, E825.2-E825.3<br>ICD10: V20-V29.9   | Accident, as a rider on a motorcycle, resulting in death.  | Accident, as a rider on a motorcycle, resulting in bodily damage.   |

Continued

Table 2 Continued

| Child causes                                    | ICD codes   | Case definition (fatal)  | Case definition (non-fatal)  |
|---|---|--|--|
| Motor vehicle road injuries                     | ICD9: E810.0-E810.1, E811.0-E811.1, E812.0-E812.1, E813.0-E813.1, E814.0-E814.1, E815.0-E815.1, E816.0-E816.1, E817.0-E817.1, E818.0-E818.1, E819.0-E819.1, E820.0-E820.1, E821.0-E821.1, E822.0-E822.1, E823.0-E823.1, E824.0-E824.1, E825.0-E825.1<br>ICD10: V30-V79.9, V87.2-V87.3   | Accident, as a driver or passenger in a motor vehicle, resulting in death.   | Accident, as a driver or passenger in a motor vehicle, resulting in bodily damage.   |
| Other road injuries                             | ICD9: E810.4-E810.5, E811.4-E811.5, E812.4-E812.5, E813.4-E813.5, E814.4-E814.5, E815.4-E815.5, E816.4-E816.5, E817.4-E817.5, E818.4-E818.5, E819.4-E819.5, E820.4-E820.5, E821.4-E821.5, E822.4-E822.5, E823.4-E823.5, E824.4-E824.5, E825.4-E825.5, E826.3-E826.4, E827.3-E827.4, E828.4, E829.4<br>ICD10: V80-V80.929, V82-V82.9 | Death resulting from being a driver or passenger of a vehicle not including automobiles, motorcycles, bicycles (ie, streetcar).  | Bodily damage resulting from being a driver or passenger of a vehicle not including automobiles, motorcycles, bicycles (ie, streetcar).  |
| Other transport injuries                        | ICD9: E800-E800.2, E801-E801.2, E802-E802.2, E803-E803.2, E804-E804.2, E805-E805.2, E806-E806.2, E807-E807.2, E810.7, E820.7, E821.7, E826.2, E827.2, E828.2, E830-E838.9, E840-E849.9, E929.1<br>ICD10: V00-V00.898, V05-V05.99, V81-V81.9, V83-V86.99, V88.2-V88.3, V90-V98.8   | Interaction with a means of transport other than automobile, motorcycle, pedal cycle or other road vehicles resulting in death.  | Interaction with a means of transport other than automobile, motorcycle, pedal cycle or other road vehicles resulting in bodily damage.  |
| Interpersonal violence                          | ICD9: E960-E969<br>ICD10: X85-X08.9, Y87.1-Y87.2  | Death from intentional use of physical force or power, threatened or actual, from another person or group not including military or police forces.   | Sustaining bodily harm in terms of tissue damage from intentional use of physical force or power, threatened or actual, from another person or group not including military or police forces.  |
| Physical violence by firearm                    | ICD9: E965-E965.4<br>ICD10: X93-X95.9   | Death from intentional use of physical force or power by a firearm from another person or group or community not including military or police forces.  | Sustaining bodily harm in terms of tissue damage from intentional use of physical force or power by a firearm from another person or group not including military or police forces.  |
| Physical violence by sharp object               | ICD9: E966<br>ICD10: X99-X99.9  | Death from intentional use of physical force or power by a sharp object from another person or group or community not including military or police forces.   | Sustaining bodily harm in terms of tissue damage from intentional use of physical force or power by a sharp object from another person or group not including military or police forces.   |
| Sexual violence                                 | ICD9: E960-E960.1<br>ICD10: Y05-Y05.9   | NA   | Experiencing at least one event of sexual violence in the last year, where sexual violence is defined as any sexual assault, including both penetrative sexual violence (rape) and non-penetrative sexual violence (other forms of unwanted sexual touching).                                    |
| Physical violence by other means                | ICD9: E961-E964, E965.5-E965.9, E967-E969<br>ICD10: X85-X92.9, X96-X98.9, Y00-Y04.9, Y06-Y08.9, Y87.1-Y87.2   | Death from intentional use of physical force or power by an object other than a firearm or sharp object from another person or group or community not including military or police forces.   | Sustaining bodily harm in terms of tissue damage from intentional use of physical force or power by an object other than a firearm or sharp object from another person or group not including military or police forces.   |
| Conflict and terrorism                          | ICD9: E979-E979.9, E990-E999.1<br>ICD10: U00-U03, Y36-Y38.9, Y89.1  | Death resulting from the instrumental use of violence by people who identify themselves as members of a group—whether this group is transitory or has a more permanent identity—against another group or set of individuals, in order to achieve political, economic or social objectives. | Bodily harm resulting from the instrumental use of violence by people who identify themselves as members of a group—whether this group is transitory or has a more permanent identity—against another group or set of individuals, in order to achieve political, economic or social objectives. |
| Executions and police conflict                  | ICD9: E970-E978<br>ICD10: Y35-Y35.93, Y89.0   | State-sanctioned executions or police-related altercations leading to death.   | State-sanctioned executions or police-related altercations leading to bodily damage.   |
| Exposure to forces of nature                    | ICD9: E907-E909.9<br>ICD10: X33-X38.9   | Death resulting from an unforeseen and often sudden natural event such as a hurricane, earthquake, tsunami or tornado.   | Bodily damage resulting from an unforeseen and often sudden natural event such as a hurricane, earthquake, tsunami or tornado.   |
| Exposure to mechanical forces                   | ICD9: E913-E913.19, E916-E922.99, E928.1-E928.7<br>ICD10: W20-W38.9, W40-W43.9, W45.0-W45.2, W46-W46.2, W49-W52, W75-W76.9  | Unintentional death resulting from contact with or threat of an (in)animate object, human or plant.  | Unintentional bodily damage resulting from contact with or threat of an (in)animate object, human or plant.  |
| Unintentional firearm injuries                  | ICD9: E922-E922.99, E928.7<br>ICD10: W32-W34.9  | Unintentional death resulting from contact with a firearm.   | Unintentional bodily damage resulting from contact with a firearm.   |
| Other exposure to mechanical forces             | ICD9: E916-E921.99, E928.1-E928.6<br>ICD10: W20-W31.9, W35-W38.9, W40-W43.9, W45.0-W45.2, W46-W46.2, W49-W52  | Unintentional death resulting from contact with or threat of an (in)animate object (not including a firearm), human or plant.  | Unintentional bodily damage resulting from contact with or threat of an (in)animate object (not including a firearm), human or plant.  |
| Pulmonary aspiration and foreign body in airway | ICD9: 770.1–770.18, E911-E912.09, E913.8-E913.99<br>ICD10: W78-W80.9, W83-W84.9   | Unintentional death from inhaling, swallowing or aspirating extraneous materials or substance that enters the airway or lungs.   | Unintentional bodily damage from inhaling, swallowing or aspirating extraneous materials or substance that enters the airway or lungs.   |
| Foreign body in eyes                            | ICD9: 360.5–360.69, 374.86, 376.6, E914-E914.09<br>ICD10: H02.81-H02.819, H44.6-H44.799   | NA   | Unintentional damage from extraneous materials or substance in the orbital structure or eye.   |
| Foreign body in other body part                 | ICD9: 709.4, E915-E915.09<br>ICD10: M60.2-M60.28, W44-W45, W45.3-W45.9  | Unintentional death from an extraneous material or substance being within the body, not including the airway, lungs or eyes.   | Unintentional bodily damage from an extraneous material or substance being within the body, not including the airway, lungs or eyes.   |

Injuries definition: damage, defined by cellular death, tissue disruption, loss of homeostasis, pain limiting activities of daily living or short-term psychological harm (for cases of sexual violence), inflicted on the body as the direct or indirect result of a physical force, immersion or exposure, which may include interpersonal or self-inflicted forces.  
GBD, Global Burden of Disease; ICD, International Classification of Diseases.

of injury mortality estimation, this process is largely focused on (1) ensuring appropriate accounting for different ICD code versions used for cause of death data classification over time, (2) redistribution of ill-defined causes of death (described in more

detail elsewhere) and (3) processing VA studies into usable data that map to the GBD cause hierarchy.<sup>8 9 12</sup> The third general principle for injury cause of death models in GBD 2017 is to develop a diverse set of plausible models. This process is conducted via

**Table 3** GBD nature of injury

| Nature of injury   |  |   |
|--|--|---|
| Amputation of lower limbs, bilateral   | Fracture of sternum and/or fracture of one or more ribs                          | Crush injury  |
| Amputation of upper limbs, bilateral   | Fracture of vertebral column   | Nerve injury  |
| Amputation of fingers (excluding thumb)  | Fracture of femur, other than femoral neck                                       | Injury to eyes  |
| Amputation of lower limb, unilateral   | Minor TBI  | Poisoning requiring urgent care   |
| Amputation of upper limb, unilateral   | Moderate/severe TBI  | Severe chest injury   |
| Amputation of thumb  | Spinal cord lesion at neck level   | Internal haemorrhage in abdomen and pelvis                              |
| Amputation of toe/toes   | Spinal cord lesion below neck level  | Effect of different environmental factors                               |
| Lower airway burns   | Muscle and tendon injuries, including sprains and strains<br>lesser dislocations | Complications following therapeutic procedures                          |
| Burns, <20% total burned surface area without lower airway burns   | Foreign body in ear  | Multiple fractures, dislocations, crashes, wounds,<br>pains and strains |
| Burns, ≥20% total burned surface area or ≥10% burned surface area if head/neck<br>or hands/wrist involved without lower airway burns | Open wound(s)  |   |
| Fracture of clavicle, scapula or humerus   | Contusion in any part of the body  |   |
| Fracture of face bones   | Superficial injury of any part of the body                                       |   |
| Fracture of foot bones except ankle  | Dislocation of hip   |   |
| Fracture of hand (wrist and other distal part of hand)   | Dislocation of knee  |   |
| Fracture of hip  | Dislocation of shoulder  |   |
| Fracture of patella, tibia or fibula or ankle  | Foreign body in respiratory system   |   |
| Fracture of pelvis   | Foreign body in GI and urogenital system   |   |
| Fracture of radius and/or ulna   | Drowning and non-fatal submersion  |   |
| Fracture of skull  | Asphyxiation   |   |

GBD, Global Burden of Disease; GI, gastrointestinal; TBI, traumatic brain injury.

the Cause of Death Ensemble model (CODEm) framework, which is the standard, peer-reviewed cause of death estimation process used extensively in the GBD study. CODEm generates a large set of possible models based on covariates suggested by the modeller based on expert input and literature review (eg, alcohol for road injuries) and then runs every plausible model, which can range into the thousands per cause. These models can be conducted in both rate space and cause fraction space and use an assortment of combinations among the user-selected covariates (table 4). Fourth, the predictive validity of each one of these submodels is tested using test-train holdouts, whereby a specific model is trained on a portion of data and tested on a separate portion to determine out-of-sample predictive validity. Once the submodels are conducted and predictive validity is measured, then an ensemble model is developed out of the submodels. The submodels and the ensemble model are then subject to the fifth principle, which is to choose the best-performing models based on out-of-sample predictive validity. The chosen models may be a single cause model or an ensemble of models. Beyond these processes, which have become automated with expert review in the GBD processing architecture, there is also considerable time required by the analysts, modellers, collaborators and principal investigators who are involved in the GBD study. Such processes also come under expert scrutiny via the GBD Scientific Council and the peer-review process in the annual GBD capstone publications.<sup>2-7</sup>

Once submodels and ensemble models have been conducted for each cause in the GBD cause hierarchy, a process to correct for cause of death rates to ensure internal consistency is conducted. Specifically, each subcause within some overall cause is rescaled such that, for example, every subtype of road injuries sums to road injuries deaths overall, and then road injuries and other transport injuries sum to equal the overall transport injuries cause. As this cascades to the overall cause hierarchy and the overall all-cause mortality rates, cause-specific mortality across all causes ultimately equals the overall mortality in the population. An example of an injuries cause of death model with

vital registration data (Colombia, females) is shown in figure 1. A similar model with relatively less data is shown in figure 2 (Honduras, females). While data are absent in more recent years in Honduras, the model is still able to follow temporal trends, age patterns and broader geographical patterns by harnessing signals from covariate-based fixed effects (eg, alcohol consumption per capita) and location-based random effects (eg, the regional trends in Central Latin America and patterns in neighbouring countries). All cause of death models from GBD 2017 are publicly available for review (<https://vizhub.healthdata.org/cod/>). Cause-specific deaths are converted to cause-specific mortality rates (CSMRs) using GBD populations. Once CSMRs are established, years of life lost (YLLs) are computed as the product of CSMRs and residual life expectancy at the age of death. The residual life expectancy is based on the lowest observed mortality rate for each age across all populations over 5 million. For example, if a death from road injuries occurs at age 25 and the residual life expectancy is 60 years, then there are 60 YLLs attributed to that death. If the death had occurred at age 50 with a residual life expectancy of 38 years, then 38 YLLs would be attributed. Life tables used for GBD 2017 are provided in related publications.<sup>7</sup>

### Injury incidence, prevalence and years lived with disability

After cause-specific models for each cause of injury in the GBD cause hierarchy are conducted, the non-fatal estimation process is conducted. An overview of this process is depicted in figure 3. In the first stage, we estimate the incidence of injuries warranting medical care using DisMod-MR 2.1 (abbreviated DisMod). DisMod is a meta-regression tool for epidemiological estimation that uses a compartmental model structure whereby a healthy population may become diseased or injured, at which point the individual either remains a prevalent case, goes into remission or dies. DisMod essentially fits differential equations to reconcile the transitions between these different compartments, so that the final posterior estimate for each epidemiological parameter can be explained in the context of the other parameters.



**Table 4** Covariates used in GBD cause of death models

| Cause                       | Global or data-rich model | Sex    | Number of covariates used | Covariates used   |
|-----------------------------|---------------------------|--------|---------------------------|---|
| Transport injuries          | Global/Data rich          | Male   | 10                        | Alcohol (litres per capita), Education (years per capita), Lag distributed income per capita (I\$), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Rainfall Quintile 5 (proportion), Vehicles–two+four wheels (per capita), Vehicles–two wheels fraction (proportion), Sociodemographic Index, Healthcare Access and Quality Index  |
| Transport injuries          | Global/Data rich          | Female | 10                        | Alcohol (litres per capita), Education (years per capita), Lag distributed income per capita (I\$), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Rainfall Quintile 5 (proportion), Vehicles–two+four wheels (per capita), Vehicles–two wheels fraction (proportion), Sociodemographic Index, Healthcare Access and Quality Index  |
| Road injuries               | Global/Data rich          | Male   | 13                        | Alcohol (liters per capita), Education (years per capita), Lag distributed income per capita (I\$), Population 15 to 30 (proportion), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Vehicles–two+four wheels (per capita), Vehicles–two wheels (per capita), Vehicles - 4 wheels (per capita), Vehicles–two wheels fraction (proportion), Log-transformed summary exposure value (SEV) scalar: Road Inj, Sociodemographic Index, Healthcare Access and Quality Index |
| Road injuries               | Global/Data rich          | Female | 13                        | Alcohol (liters per capita), Education (years per capita), Lag distributed income per capita (I\$), Population 15 to 30 (proportion), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Vehicles–two+four wheels (per capita), Vehicles–two wheels (per capita), Vehicles - 4 wheels (per capita), Vehicles–two wheels fraction (proportion), Log-transformed SEV scalar: Road Inj, Sociodemographic Index, Healthcare access and quality index                          |
| Pedestrian road injuries    | Global/Data rich          | Male   | 11                        | Alcohol (liters per capita), Education (years per capita), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Rainfall Quintile 5 (proportion), Vehicles–two+four wheels (per capita), Vehicles–two wheels fraction (proportion), Log-transformed SEV scalar: Pedest, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Pedestrian road injuries    | Global/Data rich          | Female | 11                        | Alcohol (liters per capita), Education (years per capita), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Rainfall Quintile 5 (proportion), Vehicles–two+four wheels (per capita), Vehicles–two wheels fraction (proportion), Log-transformed SEV scalar: Pedest, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Cyclist road injuries       | Global/Data rich          | Male   | 10                        | Alcohol (liters per capita), Education (years per capita), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Vehicles–two+four wheels (per capita), Vehicles - two wheels fraction (proportion), Log-transformed SEV scalar: Cyclist, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)   |
| Cyclist road injuries       | Global/Data rich          | Female | 10                        | Alcohol (liters per capita), Education (years per capita), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Vehicles - two+four wheels (per capita), Vehicles–two wheels fraction (proportion), Log-transformed SEV scalar: Cyclist, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)   |
| Motorcyclist road injuries  | Global/Data rich          | Male   | 10                        | Alcohol (liters per capita), Education (years per capita), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Rainfall Quintile 5 (proportion), Vehicles–two wheels (per capita), Log-transformed SEV scalar: Mot Cyc, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)   |
| Motorcyclist road injuries  | Global/Data rich          | Female | 10                        | Alcohol (liters per capita), Education (years per capita), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Rainfall Quintile 5 (proportion), Vehicles–two wheels (per capita), Log-transformed SEV scalar: Mot Cyc, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)   |
| Motor vehicle road injuries | Global/Data rich          | Male   | 10                        | Alcohol (liters per capita), Education (years per capita), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Rainfall Quintile 5 (proportion), Vehicles–four wheels (per capita), Log-transformed SEV scalar: Mot Veh, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Motor vehicle road injuries | Global/Data rich          | Female | 10                        | Alcohol (liters per capita), Education (years per capita), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Rainfall Quintile 5 (proportion), Vehicles–four wheels (per capita), Log-transformed SEV scalar: Mot Veh, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Other road injuries         | Global/Data rich          | Male   | 8                         | Alcohol (liters per capita), Rainfall Quintile 5 (proportion), Vehicles–two+four wheels (per capita), Vehicles–two wheels fraction (proportion), Log-transformed SEV scalar: Oth Road, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)   |
| Other road injuries         | Global/Data rich          | Female | 8                         | Alcohol (liters per capita), Rainfall Quintile 5 (proportion), Vehicles–two+four wheels (per capita), Vehicles–two wheels fraction (proportion), Log-transformed SEV scalar: Oth Road, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)   |
| Other transport injuries    | Global/Data rich          | Male   | 11                        | Alcohol (liters per capita), Education (years per capita), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Rainfall Quintile 5 (proportion), Vehicles–two+four wheels (per capita), Vehicles–two wheels fraction (proportion), Log-transformed SEV scalar: Oth Trans, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)   |
| Other transport injuries    | Global/Data rich          | Female | 11                        | Alcohol (liters per capita), Education (years per capita), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Rainfall Quintile 5 (proportion), Vehicles–two+four wheels (per capita), Vehicles–two wheels fraction (proportion), Log-transformed SEV scalar: Oth Trans, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)   |
| Falls                       | Global/Data rich          | Male   | 7                         | Alcohol (liters per capita), Elevation Over 1500 m (proportion), Log-transformed SEV scalar: Falls, Sociodemographic Index, milk adjusted(g), Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Falls                       | Global/Data rich          | Female | 7                         | Alcohol (liters per capita), Elevation Over 1500 m (proportion), Log-transformed SEV scalar: Falls, Sociodemographic Index, milk adjusted(g), Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Drowning                    | Global/Data rich          | Male   | 10                        | Alcohol (liters per capita), Coastal Population within 10 km (proportion), Education (years per capita), Landlocked Nation (binary), Elevation Under 100 m (proportion), Rainfall Quintile 1 (proportion), Rainfall Quintile 5 (proportion), Log-transformed SEV scalar: Drown, Sociodemographic Index, Lag distributed income per capita (I\$)   |
| Drowning                    | Global/Data rich          | Female | 10                        | Alcohol (liters per capita), Coastal Population within 10 km (proportion), Education (years per capita), Landlocked Nation (binary), Elevation Under 100 m (proportion), Rainfall Quintile 1 (proportion), Rainfall Quintile 5 (proportion), Log-transformed SEV scalar: Drown, Sociodemographic Index, Lag distributed income per capita (I\$)   |

Continued

Table 4 Continued

|                                      |                  |        |    |   |
|--------------------------------------|------------------|--------|----|---|
| Fire, heat and hot substances        | Global/Data rich | Male   | 9  | Alcohol (liters per capita), Tobacco (cigarettes per capita), Education (years per capita), Indoor Air Pollution (All Cooking Fuels), Population Density (over 1000 ppl/sqkm, proportion), Log-transformed SEV scalar: Fire, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)   |
| Fire, heat and hot substances        | Global/Data rich | Female | 9  | Alcohol (liters per capita), Tobacco (cigarettes per capita), Education (years per capita), Indoor Air Pollution (All Cooking Fuels), Population Density (over 1000 ppl/sqkm, proportion), Log-transformed SEV scalar: Fire, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)   |
| Poisonings                           | Global/Data rich | Male   | 8  | Education (years per capita), Opium Cultivation (binary), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Log-transformed SEV scalar: Poison, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Poisonings                           | Global/Data rich | Female | 8  | Education (years per capita), Opium Cultivation (binary), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Log-transformed SEV scalar: Poison, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Poisoning by carbon monoxide         | Global/Data rich | Male   | 4  | Education (years per capita), Lag distributed income per capita (I\$), Sociodemographic Index, Healthcare Access and Quality Index  |
| Poisoning by carbon monoxide         | Global/Data rich | Female | 4  | Education (years per capita), Lag distributed income per capita (I\$), Sociodemographic Index, Healthcare access and quality index  |
| Poisoning by other means             | Global/Data rich | Male   | 4  | Education (years per capita), Lag distributed income per capita (I\$), Sociodemographic Index, Healthcare access and quality index  |
| Poisoning by other means             | Global/Data rich | Female | 4  | Education (years per capita), Lag distributed income per capita (I\$), Sociodemographic Index, Healthcare access and quality index  |
| Exposure to mechanical forces        | Global/Data rich | Male   | 7  | Alcohol (liters per capita), Education (years per capita), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Sociodemographic Index, Healthcare access and quality index, Lag distributed income per capita (I\$)   |
| Exposure to mechanical forces        | Global/Data rich | Female | 7  | Alcohol (liters per capita), Education (years per capita), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Sociodemographic Index, Healthcare access and quality index, Lag distributed income per capita (I\$)   |
| Unintentional firearm injuries       | Global/Data rich | Male   | 9  | Alcohol (liters per capita), Education (years per capita), Health System Access (unitless), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Log-transformed SEV scalar: Mech Gun, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Unintentional firearm injuries       | Global/Data rich | Female | 9  | Alcohol (liters per capita), Education (years per capita), Health System Access (unitless), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Log-transformed SEV scalar: Mech Gun, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Other exposure to mechanical forces  | Global/Data rich | Male   | 9  | Alcohol (liters per capita), Education (years per capita), Health System Access (unitless), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Log-transformed SEV scalar: Oth Mech, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Other exposure to mechanical forces  | Global/Data rich | Female | 9  | Alcohol (liters per capita), Education (years per capita), Health System Access (unitless), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Log-transformed SEV scalar: Oth Mech, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Adverse effects of medical treatment | Global/Data rich | Male   | 3  | Lag distributed income per capita (I\$), Sociodemographic Index, Healthcare Access and Quality Index  |
| Adverse effects of medical treatment | Global/Data rich | Female | 3  | Lag distributed income per capita (I\$), Sociodemographic Index, Healthcare Access and Quality Index  |
| Animal contact                       | Global/Data rich | Male   | 11 | Alcohol (liters per capita), Education (years per capita), Elevation Over 1500 m (proportion), Population 15 to 30 (proportion), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Elevation Under 100 m (proportion), Log-transformed SEV scalar: Animal, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$) |
| Animal contact                       | Global/Data rich | Female | 11 | Alcohol (liters per capita), Education (years per capita), Elevation Over 1500 m (proportion), Population 15 to 30 (proportion), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Elevation Under 100 m (proportion), Log-transformed SEV scalar: Animal, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$) |
| Venomous animal contact              | Global/Data rich | Male   | 10 | Alcohol (liters per capita), Education (years per capita), Elevation Over 1500 m (proportion), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Elevation Under 100 m (proportion), Log-transformed SEV scalar: Venom, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)                                    |
| Venomous animal contact              | Global/Data rich | Female | 10 | Alcohol (liters per capita), Education (years per capita), Elevation Over 1500 m (proportion), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Elevation Under 100 m (proportion), Log-transformed SEV scalar: Venom, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)                                    |
| Non-venomous animal contact          | Global           | Male   | 6  | Alcohol (liters per capita), Education (years per capita), Lag distributed income per capita (I\$), Log-transformed SEV scalar: Non Ven, Sociodemographic Index, Healthcare Access and Quality Index  |
| Non-venomous animal contact          | Data rich        | Male   | 10 | Alcohol (liters per capita), Education (years per capita), Elevation Over 1500 m (proportion), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Elevation Under 100 m (proportion), Log-transformed SEV scalar: Non Ven, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)                                  |
| Non-venomous animal contact          | Global/Data rich | Female | 10 | Alcohol (liters per capita), Education (years per capita), Elevation Over 1500 m (proportion), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Elevation Under 100 m (proportion), Log-transformed SEV scalar: Non Ven, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)                                  |
| Foreign body                         | Global           | Male   | 10 | Education (years per capita), Indoor Air Pollution (All Cooking Fuels), Population Density (over 1000 ppl/sqkm, proportion), Population Over 65 (proportion), Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Foreign body                         | Global           | Female | 10 | Education (years per capita), Indoor Air Pollution (All Cooking Fuels), Population Density (over 1000 ppl/sqkm, proportion), Population Over 65 (proportion), Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |

Continued

Table 4 Continued

|   |                  |        |    |  |
|---|------------------|--------|----|--|
| Pulmonary aspiration and foreign body in airway | Global/Data rich | Male   | 6  | Alcohol (liters per capita), Lag distributed income per capita (I\$), Mean BMI, Log-transformed SEV scalar: F Body Asp, Sociodemographic Index, Access and Quality Index   |
| Pulmonary aspiration and foreign body in airway | Global           | Female | 8  | Alcohol (liters per capita), Education (years per capita), Mean BMI, Alcohol binge drinker proportion, age-standardised, Log-transformed SEV scalar: F Body Asp, Sociodemographic Index, Healthcare access and quality index, Lag distributed income per capita (I\$)  |
| Pulmonary aspiration and foreign body in airway | Data rich        | Female | 6  | Alcohol (liters per capita), Lag distributed income per capita (I\$), Mean BMI, Log-transformed SEV scalar: F Body Asp, Sociodemographic Index, Healthcare Access and Quality Index  |
| Foreign body in other body part                 | Global/Data rich | Male   | 10 | Alcohol (liters per capita), Education (years per capita), Elevation Over 1500 m (proportion), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Elevation Under 100 m (proportion), Log-transformed SEV scalar: Oth F Body, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Foreign body in other body part                 | Global/Data rich | Female | 10 | Alcohol (liters per capita), Education (years per capita), Elevation Over 1500 m (proportion), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Elevation Under 100 m (proportion), Log-transformed SEV scalar: Oth F Body, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Environmental heat and cold exposure            | Global/Data rich | Male   | 11 | Education (years per capita), Lag distributed income per capita (I\$), Population-weighted mean temperature, Elevation Over 1500 m (proportion), Elevation 500 to 1500 m (proportion), Population Density (150–300 ppl/sqkm, proportion), Rainfall (Quintiles 4–5), Sanitation (proportion with access), 90th percentile climatic temperature in the given country-year, Sociodemographic Index, Healthcare Access and Quality Index   |
| Environmental heat and cold exposure            | Global/Data rich | Female | 11 | Education (years per capita), Lag distributed income per capita (I\$), Population-weighted mean temperature, Elevation Over 1500 m (proportion), Elevation 500 to 1500 m (proportion), Population Density (150–300 ppl/sqkm, proportion), Rainfall (Quintiles 4–5), Sanitation (proportion with access), 90th percentile climatic temperature in the given country-year, Sociodemographic Index, Healthcare Access and Quality Index   |
| Other unintentional injuries                    | Global/Data rich | Male   | 12 | Alcohol (liters per capita), Education (years per capita), Elevation Over 1500 m (proportion), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Elevation Under 100 m (proportion), Vehicles–two wheels (per capita), Vehicles–four wheels (per capita), Log-transformed SEV scalar: Oth Unint, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Other unintentional injuries                    | Global/Data rich | Female | 12 | Alcohol (liters per capita), Education (years per capita), Elevation Over 1500 m (proportion), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Elevation Under 100 m (proportion), Vehicles–two wheels (per capita), Vehicles–four wheels (per capita), Log-transformed SEV scalar: Oth Unint, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Self-harm                                       | Global           | Male   | 11 | Alcohol (liters per capita), Education (years per capita), Population Density (150–300 ppl/sqkm, proportion), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Sociodemographic Index, Healthcare Access and Quality Index, Muslim Religion (proportion of population), Lag distributed income per capita (I\$)  |
| Self-harm                                       | Global           | Female | 15 | Alcohol (liters per capita), Education (years per capita), Population Density (150–300 ppl/sqkm, proportion), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Religion (binary, >50% Muslim), Log-transformed SEV scalar: Self Harm, Sociodemographic Index, Major depressive disorder, Risk of selfharm due to major depressive disorder, Healthcare Access and Quality Index, Non-partner lifetime prevalence of sexual violence (female-only), Lag distributed income per capita (I\$) |
| Self-harm                                       | Data rich        | Male   | 11 | Alcohol (liters per capita), Education (years per capita), Population Density (150–300 ppl/sqkm, proportion), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Religion (binary, >50% Muslim), Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Self-harm                                       | Data rich        | Female | 13 | Alcohol (liters per capita), Education (years per capita), Population Density (150–300 ppl/sqkm, proportion), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Religion (binary, >50% Muslim), Log-transformed SEV scalar: Self Harm, Sociodemographic Index, Major depressive disorder, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Self-harm by firearm                            | Global/Data rich | Male   | 13 | Alcohol (liters per capita), Education (years per capita), Population Density (150–300 ppl/sqkm, proportion), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Religion (binary, >50% Muslim), Log-transformed SEV scalar: Self Harm, Sociodemographic Index, Major depressive disorder, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Self-harm by firearm                            | Global/Data rich | Female | 13 | Alcohol (liters per capita), Education (years per capita), Population Density (150–300 ppl/sqkm, proportion), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Religion (binary, >50% Muslim), Log-transformed SEV scalar: Self Harm, Sociodemographic Index, Major depressive disorder, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Self-harm by other specified means              | Global/Data rich | Male   | 13 | Alcohol (liters per capita), Education (years per capita), Population Density (150–300 ppl/sqkm, proportion), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Religion (binary, >50% Muslim), Log-transformed SEV scalar: Self Harm, Sociodemographic Index, Major depressive disorder, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Self-harm by other specified means              | Global/Data rich | Female | 13 | Alcohol (liters per capita), Education (years per capita), Population Density (150–300 ppl/sqkm, proportion), Population Density (300–500 ppl/sqkm, proportion), Population Density (500–1000 ppl/sqkm, proportion), Population Density (over 1000 ppl/sqkm, proportion), Population Density (under 150 ppl/sqkm, proportion), Religion (binary, >50% Muslim), Log-transformed SEV scalar: Self Harm, Sociodemographic Index, Major depressive disorder, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)  |
| Interpersonal violence                          | Global/Data rich | Male   | 8  | Alcohol (liters per capita), Education (years per capita), Opium Cultivation (binary), Population Density (over 1000 ppl/sqkm, proportion), Log-transformed SEV scalar: Violence, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)   |

Continued

Table 4 Continued

|                                   |                  |        |   |  |
|-----------------------------------|------------------|--------|---|--|
| Interpersonal violence            | Global/Data rich | Female | 8 | Alcohol (liters per capita), Education (years per capita), Opium Cultivation (binary), Population Density (over 1000 ppl/sqkm, proportion), Log-transformed SEV scalar: Violence, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)   |
| Physical violence by firearm      | Global/Data rich | Male   | 8 | Alcohol (liters per capita), Education (years per capita), Opium Cultivation (binary), Population Density (over 1000 ppl/sqkm, proportion), Log-transformed SEV scalar: Viol Gun, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)   |
| Physical violence by firearm      | Global/Data rich | Female | 8 | Alcohol (liters per capita), Education (years per capita), Opium Cultivation (binary), Population Density (over 1000 ppl/sqkm, proportion), Log-transformed SEV scalar: Viol Gun, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)   |
| Physical violence by sharp object | Global/Data rich | Male   | 8 | Alcohol (liters per capita), Education (years per capita), Opium Cultivation (binary), Population Density (over 1000 ppl/sqkm, proportion), Log-transformed SEV scalar: Viol Knife, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$) |
| Physical violence by sharp object | Global/Data rich | Female | 8 | Alcohol (liters per capita), Education (years per capita), Opium Cultivation (binary), Population Density (over 1000 ppl/sqkm, proportion), Log-transformed SEV scalar: Viol Knife, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$) |
| Physical violence by other means  | Global/Data rich | Male   | 8 | Alcohol (liters per capita), Education (years per capita), Opium Cultivation (binary), Population Density (over 1000 ppl/sqkm, proportion), Log-transformed SEV scalar: Oth Viol, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)   |
| Physical violence by other means  | Global/Data rich | Female | 8 | Alcohol (liters per capita), Education (years per capita), Opium Cultivation (binary), Population Density (over 1000 ppl/sqkm, proportion), Log-transformed SEV scalar: Oth Viol, Sociodemographic Index, Healthcare Access and Quality Index, Lag distributed income per capita (I\$)   |
| Executions and police conflict    | Global/Data rich | Male   | 6 | Alcohol (liters per capita), Education (years per capita), Lag distributed income per capita (I\$), Population Density (over 1000 ppl/sqkm, proportion), Sociodemographic Index, Healthcare Access and Quality Index   |
| Executions and police conflict    | Global/Data rich | Female | 6 | Alcohol (liters per capita), Education (years per capita), Lag distributed income per capita (I\$), Population Density (over 1000 ppl/sqkm, proportion), Sociodemographic Index, Healthcare Access and Quality Index   |

BMI, body mass index.

Similar to the principles described in CODEm, DisMod uses all available data, ranging from incidence data to cause-specific mortality rates from the corrected CODEm results, to produce estimates for every age, sex, year and location. For the purposes of injuries, we established our case definition for non-fatal injuries as injuries that require medical care. This is a necessary case

definition as we do not want to consider minor stumbles and falls, for example, that led to no actual bodily harm as injuries for GBD, since they would not have any associated disability. These models are conducted only for injury *causes* as opposed to the nature of injuries references above. Each data input is designated based on type of data—specifically, inpatient data, outpatient






Figure 1 Cause of Death Ensemble model with data points for road injuries in Colombia for females.



**Figure 2** Cause of Death Ensemble model with data points for road injuries in Honduras for females

data, surveillance data, survey data and literature studies that are population-representative. We model incidence rates for hospital admissions for injuries, so the non-inpatient data sources get adjusted according to their classification so that the model inputs are consistent as injuries that warranted or received inpatient medical care. The coefficients measured by DisMod that were

used for adjustment are provided in table 5. Input data for injury cause incidence models included sources identified as part of systematic reviews conducted in past GBD cycles, new sources identified by the GBD collaborator network and new sources of clinical data and other injuries data obtained by the core injuries burden estimation team at the Institute for Health Metrics and



**Figure 3** Injuries non-fatal estimation flow chart.

**Table 5** Covariates and coefficients used in Global Burden of Disease incidence cause models

| Cause   | Outpatient coefficient | Injury receiving formal care, inpatient and outpatient coefficient | Injury warranting medical care coefficient |
|---|------------------------|--|--|
| Animal contact                                  | 7.04 (7.03–7.04)       | 7.56 (6.91–8.31)   |  |
| Non-venomous animal contact                     | 2.91 (2.91–2.92)       | 11.21 (10.1–12.38)   |  |
| Venomous animal contact                         | 3.14 (3.01–3.34)       | 4.09 (3.69–4.5)  |  |
| Drowning  | 0.88 (0.87–0.89)       | 1.01 (1.0–1.05)  | 30.42 (15.33–51.11)                        |
| Falls   | 6.91 (6.89–6.94)       | 5.94 (5.5–6.46)  | 9.73 (9.28–10.22)                          |
| Fire, heat and hot substances                   | 3.53 (3.53–3.56)       | 7.82 (7.24–8.51)   |  |
| Pulmonary aspiration and foreign body in airway | 3.37 (3.35–3.43)       | 15.36 (13.93–16.86)  |  |
| Foreign body in eyes                            | 931.4 (923.34–934.49)  | 302.06 (251.14–365.04)   |  |
| Foreign body in other body part                 | 1.97 (1.95–2.01)       | 20.97 (15.55–26.26)  |  |
| Interpersonal violence                          | 6.57 (6.56–6.61)       | 21.43 (13.6–32.79)   | 46.97 (39.57–53.62)                        |
| Assault by firearm                              | 1.36 (1.29–1.44)       | 1.27 (1.05–1.6)  | 53.58 (50.65–54.54)                        |
| Assault by sharp object                         | 3.18 (2.92–3.5)        | 2.38 (1.86–3.22)   | 37.91 (28.3–50.05)                         |
| Assault by other means                          | 5.65 (5.44–5.89)       | 2.44 (2.02–3.2)  |  |
| Exposure to mechanical forces                   | 12.4 (12.0–12.82)      | 33.3 (30.51–36.23)   |  |
| Unintentional firearm injuries                  | 2.71 (2.53–2.9)        | 4.6 (3.49–6.36)  |  |
| Other exposure to mechanical forces             | 12.62 (12.55–12.85)    | 30.77 (25.74–36.09)  |  |
| Adverse effects of medical treatment            | 1.06 (1.06–1.06)       | 19.81 (17.29–26.1)   |  |
| Environmental heat and cold exposure            | 3.91 (3.9–3.94)        |  | 17.54 (3.91–49.6)                          |
| Other unintentional injuries                    | 13.53 (13.46–13.78)    |  | 14.95 (9.62–24.12)                         |
| Poisonings                                      | 3.96 (3.73–4.19)       | 3.78 (3.4–4.21)  | 8.47 (4.41–16.64)                          |
| Poisoning by carbon monoxide                    | 5.86 (5.68–5.92)       |  |  |
| Poisoning by other means                        | 4.18 (3.9–4.5)         |  |  |
| Self-harm                                       | 2.75 (2.75–2.78)       | 2.5 (2.2–2.83)   |  |
| Self-harm by firearm                            | 2.77 (2.42–3.07)       | 16.94 (2.81–51.06)   |  |
| Self-harm by other specified means              | 1.5 (1.47–1.51)        | 6.73 (2.78–19.14)  |  |
| Other transport injuries                        | 1.65 (1.6–1.77)        | 1.01 (1.0–1.03)  |  |
| Road injuries                                   | 3.77 (3.75–3.78)       | 6.16 (5.65–6.68)   | 15.44 (13.25–18.1)                         |
| Motorcyclist road injuries                      | 1.94 (1.92–1.99)       |  |  |
| Motor vehicle road injuries                     | 4.48 (4.46–4.48)       |  |  |
| Other road injuries                             | 6.9 (6.89–6.96)        |  |  |
| Cyclist road injuries                           | 4.54 (4.33–4.89)       |  |  |
| Pedestrian road injuries                        | 1.94 (1.94–1.96)       | 15.78 (7.63–36.6)  |  |

Evaluation at the University of Washington. In addition, CSMRs from the corrected CODEm models described above are used in this stage of DisMod modelling. The list of non-fatal injury sources used in GBD 2017 is provided in online supplementary appendix table 2. The completed DisMod models for inpatient incidence for each cause of injury are publicly available at <https://vizhub.healthdata.org/epi/>.

Once an incidence cause model is constructed for each cause of injury, an extensive analytical ‘pipeline’ follows which converts injury cause incidence into years lived with disability. First, inpatient incidence is split into inpatient and outpatient incidence using coefficients empirically measured by DisMod. The outpatient coefficients for each injury cause are also included in table 5. Separate pipelines are then conducted for inpatient and outpatient injury incidence—each step below can be considered to have been run for both streams of data, for each cause of injury. After the coefficient is applied, incidence is adjusted by the excess mortality rate measured by DisMod to essentially remove injury cases that died after the injury occurred. Once these deaths are removed from the incidence pool, the resulting steps are applied to these surviving cases of injury. First, each new case of injury is considered to have 47 possible ‘natures’ of injury that can result. These are the types of bodily injury that are considered to be possible outcomes from a given injury

cause. The proportion of new cases of injury that would have some nature of injury as the most disabling outcome is determined based on dual-coded clinical data sources where both the cause and nature of injury were included as ICD codes.<sup>10</sup> Of note, one limitation of this process is that due to computational demands, it is currently only possible to apportion the most disabling nature of injury for each new case of injury. As such, the probability that each nature of injury is the most disabling nature of injury for some cause of injury is modelled in a Dirichlet regression such that the probabilities sum to 1. In other words, each nature of injury has some probability of being the most disabling injury suffered by the victim of some cause of injury, but if multiple natures of injury occurred, then the less disabling injuries are not captured as part of that injury cause’s disability. This limitation has been recognised as a limitation of GBD injury burden estimation in various peer-reviewed articles and will likely be addressed in future GBD updates as computational efficiency improves.<sup>3 10</sup>

The probability distributions of each cause-nature are computed separately for each age, sex, year and location. At this point, the analytical stage has the age-specific, sex-specific, year-specific, location-specific incidence of a cause-nature combination, for example, the incidence of road injuries that led to a cervical-level spinal cord injury in males aged 20–24 years in

2017 in Stockholm, Sweden. The next step converts these incidence estimates into short-term and long-term injury incidence estimates, where long-term disability is defined as having a lower functional status 1 year postinjury than at the time of injury. These probabilities were measured using long-term follow-up studies.<sup>14–20</sup> For some natures of injury, such as lower extremity amputation, the probability of being a long-term injury is 1. The probabilities of short-term versus long-term injury for each cause-nature combination are used to split the incidence values into short-term and long-term pipelines. The long-term incidence is then converted to prevalence using the ordinary differential equation solver used in DisMod, which also uses as an input excess mortality estimated for certain natures of injury such as traumatic brain injury and spinal cord injury conducted in a previous systematic review and meta-analysis. The short-term incidence is converted to prevalence by multiplying incidence and duration of injury, where duration of injury was either computed directly from follow-up studies or, in the case of unavailable data, estimated by an expert clinical panel involved in previous iterations of the GBD study. Since access to medical treatment is assumed to affect duration of injury and disability, the GBD Healthcare Access and Quality Index is used to estimate the proportion with and without access to medical treatment on a location-specific basis.<sup>21</sup> The average duration for short-term injury is therefore calculated as the percentage treated multiplied by treated duration added to the percentage untreated multiplied by the untreated duration. The output from this step is the short-term prevalence of each cause-nature combination. Short-term prevalence is subtracted from long-term prevalence at this stage to avoid double counting the same case of injury. Once short-term and long-term prevalence estimates for each cause-nature are computed, then disability weights as derived by the Salomon *et al* process are assigned to each injury nature.<sup>22</sup> Short-term disability weights by injury nature are shown in table 6, which does not include amputations since we assume they cause only long-term disability. The full list of long-term disability weights by injury nature, location and year are provided in online supplementary appendix table 3, which does not include foreign body in respiratory system, foreign body in gastrointestinal and urogenital system, foreign body in ear and superficial injury of any part of body, since we assume these natures of injury do not cause long-term disability. After disability weights are assigned to each injury case, years lived with disability for each cause of injury are calculated as the prevalence of each health state multiplied by the corresponding disability weight and then summed across natures of injury for each cause to compute years lived with disability (YLDs) for each age, sex, year and location for that injury cause. YLDs then undergo comorbidity adjustment used across the GBD study whereby comorbid cases of disease and injury in the population are simulated and adjusted disability weights are computed. These processes are described in more detail in GBD literature.<sup>3</sup> GBD 2017 provided an important methodological update whereby nature of injury results, regardless of cause of injury, could be reviewed in the results from this process; this has enabled more advanced GBD research such as measuring the burden of traumatic brain injury and spinal cord injury, measuring the burden of facial fractures and measuring the burden of hand and finger fractures.<sup>10</sup>

### Sexual violence


Sexual violence follows a different analytical pathway than the other causes of injury. This process is shown in figure 4. We used the same study framework as was developed for other injury

**Table 6** Short-term disability weights for each nature of injury

| Nature of injury  | Short-term disability weight |
|---|------------------------------|
| Spinal cord lesion at neck level  | 0.7319                       |
| Spinal cord lesion below neck level   | 0.6235                       |
| Foreign body in respiratory system  | 0.4079                       |
| Lower airway burns  | 0.3764                       |
| Severe chest Injury   | 0.3685                       |
| Internal haemorrhage in abdomen and pelvis  | 0.3242                       |
| Burns, $\geq 20\%$ total burned surface area or $\geq 10\%$ burned surface area if head/neck or hands/wrist involved without lower airway burns | 0.3145                       |
| Fracture of pelvis  | 0.2788                       |
| Fracture of hip   | 0.2575                       |
| Multiple fractures, dislocations, crashes, wounds, sprains and strains  | 0.2575                       |
| Drowning and non-fatal submersion   | 0.2471                       |
| Asphyxiation  | 0.2471                       |
| Moderate TBI  | 0.2137                       |
| Poisoning requiring urgent care   | 0.1628                       |
| Burns, $< 20\%$ total burned surface area without lower airway burns  | 0.1408                       |
| Effect of different environmental factors   | 0.1334                       |
| Complications following therapeutic procedures  | 0.1334                       |
| Crush injury  | 0.1325                       |
| Foreign body in GI and urogenital system  | 0.1143                       |
| Dislocation of knee   | 0.1134                       |
| Fracture of femur, other than femoral neck  | 0.1114                       |
| Fracture of vertebral column  | 0.1106                       |
| Minor TBI   | 0.11                         |
| Fracture of sternum and/or fracture of one or more ribs   | 0.1027                       |
| Nerve injury  | 0.0997                       |
| Fracture of skull   | 0.0714                       |
| Fracture of face bones  | 0.0669                       |
| Dislocation of shoulder   | 0.062                        |
| Injury to eyes  | 0.0543                       |
| Fracture of patella, tibia or fibula or ankle   | 0.0501                       |
| Fracture of clavicle, scapula or humerus  | 0.0349                       |
| Fracture of radius and/or ulna  | 0.0281                       |
| Fracture of foot bones except ankle   | 0.026                        |
| Dislocation of hip  | 0.0159                       |
| Foreign body in ear   | 0.0133                       |
| Fracture of hand (wrist and other distal part of hand)  | 0.0099                       |
| Muscle and tendon injuries, including sprains and strains lesser dislocations   | 0.0075                       |
| Contusion in any part of the body   | 0.0075                       |
| Superficial injury of any part of the body  | 0.0075                       |
| Open wound(s)   | 0.0058                       |

GI, gastrointestinal; TBI, traumatic brain injury.

rates in the GBD 2017 study to estimate the yearly proportion of the population that experienced at least one episode of sexual violence in the past year, using a case definition of any sexual assault including penetrative sexual violence (rape) and non-penetrative sexual violence (other forms of unwanted sexual touching). To inform the sexual violence estimates, we identified data in 93 countries that met the case definition above. This resulted in 263 site-years of data, which mainly were derived from surveys such as Demographic and Health Surveys and Reproductive Health Surveys. Similar to our other injury models, we used DisMod 2.1 to model prevalence. The



**Figure 4** Sexual violence estimation flow chart. HAQI, Healthcare Access and Quality Index.

sexual violence prevalence model used study-level covariates for each type of survey question, for example, we used a study-level covariate to identify surveys that identify penetrative sexual violence only to account for how the overall incidence of sexual violence is greater than this value. This model also used a covariate on alcohol use in litres per capita for each location to help fit the model in data-sparse locations. Once yearly prevalence was measured, sexual violence cases undergo a process by which short-term disability from the physical and psychological harm of sexual violence cases is assigned to each prevalent case; however, long-term sequelae of sexual violence are currently not captured in this process, which has been a known limitation of sexual violence estimation in the GBD framework.

### Disability-adjusted life-years

After estimation of cause-specific mortality and YLLs as well as non-fatal health outcomes estimation including YLDs, DALYs are calculated as the sum of YLLs and YLDs for each cause of injury. YLDs are also calculated for each nature of injury category.

### GATHER statement

GBD 2017 adheres to the Guidelines for Accurate and Transparent Health Estimates Reporting (GATHER). GATHER is described in more detail in online supplementary appendix 2.

### RESULTS

Results for all GBD 2017 injury estimates are available in associated publications as well as online. Specifically, results by age, sex, year, subnational location and nature of injury can be viewed and downloaded online via the GBD Results Tool (<http://ghdx.healthdata.org/gbd-results-tool>) and GBD Compare (<https://vizhub.healthdata.org/gbd-compare/>). These results are available in terms of incidence, prevalence, YLDs, cause-specific mortality, YLLs and DALYs, expressed in counts, rates, and percentages. Analytical code and input datasets are available at <http://ghdx.healthdata.org>.

### CODEm models

Model performance metrics for each injury cause model in GBD 2017 are provided in table 7. Model performance metrics for CODEm models include root mean square error (RMSE) for in-sample tests and out-of-sample tests, percentage of data points that correctly predict the trend in-sample and out-of-sample and percentage of data points that are present within the 95% uncertainty intervals (UIs) of the model fit. RMSE in-sample is generally better than RMSE out-of-sample, which is an expected result that also demonstrates the importance of performing out-of-sample predictive validity tests. While the correct trend is predicted in approximately one in five models, this may also

be related to more dynamic temporal trends in injury mortality patterns over time. In general, most data points exist within the 95% UI of the model fit (mean: 98.5% in-sample, 98.0% out-of-sample).

### Incidence models

Model performance metrics for each injury cause model in GBD 2017 are provided in table 8. These model performance metrics include in-sample coverage and RMSE of estimated results for cause-specific mortality, excess mortality and incidence. There are no performance metrics for CSMR or excess mortality for foreign body in eyes since we do not estimate mortality from this cause of injury. For incidence, the in-sample coverage average was 55.3% across cause-of-injury models and ranged from a low of 26% in falls to a high of 88% in poisoning by carbon monoxide. Incidence RMSE ranged from a low of 1.04 in pedestrian road injuries to a high of 4.86 in foreign body in eye.

### DISCUSSION

Many considerable advancements have been made in the measurement of global injury burden since early versions of the GBD Study. Novel datasets, sophisticated statistical modelling and global collaboration have all facilitated the advancement of injury burden measurement science. Many more advancements in future updates should be possible as larger datasets become available and as computational power allows for more detailed measurement processes. Continued global collaboration will be an integral component. Suggested priority items for the advancement of injury burden estimation are as follows:

First, while much of the global injury burden occurs in low-income and middle-income countries, these countries are frequently the most data-sparse. GBD has rigorously attempted to collect all available data, including police records and verbal autopsy studies and inpatient and outpatient records; however, it is likely that additional data sources in data-sparse countries exist. Parties who are aware of additional data sources that could be used in the GBD estimation framework should consider joining the GBD collaborator network to contribute new sources of data to be used in future estimation updates.

Second, computational and data limitations make it difficult to account for the full disability that might be experienced in the setting of multiple injuries. For example, if an individual sustains a below-neck spinal injury and an upper extremity amputation, the amputation is not directly accounted for in the prevalence or YLD estimate of the injury cause to which this disability is attributed. This problem quickly grows in complexity, as one can imagine an event like a road injury leading to multiple contusions and abrasions,



**Table 7** Performance metrics for each cause-of-injury CODEm model

| Cause                         | Type      | Sex    | RMSE in-sample | RMSE out-of-sample | Per cent coverage in-sample | Per cent coverage out-of-sample |
|-------------------------------|-----------|--------|----------------|--------------------|-----------------------------|---------------------------------|
| Transport injuries            | Data rich | Female | 0.153062       | 0.211028           | 0.999851                    | 0.999395                        |
| Transport injuries            | Data rich | Male   | 0.144423       | 0.202366           | 0.99978                     | 0.998995                        |
| Transport injuries            | Global    | Female | 0.216405       | 0.338398           | 0.99951                     | 0.992996                        |
| Transport injuries            | Global    | Male   | 0.209561       | 0.327954           | 0.999347                    | 0.99108                         |
| Road injuries                 | Data rich | Female | 0.154916       | 0.22011            | 0.999945                    | 0.999642                        |
| Road injuries                 | Data rich | Male   | 0.147432       | 0.208989           | 0.99987                     | 0.999452                        |
| Road injuries                 | Global    | Female | 0.198002       | 0.338885           | 0.999736                    | 0.993674                        |
| Road injuries                 | Global    | Male   | 0.193896       | 0.321219           | 0.999332                    | 0.990834                        |
| Pedestrian road injuries      | Data rich | Female | 0.183693       | 0.327964           | 0.999776                    | 0.998965                        |
| Pedestrian road injuries      | Data rich | Male   | 0.177994       | 0.323544           | 0.999688                    | 0.998913                        |
| Pedestrian road injuries      | Global    | Female | 0.240151       | 0.430127           | 0.999174                    | 0.992328                        |
| Pedestrian road injuries      | Global    | Male   | 0.247329       | 0.409191           | 0.998229                    | 0.990017                        |
| Cyclist road injuries         | Data rich | Female | 0.219965       | 0.435983           | 0.999892                    | 0.999106                        |
| Cyclist road injuries         | Data rich | Male   | 0.206919       | 0.500591           | 0.999876                    | 0.999158                        |
| Cyclist road injuries         | Global    | Female | 0.296895       | 0.528063           | 0.998384                    | 0.990875                        |
| Cyclist road injuries         | Global    | Male   | 0.294776       | 0.527441           | 0.998702                    | 0.988234                        |
| Motorcyclist road injuries    | Data rich | Female | 0.268406       | 0.653692           | 0.999776                    | 0.998805                        |
| Motorcyclist road injuries    | Data rich | Male   | 0.195368       | 0.444714           | 0.999793                    | 0.998395                        |
| Motorcyclist road injuries    | Global    | Female | 0.362655       | 0.692762           | 0.998726                    | 0.99082                         |
| Motorcyclist road injuries    | Global    | Male   | 0.283024       | 0.502588           | 0.998804                    | 0.987794                        |
| Motor vehicle road injuries   | Data rich | Female | 0.167766       | 0.33083            | 0.99993                     | 0.999335                        |
| Motor vehicle road injuries   | Data rich | Male   | 0.160584       | 0.309726           | 0.999919                    | 0.999377                        |
| Motor vehicle road injuries   | Global    | Female | 0.230946       | 0.38664            | 0.99957                     | 0.995355                        |
| Motor vehicle road injuries   | Global    | Male   | 0.232898       | 0.378096           | 0.999353                    | 0.992869                        |
| Other road injuries           | Data rich | Female | 0.408852       | 1.04171            | 0.997205                    | 0.970506                        |
| Other road injuries           | Data rich | Male   | 0.467256       | 1.21047            | 0.994429                    | 0.9463                          |
| Other road injuries           | Global    | Female | 0.558784       | 0.899497           | 0.994899                    | 0.96375                         |
| Other road injuries           | Global    | Male   | 0.654189       | 1.0708             | 0.984753                    | 0.931697                        |
| Other transport injuries      | Data rich | Female | 0.255843       | 0.406371           | 0.999581                    | 0.998655                        |
| Other transport injuries      | Data rich | Male   | 0.195575       | 0.404214           | 0.999666                    | 0.99863                         |
| Other transport injuries      | Global    | Female | 0.31846        | 0.546918           | 0.998599                    | 0.991384                        |
| Other transport injuries      | Global    | Male   | 0.267514       | 0.49731            | 0.998444                    | 0.989304                        |
| Falls                         | Data rich | Female | 0.162773       | 0.237492           | 0.999873                    | 0.999522                        |
| Falls                         | Data rich | Male   | 0.157114       | 0.220452           | 0.999847                    | 0.999492                        |
| Falls                         | Global    | Female | 0.246877       | 0.428822           | 0.99923                     | 0.988577                        |
| Falls                         | Global    | Male   | 0.246101       | 0.369118           | 0.999571                    | 0.989585                        |
| Drowning                      | Data rich | Female | 0.177905       | 0.258172           | 0.999932                    | 0.999782                        |
| Drowning                      | Data rich | Male   | 0.164617       | 0.226899           | 0.999868                    | 0.999373                        |
| Drowning                      | Global    | Female | 0.238598       | 0.428467           | 0.999657                    | 0.992777                        |
| Drowning                      | Global    | Male   | 0.224438       | 0.361879           | 0.99961                     | 0.989534                        |
| Fire, heat and hot substances | Data rich | Female | 0.175426       | 0.245              | 0.999962                    | 0.999793                        |
| Fire, heat and hot substances | Data rich | Male   | 0.17054        | 0.227618           | 0.999944                    | 0.999737                        |
| Fire, heat and hot substances | Global    | Female | 0.281428       | 0.401798           | 0.999483                    | 0.994548                        |
| Fire, heat and hot substances | Global    | Male   | 0.289708       | 0.40982            | 0.999518                    | 0.99422                         |
| Poisonings                    | Data rich | Female | 0.190498       | 0.283924           | 0.999901                    | 0.999732                        |
| Poisonings                    | Data rich | Male   | 0.189747       | 0.283639           | 0.999888                    | 0.999668                        |

Continued

Table 7 Continued

| Cause                                | Type      | Sex    | RMSE in-sample | RMSE out-of-sample | Per cent coverage in-sample | Per cent coverage out-of-sample |
|--------------------------------------|-----------|--------|----------------|--------------------|-----------------------------|---------------------------------|
| Poisonings                           | Global    | Female | 0.311328       | 0.515718           | 0.99918                     | 0.993385                        |
| Poisonings                           | Global    | Male   | 0.323815       | 0.529806           | 0.999166                    | 0.992089                        |
| Poisoning by carbon monoxide         | Data rich | Female | 0.255034       | 0.352342           | 0.999119                    | 0.998139                        |
| Poisoning by carbon monoxide         | Data rich | Male   | 0.234913       | 0.328692           | 0.999486                    | 0.998765                        |
| Poisoning by carbon monoxide         | Global    | Female | 0.353393       | 0.688269           | 0.998372                    | 0.982832                        |
| Poisoning by carbon monoxide         | Global    | Male   | 0.305615       | 0.621778           | 0.999006                    | 0.983458                        |
| Poisoning by other means             | Data rich | Female | 0.208468       | 0.470199           | 0.999861                    | 0.998144                        |
| Poisoning by other means             | Data rich | Male   | 0.231395       | 0.543185           | 0.999871                    | 0.998948                        |
| Poisoning by other means             | Global    | Female | 0.284383       | 0.555132           | 0.999746                    | 0.989287                        |
| Poisoning by other means             | Global    | Male   | 0.288098       | 0.590913           | 0.999759                    | 0.990146                        |
| Exposure to mechanical forces        | Data rich | Female | 0.171902       | 0.29354            | 0.999636                    | 0.99932                         |
| Exposure to mechanical forces        | Data rich | Male   | 0.162641       | 0.259268           | 0.999605                    | 0.998955                        |
| Exposure to mechanical forces        | Global    | Female | 0.398855       | 0.54379            | 0.995672                    | 0.987855                        |
| Exposure to mechanical forces        | Global    | Male   | 0.325975       | 0.454021           | 0.995758                    | 0.985214                        |
| Unintentional firearm injuries       | Data rich | Female | 0.207177       | 0.502831           | 0.999619                    | 0.999488                        |
| Unintentional firearm injuries       | Data rich | Male   | 0.221533       | 0.49235            | 0.999306                    | 0.998449                        |
| Unintentional firearm injuries       | Global    | Female | 0.354152       | 0.591674           | 0.998979                    | 0.991558                        |
| Unintentional firearm injuries       | Global    | Male   | 0.355798       | 0.64953            | 0.996524                    | 0.980841                        |
| Other exposure to mechanical forces  | Data rich | Female | 0.20287        | 0.436518           | 0.999912                    | 0.999795                        |
| Other exposure to mechanical forces  | Data rich | Male   | 0.170292       | 0.318704           | 0.999896                    | 0.999761                        |
| Other exposure to mechanical forces  | Global    | Female | 0.406425       | 0.538089           | 0.995379                    | 0.98994                         |
| Other exposure to mechanical forces  | Global    | Male   | 0.361646       | 0.472713           | 0.995528                    | 0.988955                        |
| Adverse effects of medical treatment | Data rich | Female | 0.186809       | 0.305147           | 0.999832                    | 0.999511                        |
| Adverse effects of medical treatment | Data rich | Male   | 0.217278       | 0.342415           | 0.999833                    | 0.999577                        |
| Adverse effects of medical treatment | Global    | Female | 0.280204       | 0.430453           | 0.999698                    | 0.993818                        |
| Adverse effects of medical treatment | Global    | Male   | 0.277028       | 0.431272           | 0.999573                    | 0.992957                        |
| Animal contact                       | Data rich | Female | 0.277226       | 0.439671           | 0.999355                    | 0.998642                        |
| Animal contact                       | Data rich | Male   | 0.231627       | 0.414921           | 0.999863                    | 0.999528                        |
| Animal contact                       | Global    | Female | 0.401714       | 0.691306           | 0.998669                    | 0.987713                        |
| Animal contact                       | Global    | Male   | 0.316647       | 0.623446           | 0.9991                      | 0.99176                         |
| Venomous animal contact              | Data rich | Female | 0.417726       | 0.745234           | 0.960501                    | 0.956152                        |
| Venomous animal contact              | Data rich | Male   | 0.401006       | 0.761481           | 0.977149                    | 0.97478                         |
| Venomous animal contact              | Global    | Female | 0.634642       | 0.915323           | 0.965066                    | 0.949503                        |

Continued

Table 7 Continued

| Cause   | Type      | Sex    | RMSE in-sample | RMSE out-of-sample | Per cent coverage in-sample | Per cent coverage out-of-sample |
|---|-----------|--------|----------------|--------------------|-----------------------------|---------------------------------|
| Venomous animal contact                         | Global    | Male   | 0.449848       | 0.839185           | 0.97819                     | 0.96024                         |
| Non-venomous animal contact                     | Data rich | Female | 0.304776       | 0.593881           | 0.994547                    | 0.991865                        |
| Non-venomous animal contact                     | Data rich | Male   | 0.304223       | 0.529077           | 0.998929                    | 0.998113                        |
| Non-venomous animal contact                     | Global    | Female | 0.421204       | 0.680417           | 0.995082                    | 0.9848                          |
| Non-venomous animal contact                     | Global    | Male   | 0.471148       | 0.740524           | 0.998707                    | 0.990622                        |
| Foreign body                                    | Data rich | Female | 0.170699       | 0.275966           | 0.999937                    | 0.999705                        |
| Foreign body                                    | Data rich | Male   | 0.166161       | 0.263143           | 0.999798                    | 0.999305                        |
| Foreign body                                    | Global    | Female | 0.216832       | 0.401408           | 0.999535                    | 0.992467                        |
| Foreign body                                    | Global    | Male   | 0.227414       | 0.381598           | 0.999262                    | 0.989838                        |
| Pulmonary aspiration and foreign body in airway | Data rich | Female | 0.174424       | 0.374749           | 0.999979                    | 0.999572                        |
| Pulmonary aspiration and foreign body in airway | Data rich | Male   | 0.178947       | 0.34741            | 0.999928                    | 0.999294                        |
| Pulmonary aspiration and foreign body in airway | Global    | Female | 0.267697       | 0.416038           | 0.999413                    | 0.993624                        |
| Pulmonary aspiration and foreign body in airway | Global    | Male   | 0.286472       | 0.422915           | 0.998089                    | 0.990215                        |
| Foreign body in other body part                 | Data rich | Female | 0.31229        | 0.664465           | 0.99005                     | 0.987846                        |
| Foreign body in other body part                 | Data rich | Male   | 0.291172       | 0.629172           | 0.993547                    | 0.991666                        |
| Foreign body in other body part                 | Global    | Female | 0.462299       | 0.749894           | 0.98392                     | 0.971743                        |
| Foreign body in other body part                 | Global    | Male   | 0.478614       | 0.759133           | 0.984301                    | 0.971436                        |
| Other unintentional injuries                    | Data rich | Female | 0.266367       | 0.450437           | 0.999612                    | 0.999067                        |
| Other unintentional injuries                    | Data rich | Male   | 0.228051       | 0.387409           | 0.999597                    | 0.998959                        |
| Other unintentional injuries                    | Global    | Female | 0.354782       | 0.671813           | 0.997343                    | 0.984969                        |
| Other unintentional injuries                    | Global    | Male   | 0.301256       | 0.54085            | 0.997963                    | 0.985982                        |
| Self-harm                                       | Data rich | Female | 0.157456       | 0.236415           | 0.999699                    | 0.999206                        |
| Self-harm                                       | Data rich | Male   | 0.150967       | 0.223371           | 0.999688                    | 0.999011                        |
| Self-harm                                       | Global    | Female | 0.219988       | 0.370761           | 0.998551                    | 0.986222                        |
| Self-harm                                       | Global    | Male   | 0.203341       | 0.347213           | 0.999389                    | 0.979274                        |
| Self-harm by firearm                            | Data rich | Female | 0.215778       | 0.439608           | 0.992476                    | 0.992525                        |
| Self-harm by firearm                            | Data rich | Male   | 0.19323        | 0.402898           | 0.998082                    | 0.997457                        |
| Self-harm by firearm                            | Global    | Female | 0.311061       | 0.642889           | 0.987894                    | 0.971118                        |
| Self-harm by firearm                            | Global    | Male   | 0.316945       | 0.590367           | 0.992646                    | 0.977377                        |
| Self-harm by other specified means              | Data rich | Female | 0.162023       | 0.345661           | 0.999855                    | 0.998854                        |
| Self-harm by other specified means              | Data rich | Male   | 0.235129       | 0.322581           | 0.999898                    | 0.999453                        |
| Self-harm by other specified means              | Global    | Female | 0.191636       | 0.38357            | 0.999636                    | 0.98601                         |
| Self-harm by other specified means              | Global    | Male   | 0.192311       | 0.348953           | 0.999813                    | 0.986603                        |
| Interpersonal violence                          | Data rich | Female | 0.224081       | 0.294307           | 0.99863                     | 0.996721                        |
| Interpersonal violence                          | Data rich | Male   | 0.220852       | 0.298197           | 0.998132                    | 0.995665                        |

Continued

Table 7 Continued

| Cause                                | Type      | Sex    | RMSE in-sample | RMSE out-of-sample | Per cent coverage in-sample | Per cent coverage out-of-sample |
|--------------------------------------|-----------|--------|----------------|--------------------|-----------------------------|---------------------------------|
| Interpersonal violence               | Global    | Female | 0.306086       | 0.450697           | 0.998456                    | 0.989396                        |
| Interpersonal violence               | Global    | Male   | 0.307439       | 0.479452           | 0.997588                    | 0.981596                        |
| Physical violence by firearm         | Data rich | Female | 0.253283       | 0.414003           | 0.998598                    | 0.997318                        |
| Physical violence by firearm         | Data rich | Male   | 0.277353       | 0.501753           | 0.997843                    | 0.996142                        |
| Physical violence by firearm         | Global    | Female | 0.44617        | 0.621002           | 0.993619                    | 0.98712                         |
| Physical violence by firearm         | Global    | Male   | 0.41286        | 0.679294           | 0.995867                    | 0.981991                        |
| Physical violence by sharp object    | Data rich | Female | 0.222036       | 0.393235           | 0.999815                    | 0.999003                        |
| Physical violence by sharp object    | Data rich | Male   | 0.235542       | 0.463121           | 0.999796                    | 0.998721                        |
| Physical violence by sharp object    | Global    | Female | 0.276474       | 0.499795           | 0.999526                    | 0.993622                        |
| Physical violence by sharp object    | Global    | Male   | 0.332336       | 0.595217           | 0.999354                    | 0.990212                        |
| Physical violence by other means     | Data rich | Female | 0.204351       | 0.336239           | 0.999954                    | 0.999532                        |
| Physical violence by other means     | Data rich | Male   | 0.202192       | 0.394188           | 0.999868                    | 0.999051                        |
| Physical violence by other means     | Global    | Female | 0.270287       | 0.410186           | 0.999719                    | 0.995718                        |
| Physical violence by other means     | Global    | Male   | 0.285589       | 0.45387            | 0.999612                    | 0.992595                        |
| Environmental heat and cold exposure | Data rich | Female | 0.234754       | 0.399463           | 0.999403                    | 0.999073                        |
| Environmental heat and cold exposure | Data rich | Male   | 0.201821       | 0.309939           | 0.999658                    | 0.999207                        |
| Environmental heat and cold exposure | Global    | Female | 0.3511         | 0.639869           | 0.998595                    | 0.989061                        |
| Environmental heat and cold exposure | Global    | Male   | 0.33441        | 0.528137           | 0.999336                    | 0.993068                        |
| Executions and police conflict       | Data rich | Female | 0.852242       | 1.4431             | 0.49803                     | 0.533053                        |
| Executions and police conflict       | Data rich | Male   | 0.970597       | 1.55607            | 0.629313                    | 0.628953                        |
| Executions and police conflict       | Global    | Female | 1.2422         | 1.86518            | 0.541687                    | 0.549016                        |
| Executions and police conflict       | Global    | Male   | 1.04755        | 1.95756            | 0.671496                    | 0.659889                        |

CODEm, Cause of Death Ensemble model.

several fractures in different anatomical sites, a mild traumatic brain injury and a spinal cord injury. There are over 3.6 million permutations of injury if one considers only 10 possible natures of injury, making it difficult to quantitatively measure these relationships by cause of injury and by age, sex, year and location. Future research to address this limitation may focus on simulation studies that model the probability of different comorbid injury combinations to better inform disability weight applications.

Third, more data could be used for nature of injury measurement. Traumatic brain injury and spinal cord injury registries, for example, are not currently directly compatible with the GBD injury estimation framework yet provide rich epidemiological information. Future updates to GBD should focus more attention on incorporating data that measure burden of nature of injury in terms of incidence, prevalence or excess mortality. Incorporating these types of data would require a method to be developed such that estimates were internally consistent across cause-nature distributions. While

the methods and data required for this update would be complex, they would represent a large increase in the available data that could be used for GBD injuries estimation.

Fourth, measuring the total burden of sexual violence has proven to be a challenging area of estimation in the GBD framework. As noted in the 'Methods' section of this paper, one known limitation is how long-term sequelae and conditions may not be adequately accounted for in sexual violence burden estimation. In order to attribute burden from major depressive disorder, anxiety disorders, self-harm and substance use disorders, measuring the relative risk of developing these conditions for victims of sexual violence would allow for population attributable fractions to be calculated and DALYs from these conditions to be attributed to sexual violence. While the premise of this methodological update is relatively simple, currently there are relatively few studies to inform these relative risks, and conducting and adding such studies in the future would be recognised as a major achievement in GBD research as it would

**Table 8** Performance metrics for each cause-of-injury DisMod model

| Cause   | Cause-specific mortality rate: in-sample coverage | Cause-specific mortality rate: in-sample RMSE | Excess mortality rate: in-sample coverage | Excess mortality rate: in-sample RMSE | Incidence hazard: in-sample coverage | Incidence hazard: in-sample RMSE |
|---|---|---|---|---------------------------------------|--------------------------------------|----------------------------------|
| Animal contact                                  | 0.95  | 0.96  | 0.69                                      | 1.14                                  | 0.40                                 | 1.64                             |
| Non-venomous animal contact                     | 0.97  | 0.98  | 0.74                                      | 1.20                                  | 0.53                                 | 1.40                             |
| Venomous animal contact                         | 0.97  | 1.13  | 0.74                                      | 1.17                                  | 0.48                                 | 1.31                             |
| Drowning  | 0.91  | 0.82  | 0.84                                      | 1.40                                  | 0.73                                 | 1.61                             |
| Falls   | 0.93  | 0.66  | 0.71                                      | 1.13                                  | 0.26                                 | 1.77                             |
| Fire, heat and hot substances                   | 0.95  | 0.59  | 0.67                                      | 0.97                                  | 0.50                                 | 1.16                             |
| Pulmonary aspiration and foreign body in airway | 0.92  | 0.93  | 0.78                                      | 1.29                                  | 0.65                                 | 1.56                             |
| Foreign body in eyes                            |   |   |   |                                       | 0.83                                 | 4.86                             |
| Foreign body in other body part                 | 0.96  | 1.40  | 0.74                                      | 1.31                                  | 0.57                                 | 1.39                             |
| Interpersonal violence                          | 0.89  | 0.81  | 0.64                                      | 1.11                                  | 0.31                                 | 1.77                             |
| Assault by firearm                              | 0.93  | 1.96  | 0.74                                      | 1.07                                  | 0.69                                 | 1.25                             |
| Assault by sharp object                         | 0.92  | 1.50  | 0.78                                      | 1.05                                  | 0.57                                 | 1.17                             |
| Assault by other means                          | 0.90  | 0.91  | 0.75                                      | 1.10                                  | 0.48                                 | 1.33                             |
| Exposure to mechanical forces                   | 0.92  | 0.81  | 0.61                                      | 1.23                                  | 0.38                                 | 2.01                             |
| Unintentional firearm injuries                  | 0.95  | 1.51  | 0.75                                      | 1.13                                  | 0.70                                 | 1.17                             |
| Other exposure to mechanical forces             | 0.93  | 0.84  | 0.66                                      | 1.22                                  | 0.41                                 | 1.94                             |
| Adverse effects of medical treatment            | 0.92  | 0.71  | 0.71                                      | 1.48                                  | 0.37                                 | 1.41                             |
| Environmental heat and cold exposure            | 0.94  | 1.21  | 0.73                                      | 1.54                                  | 0.56                                 | 1.52                             |
| Other unintentional injuries                    | 0.89  | 1.31  | 0.51                                      | 1.35                                  | 0.50                                 | 1.67                             |
| Poisonings                                      | 0.95  | 0.90  | 0.76                                      | 1.75                                  | 0.58                                 | 1.90                             |
| Poisoning by carbon monoxide                    | 0.95  | 0.94  | 0.81                                      | 1.11                                  | 0.88                                 | 1.17                             |
| Poisoning by other means                        | 0.95  | 0.92  | 0.79                                      | 1.89                                  | 0.67                                 | 2.04                             |
| Self-harm                                       | 0.98  | 0.27  | 0.76                                      | 1.02                                  | 0.47                                 | 1.32                             |
| Self-harm by firearm                            | 1.00  | 1.28  | 0.89                                      | 1.31                                  | 0.86                                 | 1.35                             |
| Self-harm by other specified means              | 0.98  | 0.26  | 0.83                                      | 0.96                                  | 0.60                                 | 1.06                             |
| Other transport injuries                        | 0.96  | 0.99  | 0.73                                      | 1.43                                  | 0.63                                 | 1.32                             |
| Road injuries                                   | 0.91  | 0.47  | 0.63                                      | 1.10                                  | 0.27                                 | 1.43                             |
| Motorcyclist road injuries                      | 0.96  | 1.07  | 0.70                                      | 1.13                                  | 0.54                                 | 1.18                             |
| Motor vehicle road injuries                     | 0.94  | 0.55  | 0.59                                      | 1.12                                  | 0.48                                 | 1.21                             |
| Other road injuries                             | 0.99  | 1.45  | 0.78                                      | 1.16                                  | 0.74                                 | 1.19                             |
| Cyclist road injuries                           | 0.99  | 1.13  | 0.73                                      | 1.10                                  | 0.59                                 | 1.09                             |
| Pedestrian road injuries                        | 0.92  | 0.72  | 0.62                                      | 1.02                                  | 0.48                                 | 1.04                             |

RMSE, root mean square error .

allow for more accurate estimation of lifetime disability caused by sexual violence. This effort would moreover represent an important contribution to research surrounding the Sustainable Development Goals related to sexual violence and women's rights.<sup>23 24</sup>

Fifth, non-fatal injuries from conflict and natural disaster are challenging to estimate because of data sparsity in areas that are afflicted by these events. Fatalities are estimated after such events, but there is still considerable injury burden among the population that survives. Since data collection systems and hospitals may also be destroyed in these events, it becomes difficult to collect adequate non-fatal injury data. Global collaboration should also focus on identifying sources of data on non-fatal and fatal injury cases in conflict and natural disaster events.

It will be important to monitor the effects of implementing these priorities as injury measurement science continues to evolve. Global collaborations including the GBD enterprise should monitor performance statistics and utilisation of results by research groups and ministries to track how improvements to injury measurement progress over time. Scientific dialogue and collaboration must be a major focus, and the GBD enterprise is a good forum to support this kind of data sharing.

For example, a collaborative effort between researchers in Vietnam and the Institute for Health Metrics on Evaluation on developing a study on Vietnam injury burden following GBD 2017 led to identifying the use of the Vietnam National Injury Survey, which was then added for estimation in GBD 2019. Increasing data collection standardisation efforts should be emphasised as a priority in all countries, particularly countries where data coverage on injuries is sparse. Ongoing dialogue via scientific publications and international conferences should also continue to serve as a forum to discuss data and methodological updates that can continue to refine the science of injuries estimation in GBD.

## CONCLUSION

Measuring injuries burden in GBD is a complex scientific endeavour that leverages large amounts of data, a complex analytical framework and a global research network. GBD 2017 included more comprehensive detail of injury burden than any other known efforts to date. GBD 2019 and future updates will continue to add detail and refine methods in the interest of providing injury burden estimates that are robust, accurate and

timely. Expanded injury data collection efforts will be a critical component of future injury burden estimation.

### What is already known on the subject

- ▶ Global Burden of Disease (GBD) 2017 provided an extensive peer-reviewed assessment of death and disability.
- ▶ GBD 2017 methods have been reviewed and updated iteratively as new methods and data become available.
- ▶ Measuring injury burden in GBD 2017 is complex due to differences in measuring cause of injury versus nature of injury and the temporal difference between them.

### What this study adds

- ▶ This capstone study details key estimation methods that are used for measuring the global burden of injuries as described in related publications in this journal.
- ▶ More detailed methods descriptions and model performance metrics from GBD 2017 are provided in this study than in related studies.
- ▶ This study also includes suggested future directions for improving injury burden research.

### Author affiliations

<sup>1</sup>Institute for Health Metrics and Evaluation, University of Washington, Seattle, WA, USA

<sup>2</sup>Department of Neurology, Cairo University, Cairo, Egypt

<sup>3</sup>Neuroscience Research Center, Isfahan University of Medical Sciences, Isfahan, Iran

<sup>4</sup>Department of Public Health, Ministry of Health, Riyadh, Saudi Arabia

<sup>5</sup>Department of Orthopaedic Surgery, University of Southern California, Los Angeles, CA, USA

<sup>6</sup>Biostatistics and Health Informatics, Madda Walabu University, Bale Robe, Ethiopia

<sup>7</sup>Radiotherapy Center, Addis Ababa University, Addis Ababa, Ethiopia

<sup>8</sup>Department of Public Health, Debre Berhan University, Debre Berhan, Ethiopia

<sup>9</sup>Cardiovascular Medicine Department, Ain Shams University, Abbasia, Egypt

<sup>10</sup>Department of Medicine, University College Hospital, Ibadan, Nigeria

<sup>11</sup>Sport Science Department, University of Extremadura, Badajoz, Spain

<sup>12</sup>Social Behavioral Research Branch, National Institute of Health, Bethesda, MD, USA

<sup>13</sup>Cancer Prevention and Control, Georgetown University, Washington, DC, USA

<sup>14</sup>School of Medicine, Center for Politics, Population and Health Research, National Autonomous University of Mexico, Mexico City, Mexico

<sup>15</sup>Department of Epidemiology and Health Statistics, Southeast University Nanjing, Nanjing, China

<sup>16</sup>Microbiology Department, Hazara University, Mansehra, Pakistan

<sup>17</sup>Department of Epidemiology, Jimma University, Jimma, Ethiopia

<sup>18</sup>James P Grant School of Public Health, BRAC University, Dhaka, Bangladesh

<sup>19</sup>Health Systems and Population Studies Division, International Centre for Diarrhoeal Disease Research, Dhaka, Bangladesh

<sup>20</sup>Higher National School of Veterinary Medicine, Algiers, Algeria

<sup>21</sup>Evidence Based Practice Center, Mayo Clinic Foundation for Medical Education and Research, Rochester, MN, USA

<sup>22</sup>Department of Computer Sciences, Imam Abdulrehman Bin Faisal University, Dammam, Saudi Arabia

<sup>23</sup>Department of Pharmacy, Adigrat University, Adigrat, Ethiopia

<sup>24</sup>Medicine and Health Science, Arba Minch University, Arba Minch, Ethiopia

<sup>25</sup>Midwifery Department, Arba Minch University, Injbara, Ethiopia

<sup>26</sup>Department of Population Health Research, King Abdullah International Medical Research Center, Riyadh, Saudi Arabia

<sup>27</sup>Medical Technical Institute, Erbil Polytechnic University, Erbil, Iraq

<sup>28</sup>Department of Information Systems, College of Economics and Political Science, Sultan Qaboos University, Muscat, Oman

<sup>29</sup>Department of Health Care Management and Economics, Urmia University of Medical Science, Urmia, Iran

<sup>30</sup>Health Management and Economics Research Center, Iran University of Medical Sciences, Tehran, Iran

<sup>31</sup>Health Economics Department, Iran University of Medical Sciences, Tehran, Iran

<sup>32</sup>Department of Health Policy and Management, Kuwait University, Safat, Kuwait

<sup>33</sup>International Centre for Casemix and Clinical Coding, National University of Malaysia, Bandar Tun Razak, Malaysia

<sup>34</sup>Department of Epidemiology, Arak University of Medical Sciences, Arak, Iran

<sup>35</sup>Physiotherapy Department, The University of Jordan, Amman, Jordan

<sup>36</sup>King Saud University, Riyadh, Saudi Arabia

<sup>37</sup>Clinical Practice Guidelines Unit, King Saud University, Riyadh, Saudi Arabia

<sup>38</sup>Alexandria Center for Evidence-Based Clinical Practice Guidelines, Alexandria University, Alexandria, Egypt

<sup>39</sup>Carol Davila University of Medicine and Pharmacy, Bucharest, Romania

<sup>40</sup>Department of Epidemiology and Biostatistics, Health Promotion Research Center, Zahedan, Iran

<sup>41</sup>Department of Health Policy and Administration, University of the Philippines Manila, Manila, Philippines

<sup>42</sup>Department of Applied Social Sciences, Hong Kong Polytechnic University, Hong Kong, China

<sup>43</sup>Department of Parasitology, Mazandaran University of Medical Sciences, Sari, Iran

<sup>44</sup>Department of Microbiology and Immunology, Iranshahr University of Medical Sciences, Iranshahr, Iran

<sup>45</sup>Department of Sociology and Social Work, Kwame Nkrumah University of Science and Technology, Kumasi, Ghana

<sup>46</sup>Center for International Health, Ludwig Maximilians University, Munich, Germany

<sup>47</sup>Social Determinants of Health Research Center, Birjand University of Medical Sciences, Birjand, Iran

<sup>48</sup>Department of Health Promotion and Education, Tehran University of Medical Sciences, Tehran, Iran

<sup>49</sup>School of Health Sciences, Birmingham City University, Birmingham, UK

<sup>50</sup>Regional Centre for the Analysis of Data on Occupational and Work-related Injuries and Diseases, Local Health Unit Tuscany Centre, Florence, Italy

<sup>51</sup>School of Science and Health, Western Sydney University, Sydney, New South Wales, Australia

<sup>52</sup>Oral Health Services, Sydney Local Health District, Sydney, New South Wales, Australia

<sup>53</sup>Plastic Surgery Department, University of Texas, Houston, TX, USA

<sup>54</sup>The Judith Lumley Centre, La Trobe University, Melbourne, Victoria, Australia

<sup>55</sup>General Office for Research and Technological Transfer, Peruvian National Institute of Health, Lima, Peru

<sup>56</sup>School of Public Health, Curtin University, Perth, Western Australia, Australia

<sup>57</sup>Department of Health Policy Planning and Management, University of Health and Allied Sciences, Ho, Ghana

<sup>58</sup>Department of Environmental Health Engineering, Hamadan University of Medical Sciences, Hamadan, Iran

<sup>59</sup>Public Health Risk Sciences Division, Public Health Agency of Canada, Toronto, Ontario, Canada

<sup>60</sup>Department of Nutritional Sciences, University of Toronto, Toronto, Ontario, Canada

<sup>61</sup>Department of Forensic Science, Government Institute of Forensic Science, Nagpur, India

<sup>62</sup>Biochemistry Unit, Universiti Sultan Zainal Abidin, Kuala Terengganu, Malaysia

<sup>63</sup>School of Health Sciences, Universiti Sultan Zainal Abidin, Kuala Terengganu, Malaysia

<sup>64</sup>Institute of Health Management Research, Indian Institute of Health Management Research University, Jaipur, India

<sup>65</sup>Department of Epidemiology, Johns Hopkins University, Baltimore, MD, USA

<sup>66</sup>Health Policy and Management Department, Tehran University of Medical Sciences, Tehran, Iran

<sup>67</sup>Department of Demography, University of Groningen, Groningen, Netherlands

<sup>68</sup>Population Research Centre, Institute for Social and Economic Change, Bengaluru, India

<sup>69</sup>Department of Hypertension, Medical University of Lodz, Lodz, Poland

<sup>70</sup>Polish Mothers' Memorial Hospital Research Institute, Lodz, Poland

<sup>71</sup>School of Health Sciences, Walden University, Minneapolis, MN, USA

<sup>72</sup>Department of Noncommunicable Diseases, Bangladesh University of Health Sciences (BUHS), Dhaka, Bangladesh

<sup>73</sup>Department of Research, Public Health Perspective Nepal, Pokhara-Lekhnath Metropolitan City, Nepal

<sup>74</sup>School of Psychology, University of Auckland, Auckland, New Zealand

<sup>75</sup>Heidelberg Institute of Global Health (HIGH), Heidelberg University, Heidelberg, Germany

<sup>76</sup>T.H. Chan School of Public Health, Harvard University, Boston, MA, USA

<sup>77</sup>Occupational Health Department, Kermanshah University of Medical Sciences, Kermanshah, Iran

<sup>78</sup>Health Human Resources Research Center, Shiraz University of Medical Sciences, Shiraz, Iran

<sup>79</sup>Department of Psychiatry, Charles R. Drew University of Medicine and Science, Los Angeles, CA, USA

<sup>80</sup>Department of Psychiatry and Biobehavioral Sciences, David Geffen School of Medicine, University of California Los Angeles, Los Angeles, CA, USA

<sup>81</sup>Department of Community Medicine, Gandhi Medical College Bhopal, Bhopal, India

<sup>82</sup>Jazan University, Jazan, Saudi Arabia

<sup>83</sup>Social Determinants of Health Research Center, Lorestan University of Medical Sciences, Khorramabad, Iran

- <sup>84</sup>Psychiatry Department, Bahir Dar University, Bahir Dar, Ethiopia
- <sup>85</sup>Nuffield Department of Population Health, University of Oxford, Oxford, UK
- <sup>86</sup>Department of Internal Medicine, University of São Paulo, São Paulo, Brazil
- <sup>87</sup>Department of Nutrition and Dietetics, Mekelle University, Mekelle, Ethiopia
- <sup>88</sup>Department of Internal Medicine, United Arab Emirates University, Al Ain, United Arab Emirates
- <sup>89</sup>Social and Clinical Pharmacy, Charles University, Hradec Kralova, Czech Republic
- <sup>90</sup>Department of Community Medicine, All India Institute of Medical Sciences, Nagpur, India
- <sup>91</sup>Department of Community Medicine, Datta Meghe Institute of Medical Sciences, Wardha, India
- <sup>92</sup>Internal Medicine Department, University of Massachusetts Medical School, Springfield, MA, USA
- <sup>93</sup>Department of Statistical and Computational Genomics, National Institute of Biomedical Genomics, Kalyani, India
- <sup>94</sup>Department of Statistics, University of Calcutta, Kolkata, India
- <sup>95</sup>Centre for Global Child Health, University of Toronto, Toronto, Ontario, Canada
- <sup>96</sup>Centre of Excellence in Women and Child Health, Aga Khan University, Karachi, Pakistan
- <sup>97</sup>Institute of Soil and Environmental Sciences, University of Agriculture, Faisalabad, Pakistan
- <sup>98</sup>Social Determinants of Health Research Center, Babol University of Medical Sciences, Babol, Iran
- <sup>99</sup>Department of Internal Medicine, Manipal Academy of Higher Education, Mangalore, India
- <sup>100</sup>Department of Epidemiology and Psychosocial Research, Ramón de la Fuente Muñiz National Institute of Psychiatry, Mexico City, Mexico
- <sup>101</sup>Centre for Adolescent Health, Murdoch Childrens Research Institute, Melbourne, Victoria, Australia
- <sup>102</sup>School of Population and Global Health, University of Melbourne, Melbourne, Victoria, Australia
- <sup>103</sup>Department of Clinical and Experimental Medicine, University of Catania, Catania, Italy
- <sup>104</sup>Transport and Road Safety (TARS) Research Department, University of New South Wales, Sydney, New South Wales, Australia
- <sup>105</sup>Division of Hematology and Oncology, Georgetown University, Washington DC, USA
- <sup>106</sup>Department of Epidemiology and Evidence Based Medicine, I.M. Sechenov First Moscow State Medical University, Moscow, Russia
- <sup>107</sup>Department of Health Sciences, University of Leicester, Leicester, UK
- <sup>108</sup>Research Department, Golden Community, Kathmandu, Nepal
- <sup>109</sup>Centre for Population Health Sciences, Nanyang Technological University, Singapore, Singapore
- <sup>110</sup>Global eHealth Unit, Imperial College London, London, UK
- <sup>111</sup>Department of Population and Health, Metropolitan Autonomous University, Mexico City, Mexico
- <sup>112</sup>Research Unit on Applied Molecular Biosciences (UCIBIO), University of Porto, Porto, Portugal
- <sup>113</sup>Department of Psychiatry, University of São Paulo, São Paulo, Brazil
- <sup>114</sup>Colombian National Health Observatory, National Institute of Health, Bogota, Colombia
- <sup>115</sup>Epidemiology and Public Health Evaluation Group, National University of Colombia, Bogota, Colombia
- <sup>116</sup>Primary Care Services Area, Central Health Directorate, Region Friuli Venezia Giulia, Trieste, Italy
- <sup>117</sup>Department of Medicine (DAME), University of Udine, Udine, Italy
- <sup>118</sup>National School of Public Health, Carlos III Health Institute, Madrid, Spain
- <sup>119</sup>Clinical Epidemiology Program, Ottawa Hospital Research Institute, Ottawa, Ontario, Canada
- <sup>120</sup>Mary MacKillop Institute for Health Research, Australian Catholic University, Melbourne, Victoria, Australia
- <sup>121</sup>School of Public Health, University of Hong Kong, Hong Kong, China
- <sup>122</sup>Institute of Applied Health Research, University of Birmingham, Birmingham, UK
- <sup>123</sup>Swedish Neuroscience Institute, Swedish Brain and Spine Specialists, Seattle, WA, USA
- <sup>124</sup>Department of Medicine, University of Toronto, Toronto, Ontario, Canada
- <sup>125</sup>Department of Public Health, Texila American University, Georgetown, Guyana
- <sup>126</sup>2nd Department of Ophthalmology, University of Athens, Haidari, Greece
- <sup>127</sup>Ophthalmology Independent Consultant, Athens, Greece
- <sup>128</sup>Pediatrics Department, Harvard University, Boston, MA, USA
- <sup>129</sup>Neonatology Department, Beth Israel Deaconess Medical Center, Boston, MA, USA
- <sup>130</sup>Department of Surgery, Division of Plastic and Reconstructive Surgery, University of Washington, Seattle, WA, USA
- <sup>131</sup>Department of Biochemistry and Biomedical Science, Seoul National University Hospital, Seoul, South Korea
- <sup>132</sup>Maternal and Child Health Division, International Centre for Diarrhoeal Disease Research, Dhaka, Bangladesh
- <sup>133</sup>Department of Epidemiology and Biostatistics, University of South Carolina, Columbia, SC, USA
- <sup>134</sup>Department of Pulmonary Medicine, Christian Medical College and Hospital (CMC), Vellore, India
- <sup>135</sup>Faculty of Biology, Hanoi National University of Education, Hanoi, Vietnam
- <sup>136</sup>School of Public Health and Preventive Medicine, Monash University, Melbourne, Victoria, Australia
- <sup>137</sup>Centro Hospitalar Universitário do Porto - Serviço de Oftalmologia, University of Porto, Porto, Portugal
- <sup>138</sup>Department of Environmental Health, Imam Abdulrahman Bin Faisal University, Dammam, Saudi Arabia
- <sup>139</sup>Toxoplasmosis Research Center, Mazandaran University of Medical Sciences, Sari, Iran
- <sup>140</sup>Population and Development, Facultad Latinoamericana de Ciencias Sociales Mexico, Mexico City, Mexico
- <sup>141</sup>Australian Institute for Suicide Research and Prevention, Griffith University, Mount Gravatt, Queensland, Australia
- <sup>142</sup>Department of Medical Laboratory Sciences, Bahir Dar University, Bahir Dar, Ethiopia
- <sup>143</sup>School of Pharmacy, Aksum University, Aksum, Ethiopia
- <sup>144</sup>Addis Ababa University, Addis Ababa, Ethiopia
- <sup>145</sup>Department of Global Health and Infection, Brighton and Sussex Medical School, Brighton, UK
- <sup>146</sup>School of Public Health, Addis Ababa University, Addis Ababa, Ethiopia
- <sup>147</sup>Division of Cardiology, Atlanta Veterans Affairs Medical Center, Decatur, GA, USA
- <sup>148</sup>Department of Epidemiology, Shiraz University of Medical Sciences, Shiraz, Iran
- <sup>149</sup>Faculty of Pharmacy, University of Porto, Porto, Portugal
- <sup>150</sup>Tehran University of Medical Sciences, Tehran, Iran
- <sup>151</sup>Center of Excellence in Public Health Nutrition, Nguyen Tat Thanh University, Ho Chi Minh City, Vietnam
- <sup>152</sup>School of Health and Biomedical Sciences, Royal Melbourne Institute of Technology University, Bundoora, Victoria, Australia
- <sup>153</sup>Sydney School of Public Health, University of Sydney, Sydney, New South Wales, Australia
- <sup>154</sup>Faculty of Medicine, University of Belgrade, Belgrade, Serbia
- <sup>155</sup>Public Health Department, Hawassa University, Hawassa, Ethiopia
- <sup>156</sup>Curtin University, Perth, Western Australia, Australia
- <sup>157</sup>Department of Global Health and Social Medicine, Harvard University, Boston, MA, USA
- <sup>158</sup>Department of Social Services, Tufts Medical Center, Boston, MA, USA
- <sup>159</sup>Department of Statistics, Debre Markos University, Debre Markos, Ethiopia
- <sup>160</sup>Department of Public Health Sciences, Karolinska Institutet, Stockholm, Sweden
- <sup>161</sup>World Health Programme, Université du Québec en Abitibi-Témiscamingue, Rouyn-Noranda, Quebec, Canada
- <sup>162</sup>Department of Pathology, Stavanger University Hospital, Stavanger, Norway
- <sup>163</sup>Norwegian Institute of Public Health, Oslo, Norway
- <sup>164</sup>Department of Clinical Pathology, Mansoura University, Mansoura, Egypt
- <sup>165</sup>Multiple Sclerosis Research Center, Tehran University of Medical Sciences, Tehran, Iran
- <sup>166</sup>Epidemiology and Population Health, York University, Vancouver, British Columbia, Canada
- <sup>167</sup>Faculty of Health Sciences, Simon Fraser University, Burnaby, British Columbia, Canada
- <sup>168</sup>Biology Department, Salahaddin University-Erbil, Erbil, Iraq
- <sup>169</sup>Department of Biology and Biotechnology "Lazzaro Spallanzani", University of Pavia, Pavia, Italy
- <sup>170</sup>Department of Psychology, Federal University of Sergipe, Sao Cristovao, Brazil
- <sup>171</sup>Non-communicable Diseases Research Center, Tehran University of Medical Sciences, Tehran, Iran
- <sup>172</sup>Department of Neurobiology, Karolinska Institutet, Stockholm, Sweden
- <sup>173</sup>Division of Neurology, University of Ottawa, Ottawa, Ontario, Canada
- <sup>174</sup>REQUIMTE/LAQV, University of Porto, Porto, Portugal
- <sup>175</sup>Research Centre on Public Health (CESP), University of Milan Bicocca, Monza, Italy
- <sup>176</sup>Department of Population Medicine and Health Services Research, Bielefeld University, Bielefeld, Germany
- <sup>177</sup>Department of Child Dental Health, Obafemi Awolowo University, Ile-Ife, Nigeria
- <sup>178</sup>Timiryazev Institute of Plant Physiology, Russian Academy of Sciences, Moscow, Russia
- <sup>179</sup>Abadan School of Medical Sciences, Abadan University of Medical Sciences, Abadan, Iran
- <sup>180</sup>Department of Family Medicine and Primary Care, University of the Witwatersrand, Johannesburg, South Africa
- <sup>181</sup>College of Public Health, Medical and Veterinary Science, James Cook University, Douglas, Queensland, Australia
- <sup>182</sup>Royal Life Saving Society, Sydney, New South Wales, Australia
- <sup>183</sup>Department of Dermatology, Kobe University, Kobe, Japan
- <sup>184</sup>Gene Expression & Regulation Program, The Wistar Institute, Philadelphia, PA, USA
- <sup>185</sup>Public Health Department, Madda Walabu University, Bale Robe, Ethiopia

- <sup>186</sup>Department of Nursing and Midwifery, Addis Ababa University, Addis Ababa, Ethiopia
- <sup>187</sup>Pharmacy Department, Mekelle University, Mekelle, Ethiopia
- <sup>188</sup>Department of Nursing, Aksum University, Aksum, Ethiopia
- <sup>189</sup>Department of Nursing, Mekelle University, Mekelle, Ethiopia
- <sup>190</sup>Public Health, Haramaya University, Harar, Ethiopia
- <sup>191</sup>Bahir Dar University, Bahir Dar, Ethiopia
- <sup>192</sup>Haramaya University, Dire Dawa, Ethiopia
- <sup>193</sup>Department of Pharmacy, Wollo University, Dessie, Ethiopia
- <sup>194</sup>Department of Nursing, Arba Minch University, Arba Minch, Ethiopia
- <sup>195</sup>Department of Medical Surgery, Tabriz University of Medical Sciences, Tabriz, Iran
- <sup>196</sup>Occupational Health Department, Arak University of Medical Sciences, Arak, Iran
- <sup>197</sup>Department of Nursing and Midwifery, Kurdistan University of Medical Sciences, Sanandaj, Iran
- <sup>198</sup>Science and Research Branch, Islamic Azad University, Tehran, Iran
- <sup>199</sup>Young Researchers and Elite Club, Islamic Azad University, Rasht, Iran
- <sup>200</sup>Faculty of Allied Health Sciences, The University of Lahore, Lahore, Pakistan
- <sup>201</sup>Chairman BOG, Afro-Asian Institute, Lahore, Pakistan
- <sup>202</sup>Adelaide Medical School, University of Adelaide, Adelaide, SA, Australia
- <sup>203</sup>Nursing and Midwifery Department, Mazandaran University of Medical Sciences, Sari, Iran
- <sup>204</sup>Center for Clinical and Epidemiological Research, University of São Paulo, Sao Paulo, Brazil
- <sup>205</sup>Internal Medicine Department, University of São Paulo, Sao Paulo, Brazil
- <sup>206</sup>Department of Dermatology, Boston University, Boston, MA, USA
- <sup>207</sup>Institute of Public Health, United Arab Emirates University, Al Ain, United Arab Emirates
- <sup>208</sup>Instituto de Patologia Tropical e Saúde Pública, Federal University of Goiás, Goiânia, Brazil
- <sup>209</sup>Department of Epidemiology and Biostatistics, Zhengzhou University, Zhengzhou, China
- <sup>210</sup>Non-Communicable Diseases (NCD), World Health Organization (WHO), New Delhi, India
- <sup>211</sup>Department of Public Health, Erasmus University Medical Center, Rotterdam, Netherlands
- <sup>212</sup>Global and Community Mental Health Research Group, University of Macau, Macao, China
- <sup>213</sup>Department of Family and Community Medicine, Arabian Gulf University, Manama, Bahrain
- <sup>214</sup>School of Health and Environmental Studies, Hamdan Bin Mohammed Smart University, Dubai, United Arab Emirates
- <sup>215</sup>Biomedical Research Networking Center for Mental Health Network (CiberSAM), Madrid, Spain
- <sup>216</sup>Research and Development Unit, San Juan de Dios Sanitary Park, Sant Boi de Llobregat, Spain
- <sup>217</sup>Department of Microbiology, Maragheh University of Medical Sciences, Maragheh, Iran
- <sup>218</sup>Department of Microbiology, Tehran University of Medical Sciences, Tehran, Iran
- <sup>219</sup>Centre for International Health and Section for Ethics and Health Economics, University of Bergen, Bergen, Norway
- <sup>220</sup>Gastrointestinal and Liver Disease Research Center, Guilan University of Medical Sciences, Rasht, Iran
- <sup>221</sup>Guilan University of Medical Sciences, Rasht, Iran
- <sup>222</sup>School of Nursing and Midwifery, Tabriz University of Medical Sciences, Tabriz, Iran
- <sup>223</sup>Independent Consultant, Tabriz, Iran
- <sup>224</sup>Department of Public Health, Mizan-Tepi University, Tepi, Ethiopia
- <sup>225</sup>Unit of Epidemiology and Social Medicine, University Hospital Antwerp, Wilrijk, Belgium
- <sup>226</sup>Department of Clinical Sciences, Karolinska University Hospital, Stockholm, Sweden
- <sup>227</sup>Medical Biology Research Center, Kermanshah University of Medical Sciences, Kermanshah, Iran
- <sup>228</sup>Research Coordination, AC Environments Foundation, Cuernavaca, Mexico
- <sup>229</sup>CISS, National Institute of Public Health, Cuernavaca, Mexico
- <sup>230</sup>Department of Urban Planning and Design, University of Hong Kong, Hong Kong, China
- <sup>231</sup>Center of Excellence in Behavioral Medicine, Nguyen Tat Thanh University, Ho Chi Minh City, Vietnam
- <sup>232</sup>Department of Pediatrics, Dell Medical School, University of Texas Austin, Austin, TX, USA
- <sup>233</sup>Kasturba Medical College, Manipal Academy of Higher Education, Manipal, India
- <sup>234</sup>Department of Pharmacology and Therapeutics, Dhaka Medical College, Dhaka, Bangladesh
- <sup>235</sup>Department of Pharmacology, Bangladesh Industrial Gases Limited, Tangail, Bangladesh
- <sup>236</sup>Department of Computer Engineering, Islamic Azad University, Tehran, Iran
- <sup>237</sup>Computer Science Department, University of Human Development, Sulaymaniyah, Iraq
- <sup>238</sup>Department of Legal Medicine and Bioethics, Carol Davila University of Medicine and Pharmacy, Bucharest, Romania
- <sup>239</sup>Clinical Legal Medicine Department, National Institute of Legal Medicine Mina Minovici, Bucharest, Romania
- <sup>240</sup>Department of Epidemiology and Health Statistics, Central South University, Changsha, China
- <sup>241</sup>Department of Health Promotion and Education, University of Ibadan, Ibadan, Nigeria
- <sup>242</sup>Department of Community Medicine, University of Ibadan, Ibadan, Nigeria
- <sup>243</sup>Department of Family Medicine, Bangalore Baptist Hospital, Bangalore, India
- <sup>244</sup>Research Institute for Endocrine Sciences, Shahid Beheshti University of Medical Sciences, Tehran, Iran
- <sup>245</sup>School of Psychology and Public Health, La Trobe University, Bundoora, Melbourne, Victoria, Australia
- <sup>246</sup>Institute for Physical Activity and Nutrition, Deakin University, Burwood, Victoria, Australia
- <sup>247</sup>Sydney Medical School, University of Sydney, Sydney, New South Wales, Australia
- <sup>248</sup>School of Public Health and Community Medicine, University of New South Wales, Sydney, New South Wales, Australia
- <sup>249</sup>Faculty of Medicine, Babol University of Medical Sciences, Babol, Iran
- <sup>250</sup>Department for Health Care and Public Health, Sechenov First Moscow State Medical University, Moscow, Russia
- <sup>251</sup>Social Development & Health Promotion Research Center, Kermanshah University of Medical Sciences, Kermanshah, Iran
- <sup>252</sup>Department of Surgery, Virginia Commonwealth University, Richmond, VA, USA
- <sup>253</sup>Institute of Medicine, University of Colombo, Colombo, Sri Lanka
- <sup>254</sup>Faculty of Graduate Studies, University of Colombo, Colombo, Sri Lanka
- <sup>255</sup>Department of Community Medicine, Banaras Hindu University, Varanasi, India
- <sup>256</sup>Health Promotion and Education, University of Ibadan, Ibadan, Nigeria
- <sup>257</sup>Department of Ophthalmology, Heidelberg University, Mannheim, Germany
- <sup>258</sup>Beijing Ophthalmology & Visual Science Key Laboratory, Beijing Tongren Hospital, Beijing, China
- <sup>259</sup>Auckland University of Technology, Auckland, New Zealand
- <sup>260</sup>Community Medicine Department, Manipal Academy of Higher Education, Mangalore, India
- <sup>261</sup>Department of Family Medicine and Public Health, University of Opole, Opole, Poland
- <sup>262</sup>School of Health Sciences, Savitribai Phule Pune University, Pune, India
- <sup>263</sup>Institute of Family Medicine and Public Health, University of Tartu, Tartu, Estonia
- <sup>264</sup>Minimally Invasive Surgery Research Center, Iran University of Medical Sciences, Tehran, Iran
- <sup>265</sup>Department of Medical Informatics, Tabriz University of Medical Sciences, Tabriz, Iran
- <sup>266</sup>Social Determinants of Health Research Center, Research Institute for Prevention of Non-Communicable Diseases, Qazvin University of Medical Sciences, Qazvin, Iran
- <sup>267</sup>Health Services Management Department, Qazvin University of Medical Sciences, Qazvin, Iran
- <sup>268</sup>School of Public Health, Department of Health Informatics and Health Innovation, A.C.S. Medical College and Hospital, Mekelle, Ethiopia
- <sup>269</sup>Department of Forensic Medicine and Toxicology, All India Institute of Medical Sciences, Jodhpur, India
- <sup>270</sup>Department of Epidemiology, Hamadan University of Medical Sciences, Hamadan, Iran
- <sup>271</sup>Hematology-Oncology and Stem Cell Transplantation Research Center, Tehran University of Medical Sciences, Tehran, Iran
- <sup>272</sup>Pars Advanced and Minimally Invasive Medical Manners Research Center, Iran University of Medical Sciences, Tehran, Iran
- <sup>273</sup>Department of Applied Physics, The John Paul II Catholic University of Lublin, Lublin Voivodeship, Poland
- <sup>274</sup>Department of Biology and Chemistry, Drohobych Ivan Franko State Pedagogical University, Drohobych, Ukraine
- <sup>275</sup>International Research Center of Excellence, Institute of Human Virology Nigeria, Abuja, Nigeria
- <sup>276</sup>Julius Centre for Health Sciences and Primary Care, Utrecht University, Utrecht, Netherlands
- <sup>277</sup>Open, Distance and eLearning Campus, University of Nairobi, Nairobi, Kenya
- <sup>278</sup>Department of Dermatology, Wolaita Sodo University, Wolaita Sodo, Ethiopia
- <sup>279</sup>Department of Public Health, Jordan University of Science and Technology, Irbid, Jordan
- <sup>280</sup>Social Determinants of Health Research Center, Ahvaz Jundishapur University of Medical Sciences, Ahvaz, Iran
- <sup>281</sup>School of Food and Agricultural Sciences, University of Management and Technology, Lahore, Pakistan
- <sup>282</sup>Department of Global Health, University of Washington, Seattle, WA, USA
- <sup>283</sup>Department of Physiology, Baku State University, Baku, Azerbaijan
- <sup>284</sup>Epidemiology, Faculty of Public Health and Tropical Medicine, Jazan University, Jazan, Saudi Arabia



- <sup>285</sup>Epidemiology and Biostatistics Department, Health Services Academy, Islamabad, Pakistan
- <sup>286</sup>Department of Population Studies, International Institute for Population Sciences, Mumbai, India
- <sup>287</sup>Department of Health Research, Indian Council of Medical Research, New Delhi, India
- <sup>288</sup>Centre for Ethics, Jawahar Lal Nehru University, New Delhi, India
- <sup>289</sup>Department of Psychiatry, Kermanshah University of Medical Sciences, Kermanshah, Iran
- <sup>290</sup>Nuffield Department of Surgical Sciences, Oxford University Global Surgery Group, University of Oxford, Oxford, UK
- <sup>291</sup>Research and Data Solutions, Synotech Consultant, Nairobi, Kenya
- <sup>292</sup>Department of Preventive Medicine, Korea University, Seoul, South Korea
- <sup>293</sup>School of Medicine, Xiamen University Malaysia, Sepang, Malaysia
- <sup>294</sup>Department of Health Sciences, Northeastern University, Boston, MA, USA
- <sup>295</sup>Department of Nursing and Health Promotion, Oslo Metropolitan University, Oslo, Norway
- <sup>296</sup>School of Health Sciences, Kristiania University College, Oslo, Norway
- <sup>297</sup>Neurophysiology Research Center, Hamadan University of Medical Sciences, Hamadan, Iran
- <sup>298</sup>Brain Engineering Research Center, Institute for Research in Fundamental Sciences, Tehran, Iran
- <sup>299</sup>Public Health Dentistry Department, Krishna Institute of Medical Sciences Deemed to be University, Karad, India
- <sup>300</sup>Environmental Health Engineering, Arak University of Medical Sciences, Arak, Iran
- <sup>301</sup>CIBERSAM, San Juan de Dios Sanitary Park, Sant Boi de Llobregat, Spain
- <sup>302</sup>Catalan Institution for Research and Advanced Studies (ICREA), Barcelona, Spain
- <sup>303</sup>Department of Zoology, University of Oxford, Oxford, UK
- <sup>304</sup>Harvard Medical School, Harvard University, Boston, MA, USA
- <sup>305</sup>Department of Anthropology, Panjab University, Chandigarh, India
- <sup>306</sup>Department of Demography, University of Montreal, Montreal, Quebec, Canada
- <sup>307</sup>Department of Social and Preventive Medicine, University of Montreal, Montreal, Quebec, Canada
- <sup>308</sup>Department of Public Health, Yuksek Ihtisas University, Ankara, Turkey
- <sup>309</sup>Department of Public Health, Hacettepe University, Ankara, Turkey
- <sup>310</sup>Department of Family and Community Health, University of Health and Allied Sciences, Ho, Ghana
- <sup>311</sup>Department of Psychology and Health Promotion, University of KwaZulu-Natal, Durban, South Africa
- <sup>312</sup>Community Medicine Department, Kasturba Medical College, Manipal Academy of Higher Education, Mangalore, India
- <sup>313</sup>Department of Psychiatry, University of Nairobi, Nairobi, Kenya
- <sup>314</sup>Division of Psychology and Language Sciences, University College London, London, UK
- <sup>315</sup>Department of Medicine Brigham and Women's Hospital, Harvard University, Boston, MA, USA
- <sup>316</sup>Orthopaedics Department, Base Hospital Lucknow Cantt, Lucknow, India
- <sup>317</sup>Mechanical and Industrial Engineering, Indian Institute of Technology, Roorkee, India
- <sup>318</sup>Department of Community and Family Medicine, University of Baghdad, Baghdad, Iraq
- <sup>319</sup>HelpMeSee, New York, NY, USA
- <sup>320</sup>International Relations, Mexican Institute of Ophthalmology, Queretaro, Mexico
- <sup>321</sup>Department of Otorhinolaryngology (ENT), Father Muller Medical College, Mangalore, India
- <sup>322</sup>Department of Public Health, Maragheh University of Medical Sciences, Maragheh, Iran
- <sup>323</sup>Institute of Clinical Physiology, National Research Council, Pisa, Italy
- <sup>324</sup>Clinical Medicine and Community Health, University of Milan, Milano, Italy
- <sup>325</sup>College of Optometry, Nova Southeastern University, Fort Lauderdale, FL, USA
- <sup>326</sup>School of Pharmacy, Monash University, Bandar Sunway, Malaysia
- <sup>327</sup>School of Pharmacy, Taylor's University Lakeside Campus, Subang Jaya, Malaysia
- <sup>328</sup>Department of Systems, Populations and Leadership, University of Michigan, Ann Arbor, MI, USA
- <sup>329</sup>Department of Health Metrics Sciences, School of Medicine, University of Washington, Seattle, WA, USA
- <sup>330</sup>Department of Medicine, University of São Paulo, Sao Paulo, Brazil
- <sup>331</sup>Health Data Research UK, Swansea University, Swansea, UK
- <sup>332</sup>Center for Integration of Data and Health Knowledge, FIOCRUZ: Cidacs Center for Integration of Data and Health Knowledge, Salvador, Brazil
- <sup>333</sup>Faculty of Epidemiology and Population Health, London School of Hygiene & Tropical Medicine, England
- <sup>334</sup>Pathology Department, College of Medicine, Imam Abdulrahman Bin Faisal University, Dammam, Saudi Arabia
- <sup>335</sup>Ophthalmology Department, Aswan Faculty of Medicine, Aswan, Egypt
- <sup>336</sup>Institute of Medicine, Tribhuvan University, Kathmandu, Nepal
- <sup>337</sup>Department of Public Health, Trnava University, Trnava, Slovakia
- <sup>338</sup>Department of Primary Care and Public Health, Imperial College London, London, UK
- <sup>339</sup>Health Education and Research Department, SDM College of Medical Sciences & Hospital, Dharwad, India
- <sup>340</sup>Health University, Rajiv Gandhi University of Health Sciences, Bangalore, India
- <sup>341</sup>Department of Maternal and Child Nursing and Public Health, Federal University of Minas Gerais, Belo Horizonte, Brazil
- <sup>342</sup>Ophthalmology Department, Iran University of Medical Sciences, Tehran, Iran
- <sup>343</sup>Ophthalmology Department, University of Manitoba, Winnipeg, Manitoba, Canada
- <sup>344</sup>Department of Surgery, University of Virginia, Charlottesville, VA, USA
- <sup>345</sup>Surgery Department, Emergency University Hospital Bucharest, Bucharest, Romania
- <sup>346</sup>Psychiatry Department, National Institute of Mental Health and Neurosciences, Bengaluru, India
- <sup>347</sup>Department of Epidemiology and Biostatistics, Tehran University of Medical Sciences, Tehran, Iran
- <sup>348</sup>Institute for Social Science Research, The University of Queensland, Brisbane, Queensland, Australia
- <sup>349</sup>Department of Health Sciences, University of York, York, UK
- <sup>350</sup>Department of Midwifery-Reproductive Health, Hamadan University of Medical Sciences, Hamadan, Iran
- <sup>351</sup>Research Department, The George Institute for Global Health, New Delhi, India
- <sup>352</sup>School of Medicine, University of New South Wales, Sydney, New South Wales, Australia
- <sup>353</sup>Neurology Department, Janakpuri Super Specialty Hospital Society, New Delhi, India
- <sup>354</sup>Department of Neurology, Govind Ballabh Institute of Medical Education and Research, New Delhi, India
- <sup>355</sup>Division of Epidemiology and Prevention, Institute of Human Virology, University of Maryland, Baltimore, MD, USA
- <sup>356</sup>Peru Country Office, United Nations Population Fund (UNFPA), Lima, Peru
- <sup>357</sup>Forensic Medicine Division, Imam Abdulrahman Bin Faisal University, Dammam, Saudi Arabia
- <sup>358</sup>Department of Epidemiology and Biostatistics, Haramaya University, Harar, Ethiopia
- <sup>359</sup>Breast Surgery Unit, Helsinki University Hospital, Helsinki, Finland
- <sup>360</sup>University of Helsinki, Helsinki, Finland
- <sup>361</sup>Neurocenter, Helsinki University Hospital, Helsinki, Finland
- <sup>362</sup>School of Health Sciences, University of Melbourne, Parkville, Victoria, Australia
- <sup>363</sup>Statistics Department, Debre Markos University, Debre Markos, Ethiopia
- <sup>364</sup>Clinical Microbiology and Parasitology Unit, Zora Profozic Polyclinic, Zagreb, Croatia
- <sup>365</sup>University Centre Varazdin, University North, Varazdin, Croatia
- <sup>366</sup>Center for Innovation in Medical Education, Pomeranian Medical University, Szczecin, Poland
- <sup>367</sup>Pomeranian Medical University, Szczecin, Poland
- <sup>368</sup>Department of Propedeutics of Internal Diseases & Arterial Hypertension, Pomeranian Medical University, Szczecin, Poland
- <sup>369</sup>Pacific Institute for Research & Evaluation, Calverton, MD, USA
- <sup>370</sup>Achutha Menon Centre for Health Science Studies, Sree Chitra Tirunal Institute for Medical Sciences and Technology, Trivandrum, India
- <sup>371</sup>Global Institute of Public Health (GIPH), Ananthapuri Hospitals and Research Centre, Trivandrum, India
- <sup>372</sup>Department of Statistics and Econometrics, Bucharest University of Economic Studies, Bucharest, Romania
- <sup>373</sup>President's Office, National Institute of Statistics, Bucharest, Romania
- <sup>374</sup>Faculty of Internal Medicine, Kyrgyz State Medical Academy, Bishkek, Kyrgyzstan
- <sup>375</sup>Department of Atherosclerosis and Coronary Heart Disease, National Center of Cardiology and Internal Disease, Bishkek, Kyrgyzstan
- <sup>376</sup>Heidelberg Institute of Global Health (HIGH), Faculty of Medicine and University Hospital, Heidelberg University, Heidelberg, Germany
- <sup>377</sup>Institute of Addiction Research (ISFF), Frankfurt University of Applied Sciences, Frankfurt, Germany
- <sup>378</sup>Biotechnology Research Center, Tabriz University of Medical Sciences, Tabriz, Iran
- <sup>379</sup>Molecular Medicine Research Center, Tabriz University of Medical Sciences, Tabriz, Iran
- <sup>380</sup>Health Equity Research Center, Tehran University of Medical Sciences, Tehran, Iran
- <sup>381</sup>Internal Medicine Department, King Saud University, Riyadh, Saudi Arabia
- <sup>382</sup>Department of Information Technology, University of Human Development, Sulaymaniyah, Iraq
- <sup>383</sup>Department of Epidemiology and Biostatistics, Shahrekord University of Medical Sciences, Shahrekord, Iran
- <sup>384</sup>Department of Nursing, Shahroud University of Medical Sciences, Shahroud, Iran
- <sup>385</sup>Health Systems and Policy Research Unit, Ahmadu Bello University, Zaria, Nigeria
- <sup>386</sup>Department of Public Health, Samara University, Samara, Ethiopia
- <sup>387</sup>Iran National Institute of Health Research, Tehran University of Medical Sciences, Tehran, Iran

- <sup>388</sup>Pediatric Neurorehabilitation Research Center, University of Social Welfare and Rehabilitation Sciences, Tehran, Iran
- <sup>389</sup>Faculty of Life Sciences and Medicine, King's College London, London, UK
- <sup>390</sup>Clinical Epidemiology and Public Health Research Unit, Burlo Garofolo Institute for Maternal and Child Health, Trieste, Italy
- <sup>391</sup>Department of Public Health Medicine, University of KwaZulu-Natal, Durban, South Africa
- <sup>392</sup>Research Center for Environmental Determinants of Health, Kermanshah University of Medical Sciences, Kermanshah, Iran
- <sup>393</sup>Kermanshah University of Medical Sciences, Kermanshah, Iran
- <sup>394</sup>Social Determinants of Health Research Center, Kurdistan University of Medical Sciences, Sanandaj, Iran
- <sup>395</sup>Department of Epidemiology and Biostatistics, Kurdistan University of Medical Sciences, Sanandaj, Iran
- <sup>396</sup>Preventive Medicine and Public Health Research Center, Iran University of Medical Sciences, Tehran, Iran
- <sup>397</sup>International Laboratory for Air Quality and Health, Queensland University of Technology, Brisbane, Queensland, Australia
- <sup>398</sup>Gorgas Memorial Institute for Health Studies, Panama City, Panama
- <sup>399</sup>Department of Psychiatry, Badhir Dar University, Ethiopia
- <sup>400</sup>Department of Epidemiology and Biostatistics, University of Gondar, Gondar, Ethiopia
- <sup>401</sup>School of Medical Sciences, Science University of Malaysia, Kubang Kerian, Malaysia
- <sup>402</sup>Department of Pediatric Medicine, Nishtar Medical University, Multan, Pakistan
- <sup>403</sup>Department of Pediatrics & Pediatric Pulmonology, Institute of Mother & Child Care, Multan, Pakistan
- <sup>404</sup>Clinical Research Development Center, Kermanshah University of Medical Sciences, Kermanshah, Iran
- <sup>405</sup>Research and Analytics, Initiative for Financing Health and Human Development, Chennai, India
- <sup>406</sup>Research and Analytics, Bioinsilico Technologies, Chennai, India
- <sup>407</sup>Department of Epidemiology, University of Alabama at Birmingham, Birmingham, AL, USA
- <sup>408</sup>Laboratory of Public Health Indicators Analysis and Health Digitalization, Moscow Institute of Physics and Technology, Dolgoprudny, Russia
- <sup>409</sup>Experimental Surgery and Oncology Laboratory, Kursk State Medical University of the Ministry of Health of the Russian Federation, Kursk, Russia
- <sup>410</sup>Department of Epidemiology & Biostatistics, Kermanshah University of Medical Sciences, Kermanshah, Iran
- <sup>411</sup>Suraj Eye Institute, Nagpur, India
- <sup>412</sup>Hospital of the Federal University of Minas Gerais, Federal University of Minas Gerais, Belo Horizonte, Brazil
- <sup>413</sup>Mental Health Research Center, IUMS, Tehran, Iran
- <sup>414</sup>Preventive Medicine and Public Health Research Center, IUMS, Tehran, Iran
- <sup>415</sup>Department of Forensic Medicine and Toxicology, Manipal Academy of Higher Education, Manipal, India
- <sup>416</sup>Department of Pediatrics, Arak University of Medical Sciences, Arak, Iran
- <sup>417</sup>Iranian Ministry of Health and Medical Education, Tehran, Iran
- <sup>418</sup>Cochrane South Africa, South African Medical Research Council, Cape Town, South Africa
- <sup>419</sup>Department of General Surgery, Carol Davila University of Medicine and Pharmacy, Bucharest, Romania
- <sup>420</sup>Department of General Surgery, Emergency Hospital of Bucharest, Bucharest, Romania
- <sup>421</sup>Department of Biological Sciences, University of Embu, Embu, Kenya
- <sup>422</sup>Institute for Global Health Innovations, Duy Tan University, Hanoi, Vietnam
- <sup>423</sup>Project of ADB, National Institute of Nutrition, Hanoi, Vietnam
- <sup>424</sup>Industrial Management Department, Hanoi University of Science and Technology, Hanoi, Vietnam
- <sup>425</sup>Department of Pharmacology, Shahid Beheshti University of Medical Sciences, Tehran, Iran
- <sup>426</sup>Heidelberg University Hospital, Heidelberg, Germany
- <sup>427</sup>Public Health Department, Universitas Negeri Semarang, Kota Semarang, Indonesia
- <sup>428</sup>Graduate Institute of Biomedical Informatics, Taipei Medical University, Taipei City, Taiwan
- <sup>429</sup>School of Public Health and Family Medicine, University of Cape Town, Cape Town, South Africa
- <sup>430</sup>Centre of Cardiovascular Research and Education in Therapeutics, Monash University, Melbourne, Victoria, Australia
- <sup>431</sup>Independent Consultant, Accra, Ghana
- <sup>432</sup>UCIBIO, University of Porto, Porto, Portugal
- <sup>433</sup>Reproductive Health Sciences, Department Obstetrics and Gynecology, University of Ibadan, Ibadan, Nigeria
- <sup>434</sup>Department of Preventive Medicine, Kyung Hee University, Dongdaemun-gu, South Korea
- <sup>435</sup>Department of Psychiatry and Behavioural Neurosciences, McMaster University, Hamilton, Ontario, Canada
- <sup>436</sup>Department of Psychiatry, University of Lagos, Lagos, Nigeria
- <sup>437</sup>Department of Pathology and Molecular Medicine, McMaster University, Hamilton, Ontario, Canada
- <sup>438</sup>Diplomacy and Public Relations Department, University of Human Development, Sulaimaniyah, Iraq
- <sup>439</sup>Department of Pharmacology and Therapeutics, University of Nigeria Nsukka, Enugu, Nigeria
- <sup>440</sup>Applied Research Division, Public Health Agency of Canada, Ottawa, Ontario, Canada
- <sup>441</sup>School of Psychology, University of Ottawa, Ottawa, Ontario, Canada
- <sup>442</sup>Department of Global Health Nursing, St. Luke's International University, Chuo-ku, Japan
- <sup>443</sup>Academic Department, Unium Ltd, Moscow, Russia
- <sup>444</sup>Department of Project Management, National Research University Higher School of Economics, Moscow, Russia
- <sup>445</sup>Department of Respiratory Medicine, Jagadguru Sri Shivarathreeswara Academy of Health Education and Research, Mysore, India
- <sup>446</sup>Department of Forensic Medicine, Manipal Academy of Higher Education, Manipal, India
- <sup>447</sup>Department of Medicine, Ottawa Hospital Research Institute, Ottawa Hospital, Ottawa, Ontario, Canada
- <sup>448</sup>Parasitology and Mycology Department, Shiraz University of Medical Sciences, Shiraz, Iran
- <sup>449</sup>Augenpraxis Jonas, Heidelberg University, Heidelberg, Germany
- <sup>450</sup>Department of Medical Humanities and Social Medicine, Kosin University, Busan, South Korea
- <sup>451</sup>Research and Evaluation Department, Population Council, New Delhi, India
- <sup>452</sup>Indian Institute of Health Management Research University, Jaipur, India
- <sup>453</sup>Department of Pediatrics, RD Gardi Medical College, Ujjain, India
- <sup>454</sup>Public Health Sciences, Karolinska Institutet, Stockholm, Sweden
- <sup>455</sup>Regional Medical Research Centre, Indian Council of Medical Research, Bhubaneswar, India
- <sup>456</sup>Department of Midwifery, Wolaita Sodo University, Wolaita Sodo, Ethiopia
- <sup>457</sup>School of Public Health and Community Medicine, Faculty of Medicine, University of New South Wales, Sydney, New South Wales, Australia
- <sup>458</sup>Center for Research and Innovation, Ateneo De Manila University, Pasig City, Philippines
- <sup>459</sup>Department of Orthopedics, Yenepoya Medical College, Mangalore, India
- <sup>460</sup>Department of Psychiatry, Department of Epidemiology, Columbia University, New York, NY, USA
- <sup>461</sup>Shanghai Mental Health Center, Shanghai Jiao Tong University, Shanghai, China
- <sup>462</sup>Department of Epidemiology and Evidence-Based Medicine, Sechenov University, Moscow, Russia
- <sup>463</sup>School of Population and Public Health, University of British Columbia, Vancouver, British Columbia, Canada
- <sup>464</sup>Digestive Diseases Research Institute, Tehran University of Medical Sciences, Tehran, Iran
- <sup>465</sup>Department of Nephrology, Sanjay Gandhi Postgraduate Institute of Medical Sciences, Lucknow, India
- <sup>466</sup>Health Sciences Department, Muhammadiyah University of Surakarta, Sukoharjo, Indonesia
- <sup>467</sup>Department of Chemistry, Sharif University of Technology, Tehran, Iran
- <sup>468</sup>Biomedical Engineering Department, Amirkabir University of Technology, Tehran, Iran
- <sup>469</sup>College of Medicine, University of Central Florida, Orlando, FL, USA
- <sup>470</sup>College of Graduate Health Sciences, A.T. Still University, Mesa, AZ, USA
- <sup>471</sup>Department of Epidemiology & Biostatistics, Contech School of Public Health, Lahore, Pakistan
- <sup>472</sup>Department of Medicine, University of Alberta, Edmonton, Alberta, Canada
- <sup>473</sup>Department of Immunology, Mazandaran University of Medical Sciences, Sari, Iran
- <sup>474</sup>Molecular and Cell Biology Research Center, Mazandaran University of Medical Sciences, Sari, Iran
- <sup>475</sup>Thalassemia and Hemoglobinopathy Research Center, Ahvaz Jundishapur University of Medical Sciences, Ahvaz, Iran
- <sup>476</sup>Metabolomics and Genomics Research Center, Tehran University of Medical Sciences, Tehran, Iran
- <sup>477</sup>Faculty of Medicine, Mazandaran University of Medical Sciences, Sari, Iran
- <sup>478</sup>School of Nursing and Healthcare Professions, Federation University Australia, Berwick, Victoria, Australia
- <sup>479</sup>School of Nursing and Midwifery, La Trobe University, Melbourne, Victoria, Australia
- <sup>480</sup>Faculty of Medicine, Birjand University of Medical Sciences, Birjand, Iran
- <sup>481</sup>European Office for the Prevention and Control of Noncommunicable Diseases, World Health Organization (WHO), Moscow, Russia
- <sup>482</sup>Department of Oral Pathology, Srinivas Institute of Dental Sciences, Mangalore, India

- <sup>483</sup>School of Behavioral Sciences and Mental Health, Tehran Institute of Psychiatry, Tehran, Iran
- <sup>484</sup>Academic Public Health Department, Public Health England, London, UK
- <sup>485</sup>School of Health, Medical and Applied Sciences, CQ University, Sydney, New South Wales, Australia
- <sup>486</sup>Department of Computer Science, Metropolitan College, Boston University, Boston, USA
- <sup>487</sup>Neurology Department, Sree Chitra Tirunal Institute for Medical Sciences and Technology, Thiruvananthapuram, India
- <sup>488</sup>Brien Holden Vision Institute, Sydney, New South Wales, Australia
- <sup>489</sup>Organization for the Prevention of Blindness, Paris, France
- <sup>490</sup>EPIUnit - Public Health Institute University Porto (ISPUP), University of Porto, Porto, Portugal
- <sup>491</sup>Surgery Department, University of Minnesota, Minneapolis, MN, USA
- <sup>492</sup>Surgery Department, University Teaching Hospital of Kigali, Kigali, Rwanda
- <sup>493</sup>Research Directorate, Nihon Gakko University, Fernando de la Mora, Paraguay
- <sup>494</sup>Research Direction, Universidad Nacional de Caaguazú, Coronel Oviedo, Paraguay
- <sup>495</sup>Department of Clinical Research, Federal University of Uberlândia, Uberlândia, Brazil
- <sup>496</sup>Golestan Research Center of Gastroenterology and Hepatology, Golestan University of Medical Sciences, Gorgan, Iran
- <sup>497</sup>College of Medicine, University of Sharjah, Sharjah, United Arab Emirates
- <sup>498</sup>Department of Health in Disasters and Emergencies, Shahid Beheshti University of Medical Sciences, Tehran, Iran
- <sup>499</sup>Department of Neuroscience, Iran University of Medical Sciences, Tehran, Iran
- <sup>500</sup>Sina Trauma and Surgery Research Center, Tehran University of Medical Sciences, Tehran, Iran
- <sup>501</sup>Nanobiotechnology Center, Soran University, Soran, Iraq
- <sup>502</sup>Public Health and Community Medicine Department, Cairo University, Giza, Egypt
- <sup>503</sup>Urology Department, Cairo University, Giza, Egypt
- <sup>504</sup>Health and Disability Intelligence Group, Ministry of Health, Wellington, New Zealand
- <sup>505</sup>Department of Entomology, Ain Shams University, Cairo, Egypt
- <sup>506</sup>Department of Surgery, Marshall University, Huntington, WV, USA
- <sup>507</sup>Department of Nutrition and Preventive Medicine, Case Western Reserve University, Cleveland, OH, USA
- <sup>508</sup>Rheumatology Department, University Hospitals Bristol NHS Foundation Trust, Bristol, UK
- <sup>509</sup>Institute of Bone and Joint Research, University of Sydney, Sydney, New South Wales, Australia
- <sup>510</sup>Institute of Social Medicine, University of Belgrade, Belgrade, Serbia
- <sup>511</sup>Centre-School of Public Health and Health Management, University of Belgrade, Belgrade, Serbia
- <sup>512</sup>Health Economics, Bangladesh Institute of Development Studies (BIDS), Dhaka, Bangladesh
- <sup>513</sup>Colorectal Research Center, Iran University of Medical Sciences, Tehran, Iran
- <sup>514</sup>Surgery Department, Hamad Medical Corporation, Doha, Qatar
- <sup>515</sup>Faculty of Health & Social Sciences, Bournemouth University, Bournemouth, UK
- <sup>516</sup>Department of Public Health Sciences, University of North Carolina at Charlotte, Charlotte, NC, USA
- <sup>517</sup>Education Development Center, Faculty Member of Education Development Center, Ahvaz Jundishapur University of Medical Sciences, Ahvaz, Iran
- <sup>518</sup>Department of Psychology, University of Alabama at Birmingham, Birmingham, AL, USA
- <sup>519</sup>Department of Psychiatry, Stellenbosch University, Cape Town, South Africa
- <sup>520</sup>Emergency Department, Manian Medical Centre, Erode, India
- <sup>521</sup>Microbiology Service, National Institutes of Health, Bethesda, MD, USA
- <sup>522</sup>Center for Biomedical Information Technology, Shenzhen Institutes of Advanced Technology, Chinese Academy of Sciences, Shenzhen, China
- <sup>523</sup>Department of Health Promotion and Education, Alborz University of Medical Sciences, Karaj, Iran
- <sup>524</sup>Health Policy Research Center, Shiraz University of Medical Sciences, Shiraz, Iran
- <sup>525</sup>Independent Consultant, Karachi, Pakistan
- <sup>526</sup>School of Medicine, Alborz University of Medical Sciences, Karaj, Iran
- <sup>527</sup>Centre for Medical Informatics, University of Edinburgh, Edinburgh, UK
- <sup>528</sup>Division of General Internal Medicine, Harvard University, Boston, MA, USA
- <sup>529</sup>National Institute of Infectious Diseases, Tokyo, Japan
- <sup>530</sup>College of Medicine, Yonsei University, Seodaemun-gu, South Korea
- <sup>531</sup>Division of Cardiology, Emory University, Atlanta, GA, USA
- <sup>532</sup>Finnish Institute of Occupational Health, Helsinki, Finland
- <sup>533</sup>Department of Health Education & Promotion, Kermanshah University of Medical Sciences, Kermanshah, Iran
- <sup>534</sup>School of Health, University of Technology Sydney, Sydney, New South Wales, Australia
- <sup>535</sup>Department of Psychology, Reykjavik University, Reykjavik, Iceland
- <sup>536</sup>Department of Health and Behavior Studies, Columbia University, New York, NY, USA
- <sup>537</sup>Department of Medicine, University of Alabama at Birmingham, Birmingham, AL, USA
- <sup>538</sup>Medicine Service, US Department of Veterans Affairs (VA), Birmingham, AL, USA
- <sup>539</sup>Department of Forensic Medicine, Kathmandu University, Dhulikhel, Nepal
- <sup>540</sup>Department of Epidemiology, School of Preventive Oncology, Patna, India
- <sup>541</sup>Department of Epidemiology, Healis Sekhsaria Institute for Public Health, Mumbai, India
- <sup>542</sup>Medical Surgical Nursing Department, Urmia University of Medical Science, Urmia, Iran
- <sup>543</sup>Emergency Nursing Department, Semnan University of Medical Sciences, Semnan, Iran
- <sup>544</sup>Hospital Universitario de la Princesa, Autonomous University of Madrid, Madrid, Spain
- <sup>545</sup>Centro de Investigación Biomédica en Red Enfermedades Respiratorias (CIBERES), Madrid, Spain
- <sup>546</sup>Department of Public Health, Arba Minch University, Arba Minch, Ethiopia
- <sup>547</sup>Hull York Medical School, University of Hull, Hull City, UK
- <sup>548</sup>Usher Institute of Population Health Sciences and Informatics, University of Edinburgh, Edinburgh, UK
- <sup>549</sup>Department of Psychology, Deakin University, Melbourne, Victoria, Australia
- <sup>550</sup>Department of Community Medicine, Ahmadu Bello University, Zaria, Nigeria
- <sup>551</sup>Department of Criminology, Law and Society, University of California Irvine, Irvine, CA, USA
- <sup>552</sup>Department of Medicine, University of Valencia, Valencia, Spain
- <sup>553</sup>Carlos III Health Institute, Biomedical Research Networking Center for Mental Health Network (CiberSAM), Madrid, Spain
- <sup>554</sup>School of Social Work, University of Illinois, Urbana, IL, USA
- <sup>555</sup>Public Health, Arba Minch College of Health Sciences, Arba Minch, Ethiopia
- <sup>556</sup>School of Public Health, University of Adelaide, Adelaide, SA, Australia
- <sup>557</sup>Department of Environmental Health, Wollo University, Dessie, Ethiopia
- <sup>558</sup>Department of Community and Family Medicine, Iran University of Medical Sciences, Tehran, Iran
- <sup>559</sup>Department of Pharmacognosy, Mekelle University, Mekelle, Ethiopia
- <sup>560</sup>Institute of Public Health, University of Gondar, Gondar, Ethiopia
- <sup>561</sup>Department of Public Health, Adigrat University, Adigrat, Ethiopia
- <sup>562</sup>Biology Department, Moscow State University, Moscow, Russia
- <sup>563</sup>Department of Nursing, Woldia University, Woldia, Ethiopia
- <sup>564</sup>HIV/STI Surveillance Research Center, and WHO Collaborating Center for HIV Surveillance, Kerman University of Medical Sciences, Kerman, Iran
- <sup>565</sup>Institute of Public Health, Krakow, Poland
- <sup>566</sup>The Agency for Health Technology Assessment and Tariff System, Warszawa, Poland
- <sup>567</sup>Department of Molecular Medicine and Pathology, University of Auckland, Auckland, New Zealand
- <sup>568</sup>Clinical Hematology and Toxicology, Military Medical University, Hanoi, Vietnam
- <sup>569</sup>Department of Health Economics, Hanoi Medical University, Hanoi, Vietnam
- <sup>570</sup>Department of Psychiatry, Massachusetts General Hospital, Boston, MA, USA
- <sup>571</sup>Mbarara University of Science and Technology, Mbarara, Uganda
- <sup>572</sup>Department of Medicine, University of Crete, Heraklion, Greece
- <sup>573</sup>Lee Kong Chian School of Medicine, Nanyang Technological University, Singapore, Singapore
- <sup>574</sup>Gomal Center of Biochemistry and Biotechnology, Gomal University, Dera Ismail Khan, Pakistan
- <sup>575</sup>TB Culture Laboratory, Mufti Mehmood Memorial Teaching Hospital, Dera Ismail Khan, Pakistan
- <sup>576</sup>Amity Institute of Biotechnology, Amity University Rajasthan, Jaipur, India
- <sup>577</sup>Division of Health Sciences, University of Warwick, Coventry, UK
- <sup>578</sup>Argentine Society of Medicine, Buenos Aires, Argentina
- <sup>579</sup>Velez Sarsfield Hospital, Buenos Aires, Argentina
- <sup>580</sup>UKK Institute, Tampere, Finland
- <sup>581</sup>Psychosocial Injuries Research Center, Ilam University of Medical Sciences, Ilam, Iran
- <sup>582</sup>Raffles Neuroscience Centre, Raffles Hospital, Singapore, Singapore
- <sup>583</sup>Yong Loo Lin School of Medicine, National University of Singapore, Singapore, Singapore
- <sup>584</sup>Department of Medical and Surgical Sciences, University of Bologna, Bologna, Italy
- <sup>585</sup>Occupational Health Unit, Sant'Orsola Malpighi Hospital, Bologna, Italy
- <sup>586</sup>Department of Health Care Administration and Economics, National Research University Higher School of Economics, Moscow, Russia
- <sup>587</sup>Foundation University Medical College, Foundation University, Islamabad, Pakistan
- <sup>588</sup>Department of Physical Therapy, Naresuan University, Meung District, Thailand
- <sup>589</sup>Department of Human Anatomy, Histology, and Embryology, Bahir Dar University, Bahir Dar, Ethiopia
- <sup>590</sup>Department of Nursing, Wollo University, Dessie, Ethiopia
- <sup>591</sup>Department of Orthopaedics, Wenzhou Medical University, Wenzhou, China
- <sup>592</sup>Public Health Science Directorate, NHS Health Scotland, Glasgow, Scotland
- <sup>593</sup>Medical Physics Department, Ahvaz Jundishapur University of Medical Sciences, Ahvaz, Iran

- <sup>594</sup>Department of Preventive Medicine, Northwestern University, Chicago, IL, USA
- <sup>595</sup>School of International Development and Global Studies, University of Ottawa, Ottawa, Ontario, Canada
- <sup>596</sup>Health Services Management Research Center, Kerman University of Medical Sciences, Kerman, Iran
- <sup>597</sup>Department of Health Management, Policy and Economics, Kerman University of Medical Sciences, Kerman, Iran
- <sup>598</sup>Division of Injury Prevention and Mental Health Improvement, National Center for Chronic and Noncommunicable Disease Control, Chinese Center for Disease Control and Prevention, Beijing, China
- <sup>599</sup>Centre for Suicide Research and Prevention, University of Hong Kong, Hong Kong, China
- <sup>600</sup>Department of Social Work and Social Administration, University of Hong Kong, Hong Kong, China
- <sup>601</sup>School of Allied Health Sciences, Addis Ababa University, Addis Ababa, Ethiopia
- <sup>602</sup>Department of Psychopharmacology, National Center of Neurology and Psychiatry, Tokyo, Japan
- <sup>603</sup>Department of Sociology, Yonsei University, Seoul, South Korea
- <sup>604</sup>Department of Health Policy & Management, Jackson State University, Jackson, MS, USA
- <sup>605</sup>School of Medicine, Tsinghua University, Beijing, China
- <sup>606</sup>Department of Environmental Health, Mazandaran University of Medical Sciences, Sari, Iran
- <sup>607</sup>Environmental Health, Academy of Medical Science, Sari, Iran
- <sup>608</sup>Department of Epidemiology and Biostatistics, Wuhan University, Wuhan, China
- <sup>609</sup>Global Health Institute, Wuhan University, Wuhan, China
- <sup>610</sup>School of Public Health and Management, Hubei University of Medicine, Shiyan, China
- <sup>611</sup>Social Determinants of Health Research Center, Ardabil University of Medical Science, Ardabil, Iran
- <sup>612</sup>Department of Epidemiology, University Hospital of Setif, Setif, Algeria
- <sup>613</sup>Department of Medicine, School of Clinical Sciences at Monash Health, Monash University, Melbourne, Victoria, Australia
- <sup>614</sup>Student Research Committee, Babol University of Medical Sciences, Babol, Iran
- <sup>615</sup>Department of Community Medicine, Ardabil University of Medical Science, Ardabil, Iran
- <sup>616</sup>Faculty of Medical Sciences, Department of Health Education, Tarbiat Modares University, Tehran, Iran
- <sup>617</sup>Department of Preventive Medicine, Wuhan University, Wuhan, China
- <sup>618</sup>School of Public Health, Wuhan University of Science and Technology, Wuhan, China
- <sup>619</sup>Hubei Province Key Laboratory of Occupational Hazard Identification and Control, Wuhan University of Science and Technology, Wuhan, China
- <sup>620</sup>Indian Institute of Public Health, Public Health Foundation of India, Gurugram, India
- <sup>621</sup>Public Health Foundation of India, Gurugram, India
- <sup>622</sup>Department of Community Medicine, University of Peradeniya, Peradeniya, Sri Lanka

**Acknowledgements** Seyed Aljunid acknowledges the Department of Health Policy and Management, Faculty of Public Health, Kuwait University and International Centre for Casemix and Clinical Coding, Faculty of Medicine, National University of Malaysia for the approval and support to participate in this research project. Alaa Badawi acknowledges support by the Public Health Agency of Canada. Till Bärnighausen acknowledges support by the Alexander von Humboldt Foundation through the Alexander von Humboldt Professor award, funded by the German Federal Ministry of Education and Research. Traolach Brugha received support from NatCen Social Research (<http://natcen.ac.uk/>) via NHS Digital and Department of Health and Social Care London, for the Adult Psychiatric Morbidity Survey (APMS) programme. Felix Carvalho received support from UID/MULTI/04378/2019 with funding from FCT/MCTES through national funds. Vera M Costa acknowledges support from grant (SFRH/BHD/110001/2015), received by Portuguese national funds through Fundação para a Ciência e Tecnologia (FCT), IP, under the Norma Transitória DL57/2016/CP1334/CT0006. Kebede Deribe is supported by a grant from the Wellcome Trust [grant number 201900] as part of his International Intermediate Fellowship. Tim Driscoll acknowledges that work on occupational risk factors was partially supported by funds from the World Health Organization. Eduarda Fernandes acknowledges support from UID/QUI/50006/2019 with funding from FCT/MCTES through national funds. Yuming Guo acknowledges support from Career Development Fellowships of the Australian National Health and Medical Research Council (numbers APP1107107 and APP1163693). Sheikh Mohammed Shariful Islam is funded by a Fellowship from National Heart Foundation of Australia and Institute for Physical Activity and Nutrition, Deakin University. Mihajlo Jakovljevic acknowledges support by the Ministry of Education Science and Technological

Development of the Republic of Serbia through the Grant number OI175014; publication of results was not contingent upon Ministry's censorship or approval. Sudha Jayaraman acknowledges support from: NIH R21: 1R21TW010439-01A1 (PI); Rotary Foundation Global Grant #GG1749568 (PI); NIH P20: 1P20CA210284-01A1 (Co-PI) and DOD grant W81XWH-16-2-0040 (Co-I), during the period of this study. Yun Jin Kim acknowledges support from a grant from the Research Management Centre, Xiamen University Malaysia [grant number: XMUMRF/2018-C2/ITCM/0001]. Kewal Krishan is supported by UGC Centre of Advanced Study (CAS II) awarded to the Department of Anthropology, Panjab University, Chandigarh, India. Mansai Kumar acknowledges support from FIC/ NIH K43 1K43MH114320-01. Amanda Mason-Jones acknowledges support by the University of York. Mariam Molokhia is supported by the National Institute for Health Research Biomedical Research Center at Guy's and St Thomas's National Health Service Foundation Trust and King's College London. Ilais Moreno Velasquez is supported by the Sistema Nacional de Investigación (SNI, Senacyt, Panama). Mukhammad David Naimzada acknowledges support from Government of the Russian Federation (Agreement No – 075-02-2019-967). Duduzile Ndawandwe acknowledges support from Cochrane South Africa, South African Medical Research Council. Stanislav S. Ostavnov acknowledges the support from the Government of the Russian Federation (Agreement No – 075-02-2019-967). Ashish Pathak acknowledges support from Indian Council of Medical Research (ICMR), New Delhi, India (Grant number 2013-1253). Michael R Phillips acknowledges support in part by a grant from the National Natural Science Foundation of China (No.81761128031). Abdallah M. Samy received a fellowship from the Egyptian Fulbright Mission Program. Milena Santric Milicevic acknowledges the support from the Ministry of Education, Science and Technological Development, Republic of Serbia (Contract No. 175087). Seyedmojtaba Seyedmousavi was supported by the Intramural Research Program of the National Institutes of Health, Clinical Center, Department of Laboratory Medicine, Bethesda, MD, USA. Rafael Tabarés-Seisdedos was supported in part by the national grant PI17/00719 from ISCIII-FEDER. Sojib Bin Zaman acknowledges support from an "Australian Government Research Training Program (RTP) Scholarship."

**Funding** This study was funded by The Bill and Melinda Gates Foundation. SLJ conducts research for a grant on influenza and RSV which is funded in part by Sanofi Pasteur.

**Competing interests** Dr. James reports grants from Sanofi Pasteur, outside the submitted work. Dr. Driscoll reports grants from World Health Organisation, during the conduct of the study. Dr. Shariful Islam is funded by a Fellowship from National Heart Foundation of Australia and Institute for Physical Activity and Nutrition, Deakin University. Dr. Ivers reports grants from National Health and Medical Research Council of Australia, during the conduct of the study. Dr. Jozwiak reports personal fees from TEVA, personal fees from ALAB, personal fees from BOEHRINGER INGELHEIM, personal fees from SYNEXUS, non-financial support from SERVIER, non-financial support from MICROLIFE, non-financial support from MEDICOVER, outside the submitted work. Walter Mendoza is currently Program Analyst Population and Development at the Peru Country Office of the United Nations Population Fund-UNFPA, which does not necessarily endorse this study. Dr. Rakovac reports grants from World Health Organization, during the conduct of the study. Dr. Sheikh reports grants from Health Data Research UK, outside the submitted work. Dr. Singh reports personal fees from Crealta/Horizon, Medisys, Fidia, UBM LLC, Trio health, Medscape, WebMD, Clinical Care options, Clearview healthcare partners, Putnam associates, Spherix, Practice Point communications, the National Institutes of Health and the American College of Rheumatology, personal fees from Speaker's bureau of Simply Speaking. Dr. Singh owns stock options in Amarin pharmaceuticals and Viking pharmaceuticals. Dr. Singh serves on the steering committee of OMERACT, an international organization that develops measures for clinical trials and receives arms-length funding from 12 pharmaceutical companies. Dr. Singh serves on the FDA Arthritis Advisory Committee. Dr. Singh is a member of the Veterans Affairs Rheumatology Field Advisory Committee. Dr. Singh is the editor and the Director of the UAB Cochrane Musculoskeletal Group Satellite Center on Network Meta-analysis, outside the submitted work. Dr. Stein reports personal fees from Lundbeck and Sun, outside the submitted work.

**Patient consent for publication** Not required.

**Provenance and peer review** Not commissioned; externally peer reviewed.

**Data availability statement** Availability of input data varies by source. Select data are available in a public, open-access repository. Select data are available on reasonable request. Select data may be obtained from a third party and are not publicly available. All results from the study are included in the article or uploaded as supplementary information or are available online.

**Open access** This is an open access article distributed in accordance with the Creative Commons Attribution 4.0 Unported (CC BY 4.0) license, which permits others to copy, redistribute, remix, transform and build upon this work for any purpose, provided the original work is properly cited, a link to the licence is given,

and indication of whether changes were made. See: <https://creativecommons.org/licenses/by/4.0/>.

## REFERENCES

- 1 Bank W. *World development report 1993: investing in health*. Oxford University Press, 1993.
- 2 Murray CJL, Callender CSKH, Kulikoff XR, *et al*. Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the global burden of disease study 2017. *The Lancet* 2018;392:1995–2051.
- 3 James SL, Abate D, Abate KH, *et al*. Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the global burden of disease study 2017. *The Lancet* 2018;392:1789–858.
- 4 Kyu HH, Abate D, Abate KH, *et al*. Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the global burden of disease study 2017. *The Lancet* 2018;392:1859–922.
- 5 Stanaway JD, Afshin A, Gakidou E, *et al*. Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the global burden of disease study 2017. *The Lancet* 2018;392:1923–94.
- 6 Roth GA, Abate D, Abate KH, *et al*. Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the global burden of disease study 2017. *The Lancet* 2018;392:1736–88.
- 7 Dicker D, Nguyen G, Abate D, *et al*. Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the global burden of disease study 2017. *The Lancet* 2018;392:1684–735.
- 8 Foreman KJ, Naghavi M, Ezzati M. Improving the usefulness of US mortality data: new methods for reclassification of underlying cause of death. *Popul Health Metr* 2016;14.
- 9 Naghavi M, Makela S, Foreman K, *et al*. Algorithms for enhancing public health utility of national causes-of-death data. *Popul Health Metr* 2010;8:9.
- 10 GBD 2016 Traumatic Brain Injury and Spinal Cord Injury Collaborators. Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the global burden of disease study 2016. *Lancet Neurol* 2019;18:56–87.
- 11 SpringerLink. Intentional injuries in the eastern Mediterranean region, 1990–2015: findings from the global burden of disease 2015 study, 2015. Available: <https://link.springer.com/article/> [Accessed 29 Aug 2019].
- 12 Foreman KJ, Lozano R, Lopez AD, *et al*. Modeling causes of death: an integrated approach using CODEm. *Popul Health Metr* 2012;10:1.
- 13 Murray CJL, Lozano R, Flaxman AD, *et al*. Using verbal autopsy to measure causes of death: the comparative performance of existing methods. *BMC Med* 2014;12:5.
- 14 China Zhuhai Study. 2006–2007 - China CDC | GHDx. Available: <http://ghdx.healthdata.org/record/china-zhuhai-study-2006-2007-china-cdc> [Accessed 15 May 2018].
- 15 GHDx. Functional outcome at 2.5, 5, 9, and 24 months after injury in the Netherlands. Available: <http://ghdx.healthdata.org/record/functional-outcome-25-5-9-and-24-months-after-injury-netherlands> [Accessed 15 May 2018].
- 16 GHDx. Health-Related quality of life after burns: a prospective multicentre cohort study with 18 months follow-up. Available: <http://ghdx.healthdata.org/record/health-related-quality-life-after-burns-prospective-multicentre-cohort-study-18-months-follow> [Accessed 15 May 2018].
- 17 GHDx. Netherlands injury surveillance system 2007. Available: <http://ghdx.healthdata.org/record/netherlands-injury-surveillance-system-2007> [Accessed 15 May 2018].
- 18 GHDx. Netherlands injury surveillance system 2010. Available: <http://ghdx.healthdata.org/record/netherlands-injury-surveillance-system-2010> [Accessed 14 May 2018].
- 19 Mackenzie EJ, Rivara FP, Jurkovich GJ, *et al*. The national study on costs and outcomes of trauma. *J Trauma* 2007;63:S54–67.
- 20 Traumatic Brain Injury(TBI). Follow-Up registry and surveillance of TBI in the emergency department (ED); notice of availability of funds. federal register, 2002. Available: <https://www.federalregister.gov/documents/2002/05/08/02-11359/traumatic-brain-injurytbi-follow-up-registry-and-surveillance-of-tbi-in-the-emergency-department-ed> [Accessed 14 May 2018].
- 21 Fullman N, Yearwood J, Abay SM, *et al*. Measuring performance on the healthcare access and quality index for 195 countries and territories and selected subnational locations: a systematic analysis from the global burden of disease study 2016. *The Lancet* 2018;391:2236–71.
- 22 Salomon JA, Haagsma JA, Davis A, *et al*. Disability weights for the global burden of disease 2013 study. *Lancet Glob Health* 2015;3:e712–23.
- 23 Lozano R, Fullman N, Abate D, *et al*. Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related sustainable development goals for 195 countries and territories: a systematic analysis for the global burden of disease study 2017. *The Lancet* 2018;392:2091–138.
- 24 Sustainable Development Goals. Sustainable development knowledge platform. Available: <https://sustainabledevelopment.un.org/?menu=1300> [Accessed 27 Jul 2019].